





# **Data Warehouse**

## **User Handbook**

Author 4CB

Version R2025.JUN

Date 04 February 2025

All rights reserved.



# Table of contents

List of Figures	9
List of Tables	28
1 Introduction	34
1.1 Purpose of the document	34
1.1.1 UHB Methodology	34
1.1.2 UHB Structure	35
1.2 Set-up and Login	36
1.2.1 GUI Access	36
1.2.2 Technical Requirements	36
2 Introduction to the Data Warehouse	38
2.1 Overview	38
2.2 Process of the Data Warehouse	39
3 First steps & basics	41
3.1 Access to the DWH	
3.2 Navigating in the DWH GUI – Global application bar	42
3.2.1 Open menu	42
3.2.2 Data Warehouse icon	42
3.2.3 View switcher	42
3.2.4 Search content	
3.2.5 Notification	
3.2.5.1 Subscribing to reports	
3.2.6 Personal menu	
3.2.6.1 Profile and settings	
3.2.6.2 Logging	
3.2.6.2.1 Profile and Settings - Settings	
3.2.6.3 My schedules and subscriptions	55
3.2.6.4 Log out	
3.3 Navigating in the DWH GUI – menu	
3.3.1 Data Warehouse logo	
3.3.2 Open Home	
3.3.3 Search function	
3.3.3.1 Narrow your search with filters	
3.3.3.2 Save search results	
3.3.4 System information	
3.3.5 Recent	
3.3.6 New	
3.4 Personal Folders	72
3.4.1 Team content	72



3.4.2 My content	75
3.4.3 Add a new folder	76
3.4.4 Sort the content	77
3.4.5 Filter the content	78
4 Working with reports	80
4.1 Copy, save and export	80
4.1.1 Copy a report	80
4.1.2 Creating a report view	82
4.1.3 Saving a report output	87
4.1.4 Exporting a report to a local folder	89
4.2 Running reports	92
4.2.1 Run a report step-by-step	92
4.2.1.1 Choose different formats	94
4.2.1.2 Run in background	99
4.2.2 Delivery	102
4.2.2.1 Delivery - Save report (U2A)	102
4.2.2.2 Delivery - Save the report for an external file (A2A)	105
4.3 Scheduling reports	113
4.3.1 Precondition	114
4.3.2 Scheduling the report for a specific time	114
4.3.3 Scheduling the report for a specific DWH event	125
4.3.4 Check the schedule of your report	131
4.4 Dynamic prompts	133
4.4.1 Description and function of dynamic prompts	133
4.4.2 Functionality	133
4.4.3 How to run a report with dynamic prompt	134
4.4.4 How to schedule a report with dynamic prompt	141
5 Predefined reports	151
5.1 Ancillary systems reports (ANS)	151
5.1.1 ANS01 – Overview of AS transfer orders	151
5.1.2 ANS02 – Daily average of AS transfers	154
5.2 Business day reports (BDY)	157
5.2.1 BDY01 – Business Day event/delay information on settlement opening time	157
5.3 Billing reports (BIL)	161
5.3.1 BIL01 – Consumption data	161
5.3.2 BIL02 Monitoring the invoice activity	169
5.3.3 BIL03 — Audit of critical billing data	175
5.3.4 BIL04 - Detailed consumption	180
5.3.5 BIL05 - Detailed participation	187
5.3.6 BIL06 PDF invoice list	191
5.4 Business transaction pattern monitoring (BPM)	194



5.4.1 BPM01 - Business transaction pattern monitoring - Submission time on T2 opening days	. 194
5.4.2 BPM02 — Business transaction pattern monitoring - Submission time on T2 closing days	. 199
5.4.3 BPM03 - Business transaction pattern monitoring - New parties	. 204
5.4.4 BPM04 - Business transaction pattern monitoring – Failed transactions	. 207
5.4.5 BPM05 - Business transaction pattern monitoring - Daily volumes and value	. 210
5.4.6 BPM06 - Business transaction pattern monitoring - Overview of alerts triggered	. 213
5.5 Contingency reports (CON)	. 218
5.5.1 CON01 - Cash transfers settled during contingency processing and final contingency account	unt
balances	. 218
5.5.2 CON02 – Contingency processing – end of procedure account balances per CB	. 223
5.6 Data extraction reports (DXE)	. 225
5.6.1 DXE01 - Data extraction reports: Party reference data	. 225
5.6.2 DXE02 - Data extraction reports: Cash account reference data	. 226
5.6.3 DXE03 – Data extraction reports: Cash account aggregation group	. 227
5.6.4 DXE04 – Data extraction reports: Cash account balance and liquidity	. 228
5.6.5 DXE05 – Data extraction reports: Cash transfer orders	. 231
5.6.6 DXE06 – Data extraction reports: Business day event	. 234
5.7 Intraday credit reports (IDC)	. 236
5.7.1 IDC01 - Daily Intraday credit (IDC) community indicators	. 236
5.7.2 IDC02 – Credit line/IDC daily reporting	. 241
5.7.3 IDC03 - Credit line/IDC averages and maxima (account level)	. 246
5.7.4 IDC04 - Credit line/IDC averages and maxima (community level)	. 251
5.7.5 IDC05 – Maximum of credit line used	. 255
5.7.6 IDC06 – Credit line and IDC use at system level	. 262
5.8 Invoice Data (INV)	. 266
5.8.1 INV01 — Reporting revenues	. 266
5.9 Minimum reserve reports (MIR)	. 271
5.9.1 MIR01 – Minimum reserve information	. 271
5.9.2 MIR02 – Minimum reserve requirements per country	. 278
5.10 TARGET Multilateral Balances (MLB)	. 280
5.10.1 MLB01 - TARGET Multilateral Balances	. 280
5.11 Participation reports (PAR)	. 284
5.11.1 PAR01 – Critical participants	. 284
5.11.2 PAR02 - List of active Direct and Indirect Participants according to RTGS Directory	. 287
5.11.3 PAR03 – Parties subject and not subject to minimum reserve	. 291
5.11.4 PAR04 – List of ancillary systems	. 295
5.11.5 PAR05 – Aggregations list	. 297
5.11.6 PAR06 – Number of participants per CB	. 303
5.12 Standing facilities reports (STF)	. 305
5.12.1 STF01 – Standing facility information	. 305
5.13 Statement reports (STA)	. 311
5 13 1 STA01 – Statement of account (single account)	311



	5.13.2 STA02 – Statement of account (co-managed accounts)	318
	5.14 Transaction reports (TRN)	324
	5.14.1 TRN01 - Cash transfer (order) search and details	324
	5.14.2 TRN02 - Monthly overview of domestic and cross-border payments	337
	5.14.3 TRN03 — Monthly peak day and peak hour in terms of volume and value of cash transfer	
	orders 341	
	5.14.4 TRN04 Cash transfers per time band and per CB	347
	5.14.5 TRN05 – Monthly overview of cash transfer orders per party	352
	5.14.6 TRN06 – Monthly share of Indirect Participant, addressable BIC and multi-addressee	
	payments as part of total Direct Participant's activity	359
	5.14.7 TRN07 – Cash transfers between two accounts of different parties	364
	5.14.8 TRN08 – Business activity of a party/parties	370
	5.14.9 TRN09 – RTGS Account Holder activity	376
	5.14.10 TRN10 – Monthly value and volume of cash transfers in CLM/RTGS (according to T2	
	statistical framework)	380
	5.14.11 TRN11 – Monthly value and volume of cash transfers between system entities	385
6	T2S Predefined reports	303
U	6.1 T2S Cash account (SCT)	
	6.1.1 SCT01 – Finalised matched instructions	
	6.1.2 SCT02 – Detailed matched settlement instructions	
	6.1.3 SCT03 – Follow up by time slot of settlement activity	
	6.1.4 SCT04 – Comparison of settlement activity between two time periods	
	6.1.5 SCT05 – Follow-up by time slot of cash postings	
	6.2 T2S Securities account (SST)	
	6.2.1 SST01 – Finalised matched instructions	
	6.2.2 SST02 – Detailed finalised matched instructions	
	6.2.3 SST03 – Follow-up by time slot of securities postings	
	6.3 T2S Instructions (INX)	
	6.3.1 INX01 – Individual settlement detailed report	
	6.3.2 INX02 – Multi-criteria search of a set of settlement instructions	452
	6.3.3 INX03 – Individual restriction detailed report	478
	6.3.4 INX04 – Multi-criteria search of a set of settlement restrictions	485
	6.3.5 INX05 – Liquidity transfers	
	6.3.6 INX06 – Multi-criteria search of a set of business cancellations	508
	6.3.7 INX07 – Multi-criteria search of a set of amendment instructions	519
	6.3.8 INX08 – Multi-criteria search of a set of hold and release instructions	532
	6.3.9 INX09 – Multi-criteria search of a set of liquidity transfers	540
	6.4 T2S Restrictions (RES)	
	6.4.1 RES01 – Detailed cash restrictions	551
	6.4.2 RES02 – Detailed securities restrictions	557
	6.5 T2S Credit line (CMB)	562



6.5.1 CMB01 – Journaling of limit utilisations of primary CMB	562
6.6 T2S Collateral instructions (COL)	567
6.6.1 COL01 – Follow-up by time slot of settled collateralisation instructions	567
6.7 Technical instructions (RAL)	572
6.7.1 RAL01 – Detailed realignment and other technical instructions	572
7 Understanding user rights and access rights (advanced users)	580
7.1 Functional security	580
7.2 Data security	583
8 Creating reports (just advanced users)	584
8.1 The user interface	585
8.1.1 On-demand toolbar	592
8.1.2 Sources tab	596
8.1.3 Data items tab	597
8.1.4 Toolbox bar	598
8.1.5 Report overview pane	600
8.1.6 Pages pane	601
8.1.7 Queries pane	602
8.1.8 Classes pane	602
8.1.9 Variables pane	603
8.1.10 Filters pane	603
8.1.11 Properties pane	604
8.2 Report Layout, queries and objects	608
8.2.1 Layout	608
8.2.1.1 The Function of the page structure view	609
8.2.1.2 Pages	612
8.2.1.3 Guided Report Layout	614
8.2.1.4 Specify the font for a report	615
8.2.2 Queries	617
8.2.3 Report objects	617
8.2.3.1 Mostly Used Objects	620
8.2.3.2 Copy object formatting	623
8.2.3.3 Add borders to a formatting object	623
8.3 Relational and Dimensional Reporting	625
8.3.1 How to choose a reporting style	625
8.3.2 Relational reporting style	625
8.3.3 Dimensional reporting style	626
8.3.4 Insert a Query Calculation	626
8.3.4.1 Functions for data items	630
8.3.5 Guidelines for each reporting style	647
8.4 Create a report	650
8 4 1 Templates and themes	650



8.4.2 Adding data	651
8.4.3 Insert a single data item	654
8.4.4 Validate a report	655
8.5 Options in Reporting	658
8.5.1 View Options	658
8.5.2 Edit Options	663
8.5.3 Report Options	665
8.5.4 Advanced Options	667
8.6 Working with lists	668
8.6.1 Set list properties	668
8.6.2 Hide column in reports	670
8.6.3 Create a scrollable list	671
8.6.4 Using Repeaters	672
8.6.5 Change a list into a crosstab	
8.7 Working with crosstabs	674
8.7.1 Crosstab nodes and Crosstab nodes members	675
8.7.2 Set Crosstabs properties	676
8.7.3 Create a Single-Edge crosstab	680
8.7.4 Create a nested Crosstab	680
8.7.5 Creating headers automatically for sets in crosstabs	682
8.7.6 Showing Crosstab values as percentages	682
8.7.7 Specify the Default Measure	684
8.7.8 Indent data	
8.8 Working with Visualisations	685
8.8.1 Comparing measures in a visualization	
8.8.2 Adding a baseline to a visualization	688
8.8.3 Change visualization from one type to another	691
8.9 Charts	692
8.9.1 Change Chart from one type to another	
8.9.2 Customizing chart properties	693
8.9.3 Adding a note to a chart	704
8.9.4 Adding a baseline to a chart	706
8.9.5 Adding a marker to a chart	708
8.9.6 Creating a drill-down Chart	710
8.10 Adding prompts to filter data	710
8.10.1 Build your own Prompt and Prompt page	711
8.10.2 Create a Prompt Directly in a Report Page	719
8.10.3 Control the data that appears in a tree prompt	722
8.10.4 Modifying prompts	724
8.10.4.1 Choose a drop-down list, a list box, or a radio button group:	724
8.10.4.2 Prompt requires user input	726
8.10.4.3 Selecting multiple values in a prompt	727



8.10.4.4 Show or Hide Prompt Status	731
8.10.4.5 Specify a Default Selection for a Prompt	731
8.10.4.6 Customize Prompt Text	732
8.10.4.7 Add prompt buttons	734
8.10.4.8 Create a Cascading Prompt	736
9 Additional information	739
9.1 DWH data objects	739
9.2 CLM/RTGS inbound XML messages available in the DWH	757
9.3 DXE file documentation	758
9.3.1 Introduction	758
9.3.2 General information	759
9.3.2.1 Scheduling	759
9.3.2.2 File splitting	759
9.3.2.3 File and field conventions	759
9.3.3 Relationship between files	760
9.3.3.1 Use of technical identifiers	760
9.3.3.2 Party to cash account reference data file relationship	760
9.3.3.3 Cash account balance and liquidity to reference data file relationships	760
9.3.3.4 Cash transfers to reference data file relationships	761
9.3.3.5 Aggregation Group to Reference Data File Relationships	761
9.3.4 DXE01 – party reference data file specification	761
9.3.5 DXE02 – Cash account reference data file specification	763
9.3.6 DXE03 – Cash account aggregation group file specification	766
9.3.7 DXE04 – Cash account balance and liquidity file specification	768
9.3.8 DXE05 – Cash transfers orders/cash transfer file specification	772
9.3.9 DXE06 – Business day file specification	783
10 Data Warehouse Historical data	786
10.1 Introduction	786
10.2 Historic intraday credit reports (IDH)	786
10.2.1 IDH02 – Intraday Credit Line Daily Reporting	786
10.2.2 IDH03 - Credit line and intraday credit averages and maxima by cash account	791
10.2.3 IDH05 – Maximum credit line used	793
10.2.4 TRH01 – Historic cash transfers	800
10.3 DWH historic data objects	810
10.3.1 Party Reference Data	810
10.3.2 Cash Account Reference Data	811
10.3.3 Central Bank Reference Data	811
10.3.4 Cash account intraday credit day history	813
10.3.5 Cash account intraday credit by time band	814
10.3.6 Cash account balances and amounts	816
10.3.7 Cash transfers	818



# List of Figures

Figure 1 - DWH high level overview	40
Figure 2 - Welcome page	41
Figure 3 - Welcome page - navigation view	42
Figure 4 - Welcome page - navigation view - items	43
Figure 5 - Welcome page – navigation view – items – report view selection	43
Figure 6 - Welcome page – Search content	43
Figure 7 - Welcome page – Search content - Save search	44
Figure 8 - Welcome page – Search content - initiate actions	44
Figure 9 - Welcome page – Search content - Action menu	44
Figure 10 - Welcome page - Notification	45
Figure 11 - More options – Notify me	45
Figure 12 - Welcome page - Notification – subscribe	46
Figure 13 - Welcome screen – Personal menu (1)	47
Figure 14 - Welcome screen – Personal menu (2)	47
Figure 15 - Welcome screen – Personal menu – Profile and settings – Profile	48
Figure 16 - Welcome screen – Personal menu – Profile and settings – Personal – Groups and roles	49
Figure 17 - Welcome screen – Personal menu – Profile and settings – Personal – Groups and roles	49
Figure 18 - Welcome screen – Personal menu – Profile and settings – Profile – My capabilities (1)	50
Figure 19 - Welcome screen – Personal menu – Profile and settings – Profile – My capabilities (2)	51
Figure 20 - Welcome screen – Personal menu – Profile and settings - Logging	52
Figure 21 - Welcome screen – Personal menu – Profile and settings – logging	52
Figure 22 - Welcome screen – Personal menu – Profile and settings - logging level	53
Figure 23 - Welcome screen – Personal menu – Profile and settings – Settings	54
Figure 24 - Welcome screen – Personal menu – My schedules and subscriptions	56
Figure 25 - Welcome screen – Personal menu – My schedules and subscriptions - Filter	56
Figure 26 - Welcome screen – Personal menu – My schedules and subscriptions – Upcoming schedules	57
Figure 27 - Welcome screen – Personal menu – My schedules and subscriptions – Past schedules	57
Figure 28 - Welcome screen – Personal menu – My schedules and subscriptions	58
Figure 29 - Welcome screen – Personal menu – My schedules and subscriptions – Modify	59
Figure 30 - Welcome screen – Personal menu – My schedules and subscriptions – View versions	59
Figure 31 - Welcome screen – Personal menu – My schedules and subscriptions – Disable schedule	59
Figure 32 - Welcome screen – Personal menu – My schedules and subscriptions – Remove schedule	60



Figure 33 - Welcome screen – Personal menu – My schedules and subscriptions – Filter (2)	60
Figure 34 - Welcome screen – Personal menu – My schedules and subscriptions – Filter (2) - Further o	•
Figure 35 - Welcome screen – Personal menu – My schedules and subscriptions - Subscription type	
Figure 36 - Welcome screen – Personal menu – My schedules and subscriptions – Status disabled	61
Figure 37 - Welcome screen – Personal menu – My schedules and subscriptions – Schedules Priority	62
Figure 38 - Welcome screen – Personal menu – My schedules and subscriptions – Advanced	63
Figure 39 - Welcome screen – Personal menu – My schedules and subscriptions – Advanced - All - Ty schedule	•
Figure 40 - Welcome screen – Personal menu – My schedules and subscriptions – Advanced - All - Ty schedule – Report	•
Figure 41 - Welcome screen – Personal menu – My schedules and subscriptions – Advanced - All - Ty schedule - Report	
Figure 42 - Personal menu - Log out	
Figure 43 - Welcome page - menu	67
Figure 44 - Welcome page - Home	67
Figure 45 - Welcome page - Search	68
Figure 46 - Welcome page - filter options	68
Figure 47 - Welcome page - Search - Save icon	68
Figure 48 - Welcome page – remove search	69
Figure 49 - Welcome page - Search - Saved searches	69
Figure 50 - Welcome page - System information link	69
Figure 51 - Welcome page – System information menu	70
Figure 52 - User Details{CR-154}	70
Figure 53 - Welcome page – Recently viewed	71
Figure 54 - Welcome page - New	72
Figure 55 - Welcome page - Team content	73
Figure 56 - Welcome page- Team content - folder structure	73
Figure 57 - Welcome page - Team content - folder structure (CB user)	74
Figure 58 - Welcome page - Team content - Data Packages	74
Figure 59 - Welcome page - Team content - Predefined reports	75
Figure 60 - Welcome page - Team content - Predefined Reports - ANS - Ancillary System Reports	75
Figure 61 - Welcome page – My content	76
Figure 62 - Welcome page – My content – Add folder	76



Figure 63 - Welcome page – My content – New Folder (1)	76
Figure 64 - Welcome page – My content– New Folder (2)	77
Figure 65 - Welcome page – My content – sort in ascending order	. 77
Figure 66 - Welcome page – My content – sort in descending order	. 78
Figure 67 - Welcome page – Team content – Predefined Reports – filter options	78
Figure 68 - Welcome page – My content – filter options – filter by folders	79
Figure 69 - Team content - Predefined Reports - STF - Standing Facilities Reports	80
Figure 70 - Team content - Predefined Reports - STF - Standing Facilities Reports – STF01 – Standing Facility information- Copy	81
Figure 71 - Team content - Predefined Reports - STF - Standing Facilities Reports – STF0 – Standing Facility information - Copy to	81
Figure 72 - Team content – CB Shared folders	82
Figure 73 - My content - copied report	82
Figure 74 - Team content - Predefined Reports - STF - Standing Facilities Reports	83
Figure 75 - Team content - Predefined Reports - STF - Standing Facilities Reports – STF01 – Standing Facility information - Create report view	83
Figure 76 - My content - report view	84
Figure 77 - My content - report view - Properties	85
Figure 78 - My content - report view - Properties - Source report	86
Figure 79 - My content - report view - Properties - Source report deleted	87
Figure 80 - My content - report view - View versions	88
Figure 81 - My content - report view - View versions - Versions	88
Figure 82 - My content - report view - View versions - Version - report output	89
Figure 83 - Welcome page - My content - Properties	90
Figure 84 - Welcome page - My content – Run as XML	91
Figure 85 - Save Report	92
Figure 86 - Team content – Predefined Reports – STF – Standing Facilities Reports	93
Figure 87 - Team content – Predefined reports – STF – Standing Facilities Reports	93
Figure 88 - Standing Facilities Reports – STF01 Standing Facility information – prompt page	94
Figure 89 - Team content – Predefined Reports – STF – Standing Facilities Reports	96
Figure 90 - Team content – Predefined Reports – STF – Standing Facilities Reports – STF01 Standing	
Facility information – Run as (1)	96
Figure 91 - Team content – Predefined Reports – STF – Standing Facilities Reports – STF01 Standing Facility information – Run as (2)	97



Figure 92 - Standing Facilities Reports – STF01 Standing Facility information - prompt page	. 98
Figure 93 - Standing Facilities Reports – STF01 Standing Facility information – report	. 99
Figure 94 - Team content – Predefined Reports – STF – Standing Facilities Reports – STF01 Standing	
Facility information – Run as	. 99
Figure 95 - Team content – Predefined Reports – STF – Standing Facilities Reports – STF01 Standing Facility information – Run as – Run in background	100
Figure 96 - Run as – Run in background – Advanced	101
Figure 97 - Run as – Run in background - Advanced	102
Figure 98 - Run as – Run in background – Advanced – Execution time – Later	102
Figure 99 - Team content – Predefined Reports – STF – Standing Facilities Reports	103
Figure 100 - Team content – Predefined Reports – STF – Standing Facilities Reports – Run as	103
Figure 101 - Team content – Predefined Reports – STF – Standing Facilities Reports – Run as – Run in background	104
Figure 102 - Team content – Predefined Reports – STF – Standing Facilities Reports – Run as – Run in background – Advanced	104
Figure 103 - Team content – Predefined Reports – STF – Standing Facilities Reports – Run as – Run in background – Advanced – Save report as an external file	105
Figure 104 - Team content - Predefined Reports - Standing Facilities Reports - STF01 Standing Facility nformation	105
Figure 105 - STF01 Standing Facility information - More options	106
Figure 106 - STF01 Standing Facility information - Copy	106
Figure 107 - STF01 Standing Facility information – Copy to My content	107
Figure 108 - My content - STF01 Standing Facility information - Run as	107
Figure 109 - My content - STF01 Standing Facility information - Run as – Run in background	108
Figure 110 - My content - STF01 Standing Facility information - Run as – Choose the format	108
Figure 111 - My content - STF01 Standing Facility information - Run as – Advanced – Now or Later	109
Figure 112 - My content - STF01 Standing Facility information - Run in background - Advanced Delivery.	109
Figure 113 - My content - STF01 Standing Facility information - Run in background - Advanced Delivery - Save report as an external file	
Figure 114 - My content - STF01 Standing Facility information - Run in background - Advanced Delivery - Save report as an external file – Conflict resolution	
Figure 115 - My content - STF01 Standing Facility information - Run in background - Advanced Delivery – Run the report	
Figure 116 - My content - STF01 Standing Facility information - Run in background - Advanced Delivery –	- 113



Figure 117 - My content - report view - Properties	114
Figure 118 - My content - report view - Properties – General - description of your report	115
Figure 119 - Welcome page - My content - report view - Properties - Schedule	115
Figure 120 - Welcome page - My content - report view - Properties - create schedule (1)	116
Figure 121 - Welcome page - My content - report view - Properties - create schedule (2)	117
Figure 122 - Welcome page - My content - Report view - Properties - Create schedule – Current values	118
Figure 123 - Welcome page - My content - Report view - Properties - Create schedule – Enter values	118
Figure 124 - Welcome page - My content - Report view - Properties - Create schedule – Languages	119
Figure 125 - Welcome page - My content - Report view - Properties - Create schedule - PDF	120
Figure 126 - Welcome page - My content - report view - Properties - create schedule (3)	121
Figure 127 - Welcome page - My content - Properties - Set values	122
Figure 128 - Welcome page - My content - Properties - Prompts - Set values	123
Figure 129 - Welcome page - My content - Properties Schedule	124
Figure 130 - Welcome page - My content - Properties – Schedule	125
Figure 131 - My content - report view – Properties	126
Figure 132 - My content - report view - Properties – General - description of your report	126
Figure 133 - Welcome page - My content - report view - Properties – Schedule	127
Figure 134 - Welcome page - My content - report view - Properties - create schedule (1)	127
Figure 135 - Welcome page - My content - report view - Properties - create schedule (2)	128
Figure 136 - Welcome page - My content - report view - Properties - create schedule (3)	129
Figure 137 - Welcome page - My content - Properties - Set values	130
Figure 138 - Welcome page - My content - Properties - Prompts - Set values	131
Figure 139 - Welcome page - My content - Properties - Schedule	131
Figure 140 - Welcome page - Personal menu	132
Figure 141 - Welcome page - Personal menu - My schedules and subscriptions	132
Figure 142 - Welcome page - Personal menu - My schedules and subscriptions - Schedule	132
Figure 143 - Previous prompts described as "Manual"	133
Figure 144 - New prompts described as "Dynamic"	133
Figure 145 - Dynamic prompts reference interval	134
Figure 146 - Running a report with dynamic prompts	134
Figure 147 - Select manual or dynamic dates	135
Figure 148 - Dynamic option	135
Figure 149 - Reference Month	135



Figure 150 - Reference month options to select	136
Figure 151 - Dynamic prompt selected with all reference interval	136
Figure 152 - Report result	137
Figure 153 - Filters of report executed	137
Figure 154 - Filters of report executed	137
Figure 155 - Report result with data starting from April	138
Figure 156 - Report result with data ending on August	138
Figure 157 - Last Business Date	139
Figure 158 - Time Range options to select	139
Figure 159 - Dynamic prompt selected with all reference interval	140
Figure 160 - Report result	140
Figure 161 - Filters of report executed	141
Figure 162 - Scheduling a report with Dynamic prompts	141
Figure 163 - Scheduling a report with Dynamic prompts - copy to my content folder	142
Figure 164 - Scheduling a report with Dynamic prompts - copy to my content folder	143
Figure 165 - Scheduling a report with Dynamic prompts - selecting Action menu in copied report	143
Figure 166 - Scheduling a report with Dynamic prompts - Action menu – properties	144
Figure 167 - Scheduling a report with Dynamic prompts - Action menu - properties menu	145
Figure 168 - Scheduling a report with Dynamic prompts - create schedule	145
Figure 169 - Scheduling a report with Dynamic prompts - schedule menu - Schedule	146
Figure 170 - Scheduling a report with Dynamic prompts - schedule menu - Options	146
Figure 171 - Scheduling a report with Dynamic prompts - schedule menu - Prompts	147
Figure 172 - Scheduling a report with Dynamic prompts - static prompt page	147
Figure 173 - Scheduling a report with Dynamic prompts - Dynamic prompt page	148
Figure 174 - Scheduling a report with Dynamic prompts - Dynamic prompt page with reference intervals selected	148
Figure 175 - Scheduling a report with Dynamic prompts - Dynamic prompt page with reference intervals selected	149
Figure 176 - Scheduling a report with Dynamic prompts - Dynamic prompt page with reference intervals selected	
Figure 177 - Scheduling a report with Dynamic prompts - successfully created	150
Figure 178 - ANS01 prompt – Manual	151
Figure 179 - ANS01 prompt - Dynamic	152
Figure 180 - ANS01 output	153



Figure 181 - ANS02 Prompt	. 155
Figure 182 - ANS02 output	. 156
Figure 183 - BDY01 prompt	. 158
Figure 184 - BDY01 Output (1)	. 159
Figure 185 - BDY01 Output (2)	. 160
Figure 186 - BIL01 prompt – Manual{CR-154}	. 162
Figure 187 - BIL01 prompt - Dynamic{CR-154}	. 163
Figure 188 - BIL01 Output ("Per service")(1)	. 166
Figure 189 - BIL01 Output ("Per service")(2)	. 166
Figure 190 - BIL01 Output ("System entity wide sums per service")(1)	. 167
Figure 191 - BIL01 Output ("System entity wide sums per service")(2)	. 167
Figure 192 - BIL02 prompt - Manual	. 169
Figure 193 - BIL02 prompt - Dynamic	. 170
Figure 194 - BIL02 Output ("Monitor the invoicing activity by party")	. 171
Figure 195 - BIL02 Output ("Monitor the invoicing activity by service")	. 171
Figure 196 - BIL02 Output ("Monitor the invoicing activity by billing period")	. 172
Figure 197 - BIL02 Output ("Monitor the invoicing activity by fee type")	. 172
Figure 198 - BIL03 prompt	. 175
Figure 199 - BIL03 output (1) ("Invoice configuration")	. 176
Figure 200 - BIL03 output (2) ("Fee schedule")	. 177
Figure 201 - BIL03 output (3) ("Fee band")	. 177
Figure 202 - BIL03 output (4) ("VAT")	. 178
Figure 203 - BIL03 output (5) ("Service")	. 178
Figure 204 - BIL04 prompt - Manual (1)	. 181
Figure 205 - BIL04 prompt - Manual (2)	. 182
Figure 206 - BIL04 prompt - Dynamic (1)	. 182
Figure 207 - BIL04 prompt - Dynamic (2)	. 183
Figure 208 - BIL04 Output	. 186
Figure 209 - BIL05 prompt - Manual	. 188
Figure 210 - BIL05 prompt- Dynamic	. 188
Figure 211 - BIL05 Output	. 190
Figure 212 - BIL06_Prompt	. 192
Figure 213 - BIL06 Output	. 193



Figure 214 - BPM01 - Prompt screen "no"	. 195
Figure 215 - BPM01 - Prompt screen "yes"	. 196
Figure 216 - BPM01 Prompt screen operator user{CR-154}	. 196
Figure 217 - BPM01 Output	. 198
Figure 218 - BPM02 Prompt screen "no"	. 200
Figure 219 - BPM02 Prompt screen "yes"	. 201
Figure 220 - BPM02 Prompt screen operator user{CR-154}	. 201
Figure 221 - BPM02 Output	. 203
Figure 222 - BPM03 Prompt screen	. 205
Figure 223 - BPM03 Output screen	. 206
Figure 224 - BPM04 prompt	. 208
Figure 225 - BPM04 output	. 209
Figure 226 - BPM05 - prompt screen	. 210
Figure 227 - BPM05 - prompt screen operator user{CR-154}	. 211
Figure 228 - BPM05 - Output	. 212
Figure 229 - BPM06 - prompt screen	. 214
Figure 230 - BPM06 - prompt screen operator user{CR-154}	. 215
Figure 231 - BPM06 - Output	. 216
Figure 232 - CON1 prompt	. 219
Figure 233 - CON01 output (1) ("Synthesis of contingency accounts settlements during the contingency	
procedure and final balances")	. 220
Figure 234 - CON01 output (2) ("Details on contingency cash transfers settled")	. 220
Figure 235 - CON02 prompt	. 223
Figure 236 - CON02 output (2)	. 224
Figure 237 - DXE04 prompt - Manual	. 229
Figure 238 - DXE04 prompt - Dynamic	. 229
Figure 239 - DXE05 prompt - Manual	. 232
Figure 240 - DXE05 prompt - Dynamic	. 232
Figure 241 - DXE06 prompt - Manual	. 234
Figure 242 - DXE06 prompt - Dynamic	. 235
Figure 243 - IDC01 prompt - Manual	. 237
Figure 244 - IDC01 prompt - Dynamic	. 237
Figure 245 - IDC01 Output (1)	. 238



Figure 246 - IDC01 Output (2)	239
Figure 247 - IDC02 prompt - Manual	241
Figure 248 - IDC02 prompt - Dynamic	242
Figure 249 - IDC02 output (1)	243
Figure 250 - IDC02 output (2)	244
Figure 251 - IDC02 output (3)	244
Figure 252 - IDC03 prompt - Manual	247
Figure 253 - IDC03 prompt - Dynamic	247
Figure 254 - IDC03 output (1)	249
Figure 255 - IDC03 output (2)	250
Figure 256 - IDC04 prompt - Manual	251
Figure 257 - IDC04 prompt - Dynamic	252
Figure 258 - IDC04 output (1)	253
Figure 259 - IDC04 output (2)	254
Figure 260 - IDC05 prompt (1) – For a specific party BIC – Manual	256
Figure 261 - IDC05 prompt (2) – For a specific party BIC – Dynamic	256
Figure 262 - IDC05 prompt (3) – For all parties – Manual	257
Figure 263 - IDC05 prompt (4) – For all parties - Dynamic	257
Figure 264 - IDC05 output (1) - A party was selected	260
Figure 265 - IDC05 output (2) - A party was not selected covering one day only	260
Figure 266 - IDC06 prompt	263
Figure 267 - IDC06 output (1)	264
Figure 268 - IDC06 output (2)	265
Figure 269 - INV01 prompt - Manual	266
Figure 270 - INV01 prompt - Dynamic	267
Figure 271 - INV01 Output{CR-154}	269
Figure 272 - MIR01 prompt - Manual	271
Figure 273 - MIR01 prompt - Dynamic	272
Figure 274 - MIR01 output (1)	273
Figure 275 - MIR01 output (2)	274
Figure 276 - MIR01 – Output (List of interest and penalty rates)	274
Figure 277 - MIR02 prompt - Manual	278
Figure 278 - MIR02 prompt - Dynamic	279



Figure 279 - MIR02 output	280
Figure 280 - Prompt – manual	281
Figure 281 - Prompt – dynamic	281
Figure 282 - MLB01 -OUTPUT	283
Figure 283 - PAR01 prompt - Manual	284
Figure 284 - PAR01 prompt - Dynamic	285
Figure 285 - PAR01 output (1)	286
Figure 286 - PAR02 prompt	288
Figure 287 - PAR02 output (1)	289
Figure 288 - PAR02 output (2)	289
Figure 289 - PAR02 output (3)	290
Figure 290 - PAR03 prompt	292
Figure 291 - PAR03 output (1){CR-154}	293
Figure 292 - PAR03 output (2){CR-154}	293
Figure 293 - PAR04 prompt	295
Figure 294 - PAR04 output	296
Figure 295 - PAR05 prompt{CR-154}	299
Figure 296 - PAR05 - Aggregations list{CR-154}	299
Figure 297 - PAR05 output (1) – Banking Group	301
Figure 298 - PAR05 output (2) – Account Monitoring Group, Settlement Bank Account Group and Liquid	lity
Transfer Group	
Figure 299 - PAR06 prompt	303
Figure 300 - PAR06 output	304
Figure 301 - STF01 prompt - Manual	306
Figure 302 - STF01 prompt - Dynamic	306
Figure 303 - STF01 output (1)	308
Figure 304 - STF01 output (2)	308
Figure 305 - STF01 output (3)	309
Figure 306 - STA01 prompt – Manual	312
Figure 307 - STA01 prompt - Dynamic	313
Figure 308 - STA01 output (1)	315
Figure 309 - STA01 output (2)	316
Figure 310 - STA02 prompt - Manual	319



Figure 311 - STA02 prompt - Dynamic	. 319
Figure 312 - STA02 output (1)	. 322
Figure 313 - STA02 output (2)	. 322
Figure 314 - TRN01 prompt (1) – by transaction reference	. 325
Figure 315 - TRN01 prompt (2) - by business characteristics	. 326
Figure 316 - TRN01 prompt (3) - by business characteristics	. 327
Figure 317 - TRN01 output (1) – by transaction reference	. 330
Figure 318 - TRN01 output (2) – details	. 330
Figure 319 - TRN01 output (3) - by business characteristics	. 331
Figure 320 - TRN01 output (4) – details	. 331
Figure 321 - TRN01 output (5) - details	. 332
Figure 322 - TRN02 prompt – Manual	. 337
Figure 323 - TRN02 prompt - Dynamic	. 338
Figure 324 - TRN02 output (1)	. 339
Figure 325 - TRN02 output (2)	. 340
Figure 326 - TRN03 prompt - Manual	. 342
Figure 327 - TRN03 prompt - Dynamic	. 342
Figure 328 - TRN03 output	. 345
Figure 329 - TRN04 prompt - Manual	. 348
Figure 330 - TRN04 prompt - Dynamic	. 348
Figure 331 - TRN04 output (1)	. 349
Figure 332 - TRN04 output (2)	. 350
Figure 333 - TRN04 output (3)	. 350
Figure 334 - TRN04 output (4)	. 351
Figure 335 - TRN05 prompt - Manual	. 353
Figure 336 - TRN05 prompt - Dynamic	. 353
Figure 337 - TRN05 output (1)	. 355
Figure 338 - TRN05 output (2)	. 355
Figure 339 - TRN05 output (3)	. 356
Figure 340 - TRN05 output (4)	. 356
Figure 341 - TRN05 output (5)	. 357
Figure 342 - TRN05 output (6)	. 357
Figure 343 - TRN06 prompt - Manual	. 360



Figure 344 - TRN06 prompt - Dynamic	. 360
Figure 345 - TRN06 output (1)	. 362
Figure 346 - TRN06 output (2)	. 362
Figure 347 - TRN07 prompt	. 365
Figure 348 - TRN07 output (1)	. 366
Figure 349 - TRN07 output (2)	. 367
Figure 350 - TRN07 output (3)	. 367
Figure 351 - TRN08 prompt - Manual	. 371
Figure 352 - TRN08 prompt - Dynamic	. 371
Figure 353 - TRN08 output (1)	. 373
Figure 354 - TRN08 output (2)	. 374
Figure 355 - TRN08 output (3)	. 374
Figure 356 - TRN08 output (4)	. 375
Figure 357 - TRN09 prompt	. 376
Figure 358 - TRN09 output (1) – RTGS Account Holder activity View	. 377
Figure 359 - TRN09 output (2) – Party Market Share View	. 378
Figure 360 - TRN10 prompt - Manual	. 381
Figure 361 - TRN10 prompt - Dynamic	. 381
Figure 362 - TRN10 output (1)	. 383
Figure 363 - TRN10 output (2)	. 384
Figure 364 - TRN11 prompt - Manual	. 385
Figure 365 - TRN11 prompt - Dynamic	. 386
Figure 366 - TRN11 output (1)	. 388
Figure 367 - TRN11 output (2)	. 389
Figure 368 - TRN11 output (3)	. 389
Figure 369 - TRN11 output (4)	. 390
Figure 370 - SCT01 prompt screen	. 394
Figure 371 - SCT01 output screen	. 395
Figure 372 - SCT02 Prompt	. 398
Figure 373 - SCT02 output screen, tab 1	. 399
Figure 374 - SCT02 output screen, tab 2	. 400
Figure 375 - SCT03 Prompt	. 404
Figure 376 - SCT03 output screen, tab 1	. 405



Figure 377 - SCT03 output screen, tab 2	406
Figure 378 - SCT04 Prompt	410
Figure 379 - SCT04 output screen	412
Figure 380 - SCT05 Prompt screen	416
Figure 381 - SCT05 output screen	418
Figure 382 - SST01 prompt screen{CR-847}	421
Figure 383 - SST01 output screen{CR-847}	422
Figure 384 - SST02 Prompt	427
Figure 385 - SST02 output screen, tab 1	428
Figure 386 - SST02 output screen, tab 2	429
Figure 387 - SST03 Prompt screen	433
Figure 388 - SST03 output screen{CR-847}	436
Figure 389 - INX01 prompt screen	439
Figure 390 - INX01 output screen{CR-847}	441
Figure 391 - INX02 pre-selection screen	453
Figure 392 - INX02 prompt screen – Party BIV{CR-847}	458
Figure 393 - INX02 prompt screen - Account Number{CR-847}	461
Figure 394 - INX02 list screen{CR-847}	466
Figure 395 - INX02 details screen{CR-847}	472
Figure 396 - INX03 prompt screen	478
Figure 397 - INX03 output screen	480
Figure 398 - INX04 pre-selection screen 1 (CSD User login)	485
Figure 399 - INX04 - pre selection screen <del>1 (CB User login)</del> {CR-847}	486
Figure 400 - INX04 prompt screen 2 (CSD User login) – Party BIC (CR-847)	487
Figure 401 - INX04 prompt screen 2 (CSD User login) - Account number {CR-847}	488
Figure 402 - INX04 - prompt screen 2 (CB User login) - Party BIC (CR-847)	489
Figure 403 - INX04 - prompt screen 2 (CB User login) - Account number (CR-847)	490
Figure 404 - INX04 list screen{CR-847}	494
Figure 405 - INX04 details screen – Party BIC{CR-847}	496
Figure 406 - INX05 output screen	503
Figure 407 - INX06 pre-selection screen	508
Figure 408 - INX06 prompt screen 2 - Party BIC{CR-847}	511
Figure 409 - INX06 prompt screen- 2 (CSD User login) - Account Number(CR-847)	511



Figure 410 - INX06 prompt screen- 2 (CB User login) - Account Number(CR-847)	512
Figure 411 - INX06 list screen {CR-847}	514
Figure 412 - INX06 details screen {CR-847}	516
Figure 413 - INX07 pre-selection screen	520
Figure 414 - INX07 prompt screen 2 - Party BIC{CR-847}	523
Figure 415 - INX07 prompt screen 2- (CSD User login)- Account number(CR-847)	524
Figure 416 - INX07 prompt screen 2- (CB User login)- Account number(CR-847)	525
Figure 417 - INX07 list screen {CR-847}	528
Figure 418 - INX07 details screen {CR-847}	530
Figure 419 - INX08 prompt screen	534
Figure 420 - INX08 list screen	536
Figure 421 - INX08 details screen	538
Figure 422 - INX09 prompt screen	542
Figure 423 - INX09 list screen	545
Figure 424 - INX09 details screen	548
Figure 425 - RES01 prompt screen	552
Figure 426 - RES01 output screen	554
Figure 427 - RES02 prompt screen	558
Figure 428 - RES02 output screen	560
Figure 429 - CMB01 prompt screen	564
Figure 430 - CMB01 output screen	566
Figure 431 - COL01 prompt screen {CR-847}	569
Figure 432 - COL01 output screen	570
Figure 433 - RAL01 Prompt screen	573
Figure 434 - RAL01 output screen, tab 1 - volume{CR-847}	575
Figure 435 - RAL01 output screen, tab 2 - quantity{CR-847}	575
Figure 436 - Groups and roles and capabilities	580
Figure 437 - Functional security - Central Bank user	582
Figure 438 - Functional security - Payment bank user	582
Figure 439 - Functional security - Ancillary System user	583
Figure 440 - Creating reports - Welcome page – Open menu - New - Report	584
Figure 441 - Creating reports - Predefined Reports - Edit report	585
Figure 442 - The user interface- Creating a report	585



Figure 443 - The user interface - Page Preview	590
Figure 444 - The user interface - Page design view	590
Figure 445 - The user interface - Page structure preview	591
Figure 446 - The user interface - Page structure view	591
Figure 447 - On-demand toolbar - Pin and Unpin	592
Figure 448 - On-demand toolbar - More icon	593
Figure 449 - On-demand toolbar - More icon - Options	594
Figure 450 - On-demand toolbar - Select ancestor	596
Figure 451 - Sources tab - Sources items	597
Figure 452 - Toolbox bar	598
Figure 453 - Toolbox bar - Properties Pane	599
Figure 454 - Report overview pane	600
Figure 455 - Report overview pane - Validate report	601
Figure 456 - Pages pane	601
Figure 457 - Queries pane	602
Figure 458 - Classes pane	603
Figure 459 - Variables pane	603
Figure 460 - Properties pane - Report level	605
Figure 461 - Properties pane - Report level – Burst options (2)	606
Figure 462 - The user interface - Report Layout, queries and objects - Layout - Page structure	610
Figure 463 - The Function of the page structure view	611
Figure 464 - Report Layout, queries and objects - Pages	612
Figure 465 - Report Layout, queries and objects - Pages - First page	613
Figure 466 - Report Layout, queries and objects - Pages - Second page	613
Figure 467 - Report Layout, queries and objects - Pages - Chart and first rows of the table on the fir	
Figure 468 - Guided Report Layout - More icon - Options - Report	
Figure 469 - Specify the font for a report - Font icon - Foreground Color	616
Figure 470 - Queries - Query example of Eurosystem2 template	617
Figure 471 - Report objects - Insert map and list in a cell of table	618
Figure 472 - Report objects - Find - Find objects in the query	619
Figure 473 - Report objects - Mostly Used Objects - Data container - List	621
Figure 474 - Report objects - Mostly Used Objects - Textual	622



Figure 475 - Report objects - Mostly Used Objects - Layout	622
Figure 476 - Report objects - Add borders to a formatting object	624
Figure 477 - Relational reporting style - Dimensional data	626
Figure 478 - Dimensional reporting style - Dimensional data (2)	626
Figure 479 - Insert a Query Calculation	627
Figure 480 - Insert a Query Calculation - Specify Query Calculation	628
Figure 481 - Insert a Query Calculation - Specify Query Calculation - Data items	629
Figure 482 - Insert a Query Calculation - Operators	630
Figure 483 - Insert a Query Calculation - Operators - Function tab	631
Figure 484 - Insert a Query Calculation - Searching the string	632
Figure 485 - Insert a Query Calculation - Searching the string - Results	632
Figure 486 - Insert a Query Calculation - Searching the string (2)	633
Figure 487 - Insert a Query Calculation - Searching the string - Results (2)	633
Figure 488 - Insert a Query Calculation - Data item expression - Tips tab – Information	634
Figure 489 - Insert a Query Calculation - Operators	635
Figure 490 - Insert a Query Calculation - Searching the string - Different context than the "like" function	636
Figure 491 - Insert a Query Calculation - Searching the string - Different context than the "like" function -	
Results	636
Figure 492 - Insert a Query Calculation - Data item expression - Tips tab - Information - Literal	637
Figure 493 - Insert a Query Calculation - Data item expression - Tips tab - Information - Literal (2)	637
Figure 494 - Insert a Query Calculation - Summarize Functions	638
Figure 495 - Insert a Query Calculation - Member Summaries	639
Figure 496 - Insert a Query Calculation - Constants	640
Figure 497 - Insert a Query Calculation - Constructs	641
Figure 498 - Insert a Query Calculation - Business Date/Time Functions	642
Figure 499 - Insert a Query Calculation - Period Predicates	643
Figure 500 - Insert a Query Calculation - Block Functions	643
Figure 501 - Insert a Query Calculation - Common Functions	645
Figure 502 - Insert a Query Calculation - Dimensional Functions	647
Figure 503 - Templates and themes - Templates	651
Figure 504 - Templates and themes - Themes	651
Figure 505 - Adding data - Add a source - Right click item - Set default package	652
Figure 506 - Adding data - Add a source - Right click item - Delete package	653



Figure 507 - Adding data - Add a source - Right click item - Replace package	654
Figure 508 - Insert a single data item - Data container - Singleton	
Figure 509 - Validate a report - Validate options	
Figure 510 - Set list properties	669
Figure 511 - Hide column in reports -List column properties - Conditional - Set Render to No	671
Figure 512 - Create a scrollable list	671
Figure 513 - Create a scrollable list - Properties - General - Scrollable area height	672
Figure 514 - Using Repeaters - Data container - Repeater/Repeater table	672
Figure 515 - Using Repeaters - List with all Number of Transactions in a single row	673
Figure 516 - Using Repeaters - Properties - General - Across and Down	673
Figure 517 - Change a list into a crosstab - More icon - Pivot List to Crosstab	674
Figure 518 - Working with crosstabs - Data container - Crosstab	674
Figure 519 - Crosstab nodes and Crosstab nodes members	675
Figure 520 - Crosstab nodes and Crosstab nodes members (2)	676
Figure 521 - Set Crosstabs properties	678
Figure 522 - Create a Single-Edge crosstab	680
Figure 523 - Create a nested Crosstab	681
Figure 524 - Creating headers automatically for sets in crosstabs	682
Figure 525 - Specify the Default measure	684
Figure 526 - Indent data - Properties pane - General - Level indentation	685
Figure 527 - Working with Visualisations - Data container - Visualization	686
Figure 528 - Working with Visualisations - Visualization gallery	686
Figure 529 - Adding a baseline to a visualization	689
Figure 530 - Adding a baseline to a visualization - Baselines	690
Figure 531 - Adding a baseline to a visualization - Baseline at 1.300.000	690
Figure 532 - Adding a baseline to a visualization - Baseline properties	691
Figure 533 - Adding a baseline to a visualization - Baselines box	691
Figure 534 - Charts - Visualization gallery	692
Figure 535 - Adding a note to a chart	704
Figure 536 - Adding a note to a chart - Position the node / Expression	705
Figure 537 - Adding a note to a chart - Report expression	706
Figure 538 - Adding a baseline to a chart	707
Figure 539 - Adding a marker to a chart	709



Figure 540 - Build your own Prompt and Prompt page	. 712
Figure 541 - Build your own Prompt and Prompt page - Prompting	. 713
Figure 542 - Build your own Prompt and Prompt page - Prompt Wizard dialog box	. 715
Figure 543 - Build your own Prompt and Prompt page - Prompt Wizard dialog box - Make the filter option	nal
	. 716
Figure 544 - Build your own Prompt and Prompt page - Prompt Wizard - Tree prompt	. 717
Figure 545 - Build your own Prompt and Prompt page - Prompt Wizard - Tree prompt - Apply filter	. 718
Figure 546 - Build your own Prompt and Prompt page - Prompt Wizard - Tree prompt - Create new quer	y 718
Figure 547 - Create a Prompt Directly in a Report Page	. 720
Figure 548 - Create a Prompt Directly in a Report Page - Prompt Wizard - Date prompt	. 720
Figure 549 - Create a Prompt Directly in a Report Page - Prompt Wizard - Date prompt - Make the filter optional	. 721
Figure 550 - Control the data that appears in a tree prompt - Prompt Wizard - Operator	. 723
Figure 551 - Modifying prompts - Properties - General - Select UI - List box	. 725
Figure 552 - Modifying prompts - Properties - General - Select UI - List box	. 725
Figure 553 - Modifying prompts - Filters - Usage box	. 727
Figure 554 - Modifying prompts - Properties - General - Multi-select	. 728
Figure 555 - Modifying prompts - Filters - Edit filters	. 729
Figure 556 - Modifying prompts - Operator	. 729
Figure 557 - Modifying prompts - Detail filter expression	. 730
Figure 558 - Modifying prompts - Select more than one value	. 730
Figure 559 - Modifying prompts - Check box group - Select more than one value	. 731
Figure 560 - Modifying prompts - Properties - General - Hide adornments	. 731
Figure 561 - Modifying prompts - Properties - Default selections - Minimum value/ Maximum value	. 732
Figure 562 - Modifying prompts - Properties - Prompt Text	. 733
Figure 563 - Modifying prompts - Properties - Prompt Text - Header Text	. 733
Figure 564 - Modifying prompts - Properties - Prompt Text - Header Text - Localized Text	. 734
Figure 565 - Modifying prompts - Add prompt buttons - Toolbox - Prompt button	. 735
Figure 566 - Modifying prompts - Add prompt buttons - Prompt button properties - General - Type	. 736
Figure 567 - Modifying prompts - Value prompt - Properties - General - Cascade source	. 737
Figure 568 - Modifying prompts - Value prompt - Properties - General - Cascade source - Select Parame	eter
	. 737
Figure 569 - IDH02 prompt screen(CR-154)	. 787
Figure 570 - IDH02 Results screen (1) for credit line amounts{CR-154}	. 788



Figure 571 - IDH02 Results screen (2) for intraday credit amount used{CR-154}	789
Figure 572 - IDH02 Results screen (3) for queued cash transfer orders{CR-154}	789
Figure 573 - IDH03 prompt screen{CR-154}	791
Figure 574 - IDH03 credit line amount and IDC use{CR-154}	792
Figure 575 - IDH05 prompt screen with specific party BIC selection{CR-154}	794
Figure 576 - IDH05 prompt screen with multiple party selection{CR-154}	794
Figure 577 - IDH05 results screen when selecting specific party	796
Figure 578 - IDH05 results screen when selecting multiple parties	797
Figure 579 - TRH01 Cash transfer reference prompt prompt (1) - by Transaction Reference (CR-154)	800
Figure 580 - TRH01 Cash transfer multiple field prompt-prompt (2) - by Business Characteristics(CR-154)	4}804
Figure 581 - TRH01 Results screen when selecting Cash transfer reference prompt output (1) – by transaction reference(CR-154)	805
Figure 582 - TRN01H Results screen when selecting Cash transfer multiple field prompt TRH01 output (by business characteristics{CR-154}	
Figure 583 - TRH01 Cash transfer (order) detail screen(CR-154)	809



# List of Tables

Table 1 - ANS01 - Report description - Prompt screen - Manual	. 152
Table 2 - ANS01 - Report description - Prompt screen - Dynamic	. 153
Table 3 - ANS01 - Report description - Output screen	. 154
Table 4 - ANS02 - Report description - Prompt screen	. 156
Table 5 - ANS02 - Report description - Output screen	. 157
Table 6 - BDY01 - Prompt description	. 159
Table 7 - BDY01 - Output description	. 161
Table 8 - BIL01 - Prompt description - Manual	. 164
Table 9 - BIL01 - Prompt description - Dynamic	. 165
Table 10 - BIL01 - Output description	. 169
Table 11 - BIL02 – Prompt description - Manual	. 170
Table 12 - BIL02 – Prompt description - Dynamic	. 170
Table 13 - BIL02 - Output description	. 174
Table 14 - BIL03 - Prompt description	. 176
Table 15 - BIL03 - Output description	. 179
Table 16 - BIL03 - Critical data fields	. 180
Table 17 - BIL04 - Prompt description - Manual	. 184
Table 18 - BIL04 - Prompt description - Dynamic	. 185
Table 19 - BIL04 - Output description	. 187
Table 20 - BIL05 - Prompt description - Manual	. 189
Table 21 - BIL05 - Prompt description - Dynamic	. 190
Table 22 - BIL05 - Output description	. 191
Table 23 - BIL06 - Prompt description	. 193
Table 24 - BIL06 - Output description	. 194
Table 25 - BPM01 – Prompt description	. 197
Table 26 - BPM01 – Output description	. 199
Table 27 - BPM02 - Prompt description	. 202
Table 28 - BPM02 – Output description	. 204
Table 29 - BPM03 – Prompt description	. 206
Table 30 - BPM03 - Output description	. 207
Table 31 - BPM04 - Prompt description	. 208
Table 32 - BPM04 - Output description	. 209



Table 33 - BPM05 - Prompt description	. 211
Table 34 - BPM05 - Output description	. 213
Table 35 - BPM06 - Prompt description	. 215
Table 36 - BPM06 - Output description	. 218
Table 37 - CON01 - Prompt description	. 219
Table 38 - CON01 - Output description	. 222
Table 39 - CON02 - Prompt description	. 224
Table 40 - CON02 - Output description	. 225
Table 41 - DXE04 - Prompt description - Manual	. 230
Table 42 - DXE04 - Prompt description – Dynamic	. 231
Table 43 - DXE05 - Prompt description - Manual	. 233
Table 44 - DXE05 - Prompt description – Dynamic	. 233
Table 45 - DXE06 - Prompt description - Manual	235
Table 46 - DXE06 - Prompt description – Dynamic	. 236
Table 47 - IDC01 - Prompt description - Manual	. 237
Table 48 - IDC01 - Prompt description - Dynamic	238
Table 49 - IDC01 - Output description	. 240
Table 50 - IDC02 - Prompt description - Manual	. 242
Table 51 - IDC02 - Prompt description - Dynamic	. 243
Table 52 - IDC02 - Output description	. 246
Table 53 - IDC03 - Prompt description - Manual	. 248
Table 54 - IDC03 - Prompt description - Dynamic	. 248
Table 55 - IDC03 - Output description	. 251
Table 56 - IDC04 - Prompt description - Manual	. 252
Table 57 - IDC04 - Prompt description - Dynamic	253
Table 58 - IDC04 - Output description	. 255
Table 59 - IDC05 - Prompt description - Manual	258
Table 60 - IDC05 - Prompt description - Dynamic	259
Table 61 - IDC05 - Output description	. 262
Table 62 - IDC06 - Prompt description	. 263
Table 63 - IDC06 - Output description	. 265
Table 64 - INV01 - Prompt description - Manual	. 268
Table 65 - INV01 - Prompt description - Dynamic	. 269



Table 66 - INV01 - Output description	270
Table 67 - MIR01 - Prompt description - Manual	272
Table 68 - MIR01 - Prompt description - Dynamic	273
Table 69 - MIR01 - Output description - table minimum reserve information	277
Table 70 - MIR01 - Output description - table list of interest and penalty rates	278
Table 71 - MIR02 - Prompt description - Manual	279
Table 72 - MIR02 - Prompt description - Dynamic	279
Table 73 - MIR02 - Output description	280
Table 74 - MLB01 - Prompt description - manual	282
Table 75 - MLB01 - Prompt description - dynamic	282
Table 76 - MLB01 - Output description	283
Table 77 - PAR01 - Prompt description - Manual	285
Table 78 - PAR01 - Prompt description - Dynamic	285
Table 79 - PAR01 - Output description	286
Table 80 - PAR02 - Prompt description	288
Table 81 - PAR02 - Output description	291
Table 82 - PAR03 - Prompt description	292
Table 83 - PAR03 - Output description - table parties subject to minimum reserve	294
Table 84 - PAR03 - Output description - table parties not subject to minimum reserve	294
Table 85 - PAR04 - Prompt description	296
Table 86 - PAR04 - Output description	297
Table 87 - PAR05 - Prompt description	300
Table 88 - PAR05 - Output description – Table Banking Group	301
Table 89 - PAR05 - Output description - Account Monitoring Group, Settlement Bank Account Group	and
Liquidity Transfer Group	302
Table 90 - PAR06 - Prompt description	304
Table 91 - PAR06 - Output description	305
Table 92 - STF01 - Prompt description - Manual	307
Table 93 - STF01 - Prompt description - Dynamic	307
Table 94 - STF01 - Output description - Table use of marginal lending	310
Table 95 - STF01 - Output description - Table overnight deposit	311
Table 96 - STF01 - Output description - Bar chart for marginal lending and overnight deposit	311
Table 97 - STA01 - Prompt description - Manual	313



Table 98 - STA01 - Prompt description – Dynamic	314
Table 99 - STA01 - Output description	318
Table 100 - STA02 - Prompt description - Manual	320
Table 101 - STA02 - Prompt description – Dynamic	321
Table 102 - STA02 - Output description	324
Table 103 - TRN01 - Prompt description	329
Table 104 - TRN01 - Output description	333
Table 105 - TRN01 - Report description - Details	337
Table 106 - TRN02 - Prompt description - Manual	338
Table 107 - TRN02 - Prompt description - Dynamic	339
Table 108 - TRN02 - Output description	341
Table 109 - TRN03 - Prompt description - Manual	343
Table 110 - TRN03 - Prompt description – Dynamic	344
Table 111 - TRN03 - Output description	347
Table 112 - TRN04 - Prompt description - Manual	348
Table 113 - TRN04 - Prompt description – Dynamic	349
Table 114 - TRN04 - Output description	352
Table 115 - TRN05 - Prompt description - Manual	354
Table 116 - TRN05 - Prompt description – Dynamic	354
Table 117 - TRN05 - Output description	359
Table 118 - TRN06 - Prompt description - Manual	361
Table 119 - TRN06 - Prompt description - Dynamic	361
Table 120 - TRN06 - Output description	364
Table 121 - TRN07 - Prompt description	366
Table 122 - TRN07 - Output description	370
Table 123 - TRN08 - Prompt description - Manual	372
Table 124 - TRN08 - Prompt description - Dynamic	373
Table 125 - TRN08 - Output description	375
Table 126 - TRN09 - Prompt description	377
Table 127 - TRN09 - Output description - Table	380
Table 128 - TRN09 - Output description	380
Table 129 - TRN10 - Prompt description - Manual	382
Table 130 - TRN10 - Prompt description - Dynamic	383



Table 131 - TRN10 - Output description	384
Table 132 - TRN11 - Prompt description - Manual	387
Table 133 - TRN11 - Prompt description - Dynamic	388
Table 134 - TRN11 - Output description - Table overall volume	391
Table 135 - TRN11 - Output description - Table overall value	392
Table 136 - Functional security - User Groups and Roles	581
Table 137 - The user interface - Report icons and functions	589
Table 138 - Guidelines for each reporting style	650
Table 139 - Validate a report	656
Table 140 - View Options	662
Table 141 - Edit Options	664
Table 142 - Report Options	666
Table 143 - Advanced Options	668
Table 144 - Adding a baseline to a visualization	688
Table 145 - Customizing chart properties	704
Table 146 - Adding a marker to a chart	708
Table 147 - Adding prompts to filter data	711
Table 148 - Build your own Prompt and Prompt page	714
Table 149 - Control the data that appears in a tree prompt	724
Table 150 - DWH objects	756
Table 151 - List of CLM/RTGS inbound messages	757
Table 152 - IDH02 - Prompt screen description	787
Table 153 - IDH02 – Result screens for historic credit line and IDC reporting	790
Table 154 - IDH03 – Prompt screen description	792
Table 155 - IDH03 - Result screen for credit line and intraday credit averages and maxima	793
Table 156 - IDH05 – Prompt screen	795
Table 157 - IDH05 – Output description	796
Table 158 - IDH05 – Output description	798
Table 159 - IDH05 – Output description	798
Table 160 - IDH05 - Cash transfer reference prompt screen fields	799
Table 161 - TRH01 - Prompt description	803
Table 162 - TRH01 - Cash transfer reference prompt screen fields {CR-154}	805



able 163 - TRH01 – Cash transfer results – screen for search by business referenceOutput description 54}	
Table 164 - TRH01 — Cash transfer results — screen for search by business reference (CR-154)	
able 165 - Party data items	810
able 166 - Cash account data items	811
able 167 - Central bank data items	813
able 168 - Intraday credit per business day data items	814
able 169 - Intraday credit by time band data items	816
able 170 - Cash Account balances and amounts data items	817
able 171 - Cash transfer data items	837



## 1 Introduction

### 1.1 Purpose of the document

The Data Warehouse (DWH) User Handbook, hereinafter referred to as UHB, aims to facilitate the use of the Data Warehouse Graphical User Interface. It is addressed to all DWH users, regardless of the parties and describes the full range of functionalities available in user-to-application (U2A) mode. The UHB provides detailed reference information on all GUI functionalities and step-by-step descriptions. Thus the DWH UHB provides helpful information on the use of the DWH GUI.

There is only one handbook for DWH addressing all actors: Central Banks (CB), Payment Banks (PB) and Ancillary Systems (AS). Specific chapters for CB users with advanced user's profile (see chapter Overview [> 38]) are marked with the annex "for advanced user" in the title of the chapter. All other chapters are relevant for each reader.

The UHB is part of the functional documentation and complements the DWH UDFS, which can be found on the ECB's website.

Updated versions of the UHB will be provided on a regular basis.

#### 1.1.1 UHB Methodology

To ease orientation and help you to find your desired information quickly several symbols and methodological elements are used throughout the DWH UHB.

#### **Page**

Every page of the UHB has a similar page layout. You can find the following elements:

- The header, which shows the chapter and the sub-chapter title,
- The text, which contains the main information, tables and screenshots
- The footer, which shows page number and the amount of pages of the document

#### Links

Links are illustrated throughout the UHB with a little triangle followed by a page number within squared brackets. These links help you to jump to related sections by clicking on them or turning to the relevant page.

Example:

[ 209]



### Tables

Tables are used to present information in a clearly arranged format. They consist of a table head and a table body. The body is divided into a left and a right column. The left column contains keywords, for example field names, which are explained in the right column. Subsections within a table are preceded by a heading. The order of the description follows the appearance on the screens from left to right and from top to bottom.

#### **Action steps**

Step-by-step descriptions are divided into single action steps. These steps are numbered sequentially. Intermediate results are described where appropriate.

#### **Screenshots**

Screenshots are used to illustrate the corresponding text. Note that there might be minor deviations be-tween the screenshot and your screen appearance, according to your access rights or a specific selection you have made. In addition, some functions are mutually exclusive and cannot be represented in a single screenshot. In these cases, the screenshot illustrates the more relevant use of the screen.

Values shown on a screenshot might also deviate from the default values indicated in the description. In these cases, the description is valid rather than the screenshot.

#### 1.1.2 UHB Structure

The UHB is divided in eight chapters:

#### **Chapter 1**

The chapter **Introduction** explains the aim, the content and the approach of both the UHB and the DWH GUI. While the first section explains how to use the UHB, the second section focuses on technical requirements.

#### **Chapter 2**

The chapter **Introduction to the Data Warehouse** provides background information about the Data Warehouse itself and also about the software tool used as GUI.

#### **Chapter 3**

The chapter First steps & basics provides the reader with basic elements and the structure of the DWH GUI.

#### Chapter 4

The chapter Working with reports explains the reader how to

l copy and save a report (see chapter Copy, save and export [▶ 80])



- run a report (see chapter Running reports [ 92])
- schedule a report (see chapter <u>Scheduling reports</u> [▶ 113])

#### Chapter 5

The chapter **Predefined reports** provides the reader with information about all predefined reports.

#### **Chapter 6**

The chapter **Understanding user rights and access rights** is only applicable for advanced users and explains on one hand the functional security and on the other hand the data security in DWH.

#### **Chapter 7**

The chapter **Creating reports** is only applicable for advanced users and provides information how to build a user defined report from scratch and how to adapt a predefined report.

#### **Chapter 8**

The chapter **DWH data objects** lists all data objects available in the DWH GUI.

## 1.2 Set-up and Login

#### 1.2.1 GUI Access

Users are directed to an initial page named ESMIG portal that ensures proper routing to the web applications the user has been granted to enter. Refer to the Connectivity Guide specified in the ESMIG UDFS document, current version available, for details on the communication network and services.

#### 1.2.2 Technical Requirements

Before entering the GUI, make sure to implement all necessary preparations described below.

Such preparations may be subject to periodical review/update to comply with changing technical/regulatory scenarios.

Please refer to the "ESMIG U2A Qualified Configurations" annex of ESMIG UDFS.

The required minimum screen resolution is 1366 x 768 pixel. Screen resolutions below this requirement are not supported and can lead to a deviating appearance and functionality of the GUI.



Even if the screen resolution fulfils the requirement defined above, it is important to note that scaling options provided by the operating system and the browser (e.g. 125% or 150%) may cause a deviating appearance and functionality of the GUI. If this is the case, the usage of scaling options is not supported.



# 2 Introduction to the Data Warehouse

# 2.1 Overview

The aim of the DWH is to store and compile information coming from T2 (Real-Time Gross Settlement (RTGS) and Central Liquidity Management (CLM)), TARGET2- Securities (T2S) and common components i.e. Common Reference Data Management (CRDM), Billing (BILL), Contingency Services (ECONS II) and Business Day Management (BDM) in a homogenous manner at business level. As in T2 only data from the current business day are available, based on a reliable and secure database, the DWH offers the possibility of accessing the past data accumulated for further data analysis.

The DWH provides access to data in U2A mode and permits access to data within the databases. It gives a business-oriented view of the collected data without any detailed technical database terminology. Therefore, no knowledge about the database structure of T2 or T2S is required. It provides information through reports as predefined reports (for all user profiles) and user defined reports (only applicable for CB users with advanced user profile).

The DWH consolidates the content of the sources into a single database for reporting purposes and offers predefined reports to the users of the following T2 and T2S parties:

- I Central Banks (CB),
- Central Securities Depositories (CSD),
- Payment Banks (PB),
- Ancillary Systems (AS).

The precondition for a user to obtain access to the DWH is a setup in CRDM by the respective party. Access to the DWH depends on the user's profile, which ensures that the user is allowed to perform the requested action(s). There are two user profiles reflected as privileges in CRDM:

- I Normal user profile: will be available for all party types.
- Advanced user profile: will be available for CB/CSD users only.

The data scope in the DWH follows the following rules:

- Users have access to their parties' data based on the data scope according to the hierarchical model (for details please refer to CRDM UDFS).
- For CBs/CSDs: Each CB/CSD has access to granular data for all parties belonging to its system entity. Moreover, each CB/CSD has access to aggregated data of all system entities.

The DWH uses Cognos as platform. It is an enterprise wide Business Intelligence (BI) solution, mostly used for reporting. Cognos is a web-based solution. Both the development and the end user interface are displayed on the web. It supports Relational Online Analytical Processing (ROLAP) and Multidimensional Online Analytical Processing (MOLAP) data sources.



The DWH provides reports to users in different formats in user-to-application mode (U2A) or to other applications in application-to-application mode (A2A). The user can run a report directly in the DWH GUI (Cognos) and export the result. The second option is A2A delivery of the report as a file. To achieve this, the report has to be scheduled as described in chapter Scheduling reports [ > 113].

**Note:** A CB user with advanced user profile was used in order to show the full scope of all screenshot pictures presented in this document.

# 2.2 Process of the Data Warehouse

DWH receives data from different services and common components and processes the data in order to make them available via reports and files. The data passes through the following three layers:

- 1. landing zone,
- 2. core layer,
- 3. enterprise layer.

The data are transmitted into the landing zone of the DWH as a copy after the end of each business day (EoD). The landing zone buffers the data before they are selected and loaded into the core layer.

The core layer stores only granular, validated, harmonised and historicised data.

From the core layer the data are loaded into the enterprise layer. In the enterprise layer the data are aggregated, calculated and prepared for reporting and analysis in a dimensional structure.

The stored data cannot be retrieved in the landing zone; instead, detailed structured and aggregated data can be accessed through the reports. The reports are built using the data in the core and the enterprise layer.

After processing (data transformation and pre-calculations) of the transmitted data within the DWH, data from the previous business day are available in the DWH at the start of the new calendar day at the latest.

The following diagram provides a high-level overview of the flow from the source through the different DWH layers:






Figure 1 - DWH high level overview



# 3 First steps & basics

# 3.1 Access to the DWH

Access to the DWH is managed through the Eurosystem Single Market Infrastructure Gateway (ESMIG). ESMIG provides to the DWH specific credentials found in CRDM for a specific user-id. This ensures that you have access to the relevant information depending on the party you belong to, the party type and your privilege.<sup>1</sup>

As soon as your login is successful you will see the welcome page.

The welcome page provides quick access to the product functionalities and content.





Figure 2 - Welcome page

The welcome page consists of the following building blocks:

#### Global application bar

The global application bar (the blue bar at the top of the screen) is a constant element of the user interface.

When the welcome page is open, the following, standard options are available:



<sup>1</sup> For details on the network communication and services, please refer to the Connectivity Guide specified in the ESMIG UDFS.





#### Welcome banner



You can hide the banner by clicking the "Close" icon ( ) or you can go to the personal menu, and under "Profile and settings > Settings", toggle the "Welcome banner" switch on or off.

# 3.2 Navigating in the DWH GUI – Global application bar

# 3.2.1 Open menu

The "Open menu" is the main access point to the Cognos Analytics.

Click the "Open menu" icon ( ) in the application bar to access the menu options.

#### 3.2.2 Data Warehouse icon

By clicking on the "Data Warehouse" icon ( ) you return to the "Welcome" page.

#### 3.2.3 View switcher

In the DWH GUI different pages each containing another report can be open at the same time. The "View switcher" in the application bar provides a convenient way to navigate between open views, and closes the views when they are no longer needed. You can navigate between different types of items, such as folders, reports, schedules, and more, from this view.



Figure 3 - Welcome page - navigation view



In the following example, you open a report and a report view. The "**View switcher**" provides the ability to view both of the objects:




Figure 4 - Welcome page - navigation view - items

By clicking on the report or the report view, you can switch between the report and the report view:




Figure 5 - Welcome page - navigation view - items - report view selection

## 3.2.4 Search content

Search content is a quick and easy way to find content in Cognos.

You can search for items such as reports, folders etc. You can also search for table or column labels, XML report specifications, shortcuts, templates, and more.

Search content does not return results for content that is archived, but you can access archived content from any report that is listed in one of your folders.

The search content box is located in the application bar, as shown in the following screen capture:




Figure 6 - Welcome page - Search content

To find items, type the search terms (keywords, phrases, strings), and click the Enter key. After the search results are listed, you can save your search by clicking the "Save search" button ( ). If



your search returns too many results, you can click the "**filter**" icon ( $\nabla$ ), and select the options that you want. The filter option is only available after you do an initial search. The filters are saved with the search.




Figure 7 - Welcome page - Search content - Save search

From the search results page, you can initiate actions on the returned items. If you select multiple items (by clicking their check boxes), the related actions that are available for all or at least one item are shown in the toolbar, above the search results.



Figure 8 - Welcome page - Search content - initiate actions

To view the actions for a specific item, select the checkbox for this item (all other items must be deselected), and click its "**Action menu**" ( i ) icon. The actions that are available for the selected item are shown. For example, the following screen capture shows actions for a report.



Figure 9 - Welcome page - Search content - Action menu

#### Special characters and search in double quotation marks

You can use the following special characters in your search terms:

"~`!@#\$%^&\*()-+={[}]|:;'<,>.?/"



When you enclose your search terms in double quotation marks (" "), the search results include only those instances where the terms appear in the exact order as within the double quotation marks.

#### 3.2.5 Notification

Notifications help you stay on top of important data.

If you view a saved output and you want to know when there is a new version of the report, you can click the "**Notify me**" button. A saved output is either a report view in html format or the html view of the report when the option "**Run in background**" is selected. If you choose to be notified when a new version is available, you are notified every time t a new version of the report is delivered..




Figure 10 - Welcome page - Notification

The Notify me option is available in view mode of an html output of a report or a report view when it is saved in "My content" folder when you tap the "More" button in the application bar.




Figure 11 - More options - Notify me

If you request notification and then someone runs that report, you get a notification with a link to the updated version.

When you subscribe, if you choose the "Save the report on the system" delivery option, you receive a notification with a link to the new report version.

To see all your notifications, tap the "**Notifications**" icon in the application bar. When you revive a new notification, a number is added to the icon



## 3.2.5.1 Subscribing to reports

When you subscribe to reports, you pick the time, date, format, and where you want it delivered. When you subscribe to a report, the subscription includes all your prompt and parameter values.

The subscription option is available in the application bar when you run and view a report, but not when you are in editing mode or when you view saved output.



Figure 12 - Welcome page - Notification - subscribe

#### Note for users with advanced user profile:

To ensure that you are in view mode, and not in edit mode, turn off the "**Edit**" toggle (

If you edit a report, you must save it before you can subscribe.

After you subscribe, each time your report is delivered, you are notified by a red circle on the

"Notifications" icon ( in the application bar.

The number in the red circle indicates the number of notifications that you have not yet viewed. Tap the notifications icon to find a message with a link to view the report output.

After you create your subscriptions, you can view and manage them. For more information, see chapter <a href="Scheduling reports">Scheduling reports</a> [\* 113].

#### 3.2.6 Personal menu

In the "Personal menu" icon you can find settings to customise your DWH experience.

You can view and edit your personal and regional information, monitor the system activities etc. The user can edit the time zone, the product language and view the capabilities granted by the administrator. For further information, please refer to chapter Profile and settings [> 47].






Figure 13 - Welcome screen - Personal menu (1)




Figure 14 - Welcome screen - Personal menu (2)

# 3.2.6.1 Profile and settings

In the "**Profile and settings**" menu you can find more information about your user under "**Profile**". Please note, that some of the settings displayed have to be changed in CRDM e.g. User information, granted privilege.

For example you will see your email address if available in CRDM.



You can also find information about "Groups and roles" and "My capabilities" described in detail hereafter.




Figure 15 - Welcome screen - Personal menu - Profile and settings - Profile

#### **Groups and roles**

You can find the groups and roles you are associated to by clicking on "**View details**" at the right of "**Groups and roles**". Please refer to <u>Understanding user rights and access rights (advanced users)</u> [▶ 580] to find more information about groups and roles.






Figure 16 - Welcome screen - Personal menu - Profile and settings - Personal - Groups and roles

In this example, the user belongs to a Central Bank with country code "KM". In CRDM the role containing the "Data Warehouse Advanced User"-privilege is granted to the user.




Figure 17 - Welcome screen - Personal menu - Profile and settings - Personal - Groups and roles

# My capabilities

The capabilities control access to different administration tasks and different functional areas of the user interface in DWH. You can find the capabilities assigned to you by clicking on "View details" on the right of the section.






Figure 18 - Welcome screen - Personal menu - Profile and settings - Profile - My capabilities (1)






Figure 19 - Welcome screen - Personal menu - Profile and settings - Profile - My capabilities (2)

# 3.2.6.2 Logging

Query Studio Advanced Create

You can use "**Logging**" to enable detailed, diagnostic logging for your current DWH session. This can be useful to support the analysis of the Operational Teams in case you run into reproducible problems or errors while using the Data Warehouse. In such a case, you can turn logging on and then perform the steps that lead to the problem or error you encountered. Session logging can run for one hour maximum, but can be turned off at any time.

A unique identifier is generated to allow the administrator to identify the session logging data. Record the log identifier before you turn off the logging or close your browser. Please remember to add this identifier to your ticket when requesting help.






Figure 20 - Welcome screen - Personal menu - Profile and settings - Logging




Figure 21 - Welcome screen - Personal menu - Profile and settings - logging

In some circumstances, IBM customer support might direct you to increase the logging level. You can set it to one of the following levels:

# **Error**

Basic level of logging that tracks only major error messages that occur during processing on the client workstation.



#### Warning

The next level of logging that includes all the information from the Error level of logging and includes warnings about situations that might not affect your system function.

#### **Information**

This level of logging aggregates all previous levels of logging and includes more detail about the regular operation of the user interface. You might notice that performance at this level is slower.

#### **Debug**

This level of logging contains the most information. Use it if you are testing your own extensions or when you are advised by a member of the software development team or customer support. You can expect that performance at this level is noticeably slower.

Logging levels are stored in the browser cache. If you clear the browser cache, logging levels return to the default setting.




Figure 22 - Welcome screen - Personal menu - Profile and settings - logging level

#### 3.2.6.2.1 Profile and Settings - Settings

You can set up settings for your DWH applications. To set your settings in the personal menu click on "**Profile and settings**" and then "**Settings**".






Figure 23 - Welcome screen - Personal menu - Profile and settings - Settings

#### Home page

In case a different page than the default is set, the user can reset to the default

#### **Report format**

The default value for the report format is html

But you can choose also one of the following formats:

- Excel (same content as html but as Excel file)
- Excel Data (only the report data is exported Not recommended since it does not work properly)



- Pdf
- I Html
- Csv
- | Xml

#### Turn on accessibility features

Accessibility features assist users who have a disability, such as restricted mobility or limited vision, to use information technology content successfully

#### **Show hidden entries**

When you first sign in to the DWH, you can see hints that help you navigate through the user interface. If you turn the hints off, but want to show them again, select the "Show hidden entries" check box.

#### Language settings

The default language is English.

You can select the language that you prefer for the DWH user interface. If your data and reports are available in multiple languages, you can also select the language that you prefer for the content. There is also support for bidirectional languages such as Hebrew, Arabic, Urdu, and Farsi. Report authors can control the display of native digits and the direction of text, crosstabs, and charts.

## 3.2.6.3 My schedules and subscriptions

This menu item allows you to browse through the list of all report runs scheduled for the day. You can view all your scheduled activities and subscriptions on the "**My schedules and subscriptions**" panel.

The subscription option is available when you run and view a report, but not when you are in editing mode or when you view saved output.

In order to subscribe to a report:

Run a report.

In the application bar, tap "More" icon in the application bar ( ) and then tap the "Subscribe" text (

Select your subscription options, and then tap "Create".

The subscriptions have the following characteristics:

A subscriber requires only Read and Execute permissions for the report.



There can be up to 32 subscriptions for the same report.

Created by running a report and, in view mode, tapping the "**More**" icon ( in the application bar.

Only the subscriber can view their subscription.

Only the most recent saved report output is available.

The report can be run daily or weekly.

You can view a list of your scheduled activities that are current, past, or upcoming on a specific day.




Figure 24 - Welcome screen - Personal menu - My schedules and subscriptions

You can filter the list to show the entries you want to see by clicking on the down arrow next to the "Schedule".




Figure 25 - Welcome screen - Personal menu - My schedules and subscriptions - Filter

The following screenshots show the upcoming and the past schedules respectively:






Figure 26 - Welcome screen - Personal menu - My schedules and subscriptions - Upcoming schedules




Figure 27 - Welcome screen - Personal menu - My schedules and subscriptions - Past schedules

In general you can enable, disable, modify, or remove subscriptions, and view their saved outputs or the archived version details panel for information such as the run status and run time.

All this information are available by clicking on the "More" icon (







Figure 28 - Welcome screen - Personal menu - My schedules and subscriptions

Enabled: The Status "Enabled" informs the user that the schedule is active.

Run once: By clicking here, the user can run the report once:



You can find further information on how to run a report in the chapter Run a report step-by-step [ 92].

Modify this subscription: Change the settings for the scheduled report.






Figure 29 - Welcome screen - Personal menu - My schedules and subscriptions - Modify

View versions: The versions of the report, that is the date it was executed after it was successfully scheduled




Figure 30 - Welcome screen - Personal menu - My schedules and subscriptions - View versions

Disable this subscription: By clicking this option, the user disables the schedule




Figure 31 - Welcome screen - Personal menu - My schedules and subscriptions - Disable schedule



Remove this subscription: The schedule will be deleted




Figure 32 - Welcome screen - Personal menu - My schedules and subscriptions - Remove schedule

In the top right corner, the user will find another filter.




Figure 33 - Welcome screen - Personal menu - My schedules and subscriptions - Filter (2)

By clicking on "All" ( ) button, the user will be presented with further options.



Figure 34 - Welcome screen - Personal menu - My schedules and subscriptions - Filter (2) - Further options

Subscription type: By clicking on the dropdown next to the "**Subscription type**" the user will be able to filter to see either the subscriptions or the activities.





Verify the choice by clicking on the "**Apply**" button (



Figure 35 - Welcome screen - Personal menu - My schedules and subscriptions - Subscription type

Status: By clicking on the dropdown next to the "**Status**", the user can choose to see either the "**Enabled**" or the "**Disabled**" schedules:



Verify the choice by clicking on the "**Apply**" button ( Apply ).



Figure 36 - Welcome screen - Personal menu - My schedules and subscriptions - Status disabled

Priority: By clicking on the dropdown next to the "**Priority**", the user can choose to select different schedules according to the priority.





Figure 37 - Welcome screen - Personal menu - My schedules and subscriptions - Schedules Priority

By clicking on the down arrow next to "Advanced", the user is presented with further options.






Figure 38 - Welcome screen - Personal menu - My schedules and subscriptions - Advanced

By clicking on the "**All**" text ( All ) next to the "**Type**", the user can choose which type of schedule to see, i.e. Report or Repot view:






Figure 39 - Welcome screen - Personal menu - My schedules and subscriptions - Advanced - All - Type of schedule



# Subscription type All Status All Priority Advanced Apply Apply

Figure 40 - Welcome screen - Personal menu - My schedules and subscriptions - Advanced - All - Type of schedule - Report

By clicking on "Back" text in the upper left corner ( and clicking on the "Apply" button ( ), the user can see the type of schedule that has been chosen.




Figure 41 - Welcome screen - Personal menu - My schedules and subscriptions - Advanced - All - Type of schedule - Report



# 3.2.6.4 Log out

In order to log out you can use the "Log out" item from the personal menu in the toolbar.




Figure 42 - Personal menu - Log out

# 3.3 Navigating in the DWH GUI - menu

On the left side of the screen you can find the "Open menu" icon ( ) with different folders and the "System information" ( ).





Figure 43 - Welcome page - menu

# 3.3.1 Data Warehouse logo

By clicking on the "Data Warehouse" logo, you return to the "Welcome" page.

#### 3.3.2 Open Home

The first icon under the "Open Home" icon is the "Home" icon.




Figure 44 - Welcome page - Home

By clicking on this icon it is always possible to return to the "**Welcome**" page (the standard one or the one you have specified – for further information please refer to chapter <u>Access to the DWH</u> [▶ 41]) from everywhere in the DWH GUI.



#### 3.3.3 Search function

To find items in your own or in the team content type the search term in the "**Search**" field. In the search field - you can type in one or multiple keywords and press "**Enter**". You can search for folders or predefined reports.




Figure 45 - Welcome page - Search

### 3.3.3.1 Narrow your search with filters

After a search was successful, the filter function is available. In case your search returns too many results, you can click on the "Filter" icon and select for example specific search results or dates to modify the result list.




Figure 46 - Welcome page - filter options

#### 3.3.3.2 Save search results

After you have performed a search and the results are shown, you can save the results of your search. The "Save" icon is only available after a successful search.




Figure 47 - Welcome page - Search - Save icon



After clicking on the "Save" icon, a message pops up, that informs you that the search was saved.

The result of the search will be available later, even after the search is closed, or the user signs out.

If you do not save the result, the next search will overwrite the previous:

In order to delete a previously saved search, click on the "remove" button of the saved search you intend to delete.




Figure 48 - Welcome page - remove search

#### **Example**

In case you save the search, the search result will be available in the "Saved searches" list, even after you sign out.




Figure 49 - Welcome page - Search - Saved searches

# 3.3.4 System information

Behind "System information", you find a menu with a welcome page and user information.




Figure 50 - Welcome page - System information link






Figure 51 - Welcome page - System information menu

#### Welcome page

This page serves as an introduction to this menu and informs you about the content of this menu.

#### **User details**

Here you can see additional user information, such as user details concerning your User ID, which is needed to identify you in case of support. In addition, you will find your name, the name of your institution, and system information such as the environment (production or test environment) you are working on. The last business day is also mentioned to give you the information, which was the last business day loaded into the DWH completely.




Figure 52 - User Details (CR-154)



#### 3.3.5 Recent

If you want to see pages, folders or reports that you recently viewed you can find the list under "Recent".




Figure 53 - Welcome page - Recently viewed

#### 3.3.6 New

"New" is only visible for CB/CSD users granted with the "Data Warehouse advanced user" privilege in CRDM. Only with this privilege it is allowed to create user-defined reports. For more information please refer to chapter Creating reports (just advanced users) [> 584].






Figure 54 - Welcome page - New

# 3.4 Personal Folders

#### 3.4.1 Team content

After clicking on the "Open menu" icon and then clicking on "Content", you will be presented with a screen having two tabs, "My content" and "Team content". Under "Team content", you can find all reports you are allowed to run and view, depending on the party type you belong to. For information about each predefined report and who is allowed to use it, please refer to Predefined reports [▶ 151]. For CB/CSD users a specific CB/CSD folder can be found, where CB advanced users can store adapted or user-defined reports and share them with normal users within their CB/CSD. This enables also other users of this CB/CSD with the normal user privilege to execute reports previously designed by an advanced user.

Additionally, the CBs/CSDs shared folder is included in here. With this folder, CBs/CSDs can share adapted or user-defined reports with other CBs/CSDs.





Figure 55 - Welcome page - Team content

You can see the following content within "Team content".




Figure 56 - Welcome page- Team content - folder structure

In case you are a CB/CSD user, you will see this structure in "Content":






Figure 57 - Welcome page - Team content - folder structure (CB user)

#### **CB** shared folders

In the "CB" shared folders the CB user can find the folders for sharing reports within its own CB as well as the folder for sharing reports with other CBs. These folders cannot be used to share reports with PBs or AS since the users of these party types do not have visibility of the CB shared folders.

#### **Data Packages**

In the "Data Packages" folder, you can find the data model that was used to create the reports. This is an information item only (showing the date and time of the last update of the data model).




Figure 58 - Welcome page - Team content - Data Packages

#### **Predefined Reports**

In the "Predefined Reports" folder you can find the subfolders containing the predefined reports.






Figure 59 - Welcome page - Team content - Predefined reports

#### **Example**

Under "ANS – Ancillary System Reports" you can find the predefined reports "ANS01 – Overview of AS transfer orders" and "ANS02 – Daily average of AS transfers".



Figure 60 - Welcome page - Team content - Predefined Reports - ANS - Ancillary System Reports

The normal user has the same capabilities, except from the "Create report".

## 3.4.2 My content

This is your private area where only you can see the content that is stored there. At start, the folder is always empty.






Figure 61 - Welcome page - My content

#### 3.4.3 Add a new folder

Click on the "Open menu" icon ( ), click on "Content" and then click on "My content". In order to create a new folder, click on the "Add Folder" icon ( ).




Figure 62 - Welcome page - My content - Add folder

After click on the "Add Folder" icon, you must enter a name for the new folder you want to create.




Figure 63 - Welcome page - My content - New Folder (1)



Press "Enter" and the new folder is created.



Figure 64 - Welcome page - My content- New Folder (2)

# 3.4.4 Sort the content

Open "My content" or "Team content" by clicking on the "Open menu" icon and then clicking on "Content", and click on the "Sort" icon in the toolbar. You can sort by name, the latest modification date or type of the content. In addition, you can decide if you want to see the ascending or descending order of your items.

In the following screenshot, the folders are sorted by name in ascending order.




Figure 65 - Welcome page - My content - sort in ascending order

On the contrary, in this screenshot the folders are sorted by name in descending order.






Figure 66 - Welcome page - My content - sort in descending order

#### 3.4.5 Filter the content

Open "My content" or "Team content" by clicking on the "Open menu" icon and then clicking on "Content", and click on the "Filter" icon in the toolbar. You can choose the type, the modified time or provide one ore multiple keywords of the item you are looking for.




Figure 67 - Welcome page - Team content - Predefined Reports - filter options

#### **Example**

You want to search for a folder in combination with a keyword "ST". The following result is shown:






Figure 68 - Welcome page - My content - filter options - filter by folders



# 4 Working with reports

# 4.1 Copy, save and export

This chapter gives you a step-by-step description on how to copy the report to your own folder or to save or export the data.

## 4.1.1 Copy a report

A copy is an independent version of the original report. Any changes to the implementation due to e.g. CRs in the original report will not affect the report results from the copied version. Deleting the original report will not affect the copy. This is the difference to the report view (please see chapter <u>Creating a report view</u> [ > 82]) which remains linked to the original report. You can save a report as a copy in "**My content**" folder, or if the user is a member of a Central Bank or CSD, in the CB/CSD shared folders as well:

**Step 1:** Navigate to the "**Team content**" folder, open "**Predefined Reports**" and select the folder with the desired report.




Figure 69 - Team content - Predefined Reports - STF - Standing Facilities Reports

**Step 2:** Choose the report that should be copied and click on the "**More**" icon ( \*\*\* ) at the right of the report and select "**Copy**".






Figure 70 - Team content - Predefined Reports - STF - Standing Facilities Reports - STF01 - Standing Facility information- Copy

**Step 3:** A window pops up to save the report. You can save the reports in the "**My content**", or in the CB/CSD shared folders, by clicking on the "**Copy to**" button you move a copy of the report to your own working space in the DWH.




Figure 71 - Team content - Predefined Reports - STF - Standing Facilities Reports - STF0 - Standing Facility information - Copy to

If you are a CB/CSD user with advanced user profile, you can also copy the report into the CB/CSD shared folder or CB/CSD – "Country code shared" folder, which can be found in the path: "Team content" -> "CB/CSD Shared folders". Both folder are only visible for CB/CSD user.






Figure 72 - Team content - CB Shared folders

Step 4: Afterwards you can find the report in the respective folder. In this example in "My content".




Figure 73 - My content - copied report

## 4.1.2 Creating a report view

The report view is the same report as the predefined report, but has different properties such as prompt values, schedules, delivery methods, run options, languages, and output formats. A report view is an alias of the original report and remains linked to it. If the source report is moved to another location, the report view link is not broken. If the source report is deleted, the report view link is broken and the properties link to the source



report is removed. In case the report has been changed (e.g. due to a new software release), the user will be prompted with this information. The "**Report view**" icon ( ) changes to indicate that the link is broken and is no longer operable. In order to schedule the run of a report (see chapter <u>Scheduling reports</u> [ > 113]), you have to create a report view first. These steps have to be executed in order to create a report view of the chosen report:

**Step 1:** Navigate to the "**Team content**" folder, open "**Predefined Reports**" and select the folder with the desired report.




Figure 74 - Team content - Predefined Reports - STF - Standing Facilities Reports

**Step 2:** Choose the report for that a view should be created and click on the "More" icon ( ) at the right of the report and select "Create report view".



Figure 75 - Team content - Predefined Reports - STF - Standing Facilities Reports - STF01 - Standing Facility information - Create report view

**Step 3:** A pop up window opens and you can save the report view in "**My content**" after entering a name and by clicking on the "**Save**" button.

If you are a CB/CSD user, you can also save the report view into the CB/CSD shared folder or CB/CSD – "Country code" shared folder, which can be found in the path: "Team content" -> "CB/CSD Shared folders".



Step 4: You can find the report view in the respective folder. In this example in "My content".




Figure 76 - My content - report view

**Step 5**: You can determine the source report for a report view by clicking on the properties.






Figure 77 - My content - report view - Properties

Step 6: Scroll down to "General".

The report view properties also provide a link to the properties of the source report.






Figure 78 - My content - report view - Properties - Source report

When the source report is deleted, the report view title is greyed and the link to the source report is missing in the properties:






Figure 79 - My content - report view - Properties - Source report deleted

In case there is a change in the report content and you have created a report view then you will be notified if you have activated the 'notify me' option previously. Please see details on Notifications in the chapter <u>Personal menu</u> [ § 46].

## 4.1.3 Saving a report output

You can save the report output (meaning the result of the run of a report, please see chapter Running reports [> 92]) in DWH for future uses by creating a report view first.

**Step 1:** Create a report view as described in chapter Creating a report view [▶ 82].



- **Step 2:** Navigate to the folder containing the report view you have created.
- **Step 3:** Run the report as described in chapter Run a report step-by-step [▶ 92].
- **Step 4:** You can view the output by clicking on the "More" icon ( ) next to the report in "My content".
- Step 5: Select "View versions".




Figure 80 - My content - report view - View versions

Step 6: Versions opens, where you can find the report output with the date and time of the execution.




Figure 81 - My content - report view - View versions - Versions

Step 7: Click on the version.






Figure 82 - My content - report view - View versions - Version - report output

**Step 8:** You can click on the report name and either delete this version or view the outcome by clicking on the "**Format**" icon ( ) of the report.

# 4.1.4 Exporting a report to a local folder

You can export a report in csv, excel, excel data, pdf and xml format. Therefore, you have to navigate to the folder of the desired report.

**Step 1:** Choose the report you want to export and click on the "More" icon ( ) in the right of the report name.

Step 2: Select "Run as" from the list.






Figure 83 - Welcome page - My content - Properties

- Step 3: Select the desired format.
- Step 4: Enter the selection criteria of the report (see chapter Run a report step-by-step [> 92]).
- Step 5: Click on the "Run" button (
- **Step 6**: After clicking on the "Run" button ( ) a pop-up window appears to save the report. You can download a report in csv, excel, excel data, pdf and xml format.
- **Step 7**: The download option depends on the chosen format and the functionality of the browser you are using. In most browsers you can define, whether certain file types should be opened in the browser, a save dialog is shown or the file is directly downloaded to the default download directory. Please be aware that these settings have to be done in the browser, not in the DWH GUI.

For example, if you choose to run the report as 'XML', then you cannot view the result, but only download the report in a local folder.






Figure 84 - Welcome page - My content - Run as XML

A pop up window appears to save the report:






Figure 85 - Save Report

Please refer to the user manual of your browser for details and options.

# 4.2 Running reports

This chapter gives you an overview about how to run a report and organise its delivery.

# 4.2.1 Run a report step-by-step

**Step 1:** Navigate to the "**Team content**" folder, there to folder "**Predefined Report**" and open the folder with the desired report.





Figure 86 - Team content - Predefined Reports - STF - Standing Facilities Reports

**Step 2:** Select the report you want to run. In order to run the report you can click on the report name. This action will run the report in the default DWH format, which is html.



Figure 87 - Team content - Predefined reports - STF - Standing Facilities Reports

**Step 3:** In the following screen you have to enter the search criteria in the prompt page.






Figure 88 - Standing Facilities Reports - STF01 Standing Facility information - prompt page

Step 4: The report result is available in html format.

#### 4.2.1.1 Choose different formats

If you want to run the report and DWH shall provide the result in another format than html you have to click on the "**More**" icon ( \*\*\* ) on the right side.

Please note, that when choosing 'XML', 'Excel data' or 'CSV' as format for reports having more than one list/page as report output, only the first is exported in the chosen format. Furthermore, header and footer areas including prompt/filter information are not exported to XML, and CSV formats.

CSV issue affects all reports with multiple tables as it is a limitation of COGNOS.


All other formats are uniform.

Reports with CSV limitations:



BDY01
BIL01
BIL02
BIL03
CON01
DC01
DC02
DC03
DC04
DC06
MIR01
PAR02
PAR03
STF01
FRN01 - Details screen
ΓRN04
TRN05
FRN07
TRN08








Figure 89 - Team content - Predefined Reports - STF - Standing Facilities Reports

Select "Run as" from the list.




Figure 90 - Team content – Predefined Reports – STF – Standing Facilities Reports – STF01 Standing Facility information – Run as (1)

You can choose the format you want to receive the report result and click on "Run" button.






Figure 91 - Team content – Predefined Reports – STF – Standing Facilities Reports – STF01 Standing Facility information – Run as (2)

Also with a different format you have to enter the search criteria in the prompt page.






Figure 92 - Standing Facilities Reports - STF01 Standing Facility information - prompt page

The report result is available in the chosen format, in this example in pdf format.






Figure 93 - Standing Facilities Reports - STF01 Standing Facility information - report

## 4.2.1.2 Run in background

There is another option to run a report – "Run in background". You can find and select this option under "Run as".




Figure 94 - Team content – Predefined Reports – STF – Standing Facilities Reports – STF01 Standing Facility information – Run as

Here you can see the "Run in background" option on top of the list.






Figure 95 - Team content – Predefined Reports – STF – Standing Facilities Reports – STF01 Standing Facility information – Run as – Run in background

This option gives you the opportunity to run the report in the background without waiting for the result. Instead, you can view the report when the report is available.

In order to run the report in background, you have to enable "Run in background". The icon colour turns into blue, meaning this option is enabled, and the following options are available to you:






Figure 96 - Run as - Run in background - Advanced

## Prompt me

When you select "**Prompt me**", you have to enter search criteria in the prompt page after you click on "**Run**". If you do not chose this, the report will run with the last set of search criteria you have used.

### **Advanced**

You can decide if you want to run the report now or later. You can find this option by clicking on the arrow to the right of the "**Advanced**" section.

In case you select "Now", the report runs directly.

A message on top informs you that the prompt page will open.






Figure 97 - Run as - Run in background - Advanced

In case you select "Later", you can choose the date and time of the execution.




Figure 98 - Run as - Run in background - Advanced - Execution time - Later

### 4.2.2 Delivery

You can deliver reports by either saving them on the Team content folders, or by saving them as an external file. You have two possibilities to deliver a report result if you want to receive the result only once. First you can save the report in DWH directly and view it after successful creation. The second option is the delivery to the application of your party.

In case a report should be delivered to you (independent from the output channel (U2A or A2A) you have to schedule a report. For this option please refer to chapter <a href="Scheduling reports">Scheduling reports</a> [\* 113] for further details.

## 4.2.2.1 Delivery - Save report (U2A)

To save the report result you must click on the arrow on the right of the Delivery section. Choose "**Save report**" and click on the "**Done**" button. As soon as it is executed, the report is saved in DWH.

Step 1: Navigate to the respective report folder





Figure 99 - Team content - Predefined Reports - STF - Standing Facilities Reports

Step 2: Click on the "More" icon ( \*\*\* ) at the right of the report and select "Run as"



Figure 100 - Team content - Predefined Reports - STF - Standing Facilities Reports - Run as

Step 3: Select "Run in background"






Figure 101 - Team content – Predefined Reports – STF – Standing Facilities Reports – Run as – Run in background

Step 4: Click the arrow next to "Advanced" to view the delivery section




Figure 102 - Team content – Predefined Reports – STF – Standing Facilities Reports – Run as – Run in background – Advanced

**Step 5:** Click the arrow next to the "**Delivery**" property, uncheck the "**Print report**" property, and check the "**Save report as an external file**". Finally, click on 'Done'






Figure 103 - Team content – Predefined Reports – STF – Standing Facilities Reports – Run as – Run in background – Advanced – Save report as an external file

## 4.2.2.2 Delivery - Save the report for an external file (A2A)

For the A2A delivery please follow the steps described hereafter.

Step 1: You navigate to the respective report folder as described in chapter Copy a report [▶ 80].




Figure 104 - Team content - Predefined Reports - Standing Facilities Reports - STF01 Standing Facility information

Step 2 Click on the "More" icon ( ) at the right of the report and select "Copy".






Figure 105 - STF01 Standing Facility information - More options

**Step 3:** A window pops up where you have to enter a storage location for your copy. In this example, the report is copied to "**My content**".




Figure 106 - STF01 Standing Facility information - Copy

Step 4: Navigate to the folder where you have copied the report. In this example, the folder is "My content".






Figure 107 - STF01 Standing Facility information - Copy to My content

Step 5: Find the report and click on the "More" icon (\*\*\*\*) at the right of the report and confirm by clicking "Run as".




Figure 108 - My content - STF01 Standing Facility information - Run as

**Step 6:** Perform the same action as explained in chapter Run a report step-by-step [▶ 92] for "Run in background".

Check the "Run in background" button:






Figure 109 - My content - STF01 Standing Facility information - Run as - Run in background

Step 7: For delivery in A2A you can choose the following formats: csv, excel, xml.




Figure 110 - My content - STF01 Standing Facility information - Run as - Choose the format

Step 8: You are free to select "Advanced" "Now" or "Later" and add a date and time of the execution.






Figure 111 - My content - STF01 Standing Facility information - Run as - Advanced - Now or Later

Step 9: For "Delivery" you have to select the option "Save report as an external file".




Figure 112 - My content - STF01 Standing Facility information - Run in background - Advanced Delivery

Step 10: After you activated the "Save report as an external file" checkbox, further options are presented.






Figure 113 - My content - STF01 Standing Facility information - Run in background - Advanced Delivery - Save report as an external file

The "Name" field presents the name of the report. The default value is the name of the report, as it is known in DWH. Please note, that by leaving the default name in place you need to prevent the generated file from being overwritten by a file with the same name but stemming from other users. For this, please change the value for "Conflict resolution" to one of the two following choices:

- I Make the file names unique and append a timestamp
- Make the file names unique and append a sequence number






Figure 114 - My content - STF01 Standing Facility information - Run in background - Advanced Delivery - Save report as an external file - Conflict resolution

Please do not change the default value in the "**Location**" field, as this is the place where the report is stored before it is delivered to your party via A2A. Changing the default value in the 'Location' field will result in reports not being sent via A2A. The folder is not accessible via the GUI and only for storing the report before it is delivered via A2A.

Step 11: Click on the "Done" button ( ).

Step 12: Click on the "Run" button.






Figure 115 - My content - STF01 Standing Facility information - Run in background - Advanced Delivery – Run the report

**Step 13:** Enter the search criteria in the prompt page.



### STF01 - Standing Facility information




Figure 116 - My content - STF01 Standing Facility information - Run in background - Advanced Delivery – Enter search criteria

The report will be executed and the result will be sent via A2A in the chosen format to your party.

Or you run your report in the background with the delivery "Save the report as an external file".

## 4.3 Scheduling reports

The DWH offers a scheduler function which allows the configuration and delivery of (recurring) reports with individual settings.

This chapter describes the steps that you perform to schedule a report and to check the scheduling afterwards.



#### 4.3.1 Precondition

After saving the report in "**My content**" or, for CB<del>/CSD</del> users, under the shared folder of your CB<del>/CSD</del>, you have to choose the report you want to schedule and create a report view of this report (see chapter <u>Saving a report output</u> [ \* 87]){**CR-154**}.

#### 4.3.2 Scheduling the report for a specific time

After creating the report view you can start to schedule your report.

**Step 1:** Choose the report you have saved as a report view, and click on the "**More**" icon ( \*\*\* ) at the right of the report.

Step 2: Click on "Properties".




Figure 117 - My content - report view - Properties

Step 3: A description of your report is shown and you can add a description under "General".







Figure 118 - My content - report view - Properties - General - description of your report

Step 4: In the "Schedule" tab you will find the "New" icon (



+ New

Figure 119 - Welcome page - My content - report view - Properties - Schedule

**Step 5:** By clicking on the "**New**" icon ( ), the "**Schedule**" is opening where you have multiple options to choose for scheduling your report.






Figure 120 - Welcome page - My content - report view - Properties - create schedule (1)

**Step 6:** You can set a variety of options when scheduling a report: the frequency the report will be run, the "**Period**" of the schedule, the format in which the report will be delivered, and the delivery method.






Figure 121 - Welcome page - My content - report view - Properties - create schedule (2)

Schedule: The frequency, which the report will be run, daily, weekly, monthly, yearly.


Period: Choose the start and the end date of the schedule. Alternatively, by clicking on "No end date" the schedule will run indefinitely.

Format: The type of format the report will be executed to, HTML, csv, excel, excel data and xml. For further information, you may check the chapter Run a report step-by-step [> 92].

Delivery: You may choose if you want to save the report in Cognos or as an external file. For further information please go to chapter <u>Delivery - Save report (U2A)</u> [> 102].

Prompts: By clicking on "**Set values**", and then "**Set**" you will be presented with the prompt page of the report, where you can enter the search criteria.





TRN01 - Cash transfer (order) search and details

Figure 122 - Welcome page - My content - Report view - Properties - Create schedule - Current values

# 

Figure 123 - Welcome page - My content - Report view - Properties - Create schedule - Enter values

Finish

Cancel

Languages: You may define the language of the content of the report, if more than one languages has been defined in the database. As the language in the database is always English, nothing will change in case you define another language.



Languages	
English (Ireland)	•
English (Malta)	
English (New Zealand)	
English (Philippines)	
English (Singapore)	
English (South Africa)	
English (U.S. Virgin Islands)	
English (United Kingdom)	
✓ English (United States)	
English (Zimbabwe)	
Estonian	
Estonian (Estonia)	
Faroese	
Faroese (Faroe Islands)	
Finnish	
Finnish (Finland)	

Figure 124 - Welcome page - My content - Report view - Properties - Create schedule - Languages

PDF: By clicking on "Select" you may choose the orientation or the paper size.



PDF options				
Orientation	efault 💉	~		
Paper size	Default •	•		
Requires a password to open the report				
Password:				
Confirm Password:				
Requires a password to access options				
Password:				
Confirm Password:				

Figure 125 - Welcome page - My content - Report view - Properties - Create schedule - PDF

In this example, you see a daily schedule with no end date, HTML as an output, and save the report in DWH.






Figure 126 - Welcome page - My content - report view - Properties - create schedule (3)

In case you want to receive the scheduled reports via A2A you have to choose "Save report as external file" and follow the information provided in chapter <u>Delivery - Save report (U2A)</u> [ > 102].

**Step 7:** It is very important to set the prompt values when scheduling a report to be executed. This can be done by clicking on the arrow next to "**Set values**".






Figure 127 - Welcome page - My content - Properties - Set values

**Step** 8: The "Current values" opens. To enter the prompt page you must click on the "Set" icon ( $^{Set}$ ).






Figure 128 - Welcome page - My content - Properties - Prompts - Set values

Step 9: Enter the search criteria on the prompt page and click on "Finish".

**Step** 10: Click on the "Create" button and the schedule is created.






Figure 129 - Welcome page - My content - Properties - Schedule






Figure 130 - Welcome page - My content - Properties - Schedule

The option "Enable" informs the user that the schedule is active. By unchecking it, the user cancels the schedule.

#### 4.3.3 Scheduling the report for a specific DWH event

You can also schedule a report to be executed shortly after the new data of the last business day was loaded into the DWH. One dedicated DWH internal event will be triggered that starts the execution of the report and either stores it in the "**My content**" folder or sends it out via A2A.

**Step 1:** Choose the report you have saved as report view, and click on the "**More**" icon ( ) at the right of the report.

Step 2: Click on "Properties".






Figure 131 - My content - report view - Properties

Step 3: A description of your report is shown and you can add a description under "General".




Figure 132 - My content - report view - Properties - General - description of your report






Figure 133 - Welcome page - My content - report view - Properties - Schedule

**Step 5:** By clicking on the "**New**" icon ( ), the "**Schedule**" is opening where you have multiple options to choose for scheduling your report.




Figure 134 - Welcome page - My content - report view - Properties - create schedule (1)

**Step 6:** Please select "**By Trigger**" in the pull down list as schedule. In the field "**Trigger name**" you have to enter the phrase "**eodtrigger**". Please make sure to type this phrase exactly this way, otherwise the report trigger does not work and the scheduled report will not be executed.






Figure 135 - Welcome page - My content - report view - Properties - create schedule (2)

In this example, you see a daily schedule with no end date, xml as an output, and save the report in DWH.






Figure 136 - Welcome page - My content - report view - Properties - create schedule (3)

In case you want to receive the scheduled reports via A2A you have to choose "Save report as external file" and follow the information provided in chapter <u>Delivery - Save report (U2A)</u> [ > 102].

**Step 7:** It is very important to set the prompt values when scheduling a report to be executed. This can be done by clicking on the arrow next to "**Set values**".






Figure 137 - Welcome page - My content - Properties - Set values

Step 8: The "Current values" opens. To enter the prompt page you must click on the "Set" icon.






Figure 138 - Welcome page - My content - Properties - Prompts - Set values

Step 9: Enter the search criteria on the prompt page and click on "Finish".

Step 10: Click on the "Create" button and the schedule is created.




Figure 139 - Welcome page - My content - Properties - Schedule

#### 4.3.4 Check the schedule of your report

Step 1: To check the schedule of your report you have to navigate to the "Personal menu".





Figure 140 - Welcome page - Personal menu

Step 2: Click on "My schedules and subscriptions".




Figure 141 - Welcome page - Personal menu - My schedules and subscriptions

Step 3: You can verify the reports that are scheduled.




Figure 142 - Welcome page - Personal menu - My schedules and subscriptions - Schedule

Please refer to chapter Personal menu [▶ 46] for further information.



## 4.4 Dynamic prompts

#### 4.4.1 Description and function of dynamic prompts

The Dynamic prompts are a new functionality added to Cognos reports. They provide to the user the ability to select a time period that is automatically set by the last business day. The values of these prompts vary depending on the requirements of each report.

Cancel

Finish

Month To: \*

Figure 143 - Previous prompts described as "Manual"

#### TRN03 - Monthly peak day and peak hour in terms of value and volume of cash transfer orders




Figure 144 - New prompts described as "Dynamic"

#### 4.4.2 Functionality

Month From:

The Dynamic prompts use the Last Business Day to filter the data and change dynamically when this date is updated. In order to achieve the result, the user is offered the Reference Interval, which is the point where the date filter is applied. Depending on the report that option could be the Current Day, Previous Day, Current Month, Previous Month, Current Quarter, Previous Quarter. Moreover, depending on the report specifications,



the user could be prompted to select a time period, starting from the Reference Interval and going back to the past. That time period is again dependent on the Reference Interval.

TRN03 - Monthly peak day and peak hour in terms of value and volume of cash transfer orders




Figure 145 - Dynamic prompts reference interval

#### 4.4.3 How to run a report with dynamic prompt

When a user run a report with dynamic prompts, he is presented with a prompt page having a header with the option to run the report with "Manual" or "Dynamic" Dates. By default, the option "Manual" is preselected.

TRN03 - Monthly peak day and peak hour in terms of value and volume of cash transfer orders




Figure 146 - Running a report with dynamic prompts

By clicking on the drop down "Run the report with manual or dynamic Dates:" the user can find the option "Dynamic"






Figure 147 - Select manual or dynamic dates

By selecting the "Dynamic" option, and then clicking on the "Reprompt" button the dynamic prompts are shown:

TRN03 - Monthly peak day and peak hour in terms of value and volume of cash transfer orders



Figure 148 - Dynamic option

In our example the Reference Interval option is the "Reference Month". By clicking on the Drop down, the user is presented with the Reference Intervals. In this example there is available "Current Month" and the "Previous Month":




Figure 149 - Reference Month

In this example that option would work as the "Period End".

The next drop down which is called "Number of Months (Incl. Ref. Month)", provides the option to go back to the past, in order to filter the results of the report for a time period. In our example the available options are "Year-To-Date", "Quarter-To-Date", "Reference Month", and the options "Reference Month" and – "Number of months".





Figure 150 - Reference month options to select

In our example that option would work as the "Period Start".

For the sake of our example, we will choose "T2 CLM" as "Service" the "Current Month" as the "Reference Month" and the "Year-To-Date" as the "Number of Months (Incl. Ref. Month)".

After the successful execution of our report, the user is presented with the following results:

TRN03 - Monthly peak day and peak hour in terms of value and volume of cash transfer orders




Figure 151 - Dynamic prompt selected with all reference interval





## TRN03 - Monthly peak day and peak hour in to

CBXXAQD0XXX - CSLD BBK QM DWH Test CB1

Service : T2 CLM COMPONENT

Filters Reference Month : Current Month 2022 - Aug

Number of Months (Incl. Ref. Month): Year-To-Date

Currency: EUR

Party: CBXXAQD0XXX - CSLD BBK QM DWH Test CB1

Year Month: 2022 - 04

Cash Transfer Status: Final

	Peak Day				Peak Hour			
	Тор	Date	Value (in million)	Volume	Top	Date and hour	Value (in million)	Volume
In Volume	1	2022-04-28	11.9	13	1	2022-04-11 16:00	0.0	6
	2	2022-04-19	6.0	11	1	2022-04-19 15:00	6.0	6
	3	2022-04-11	6.0	9	1	2022-04-28 11:00	6.0	6
	4	2022-04-12	6.0	8	4	2022-04-12 15:00	6.0	5
	5	2022-04-21	6.0	7	4	2022-04-19 16:00	0.0	5
	5	2022-04-25	6.0	7				

Figure 152 - Report result

In the results the user may see in the header the values "Reference Month" set to "Current Month", like the user selected in the prompt screen and the value "2022 - Aug" to the right. That value informs the user that the current month in the dataset is set to August of 2022.

Service : T2 CLM COMPONENT
Reference Month : Current Month 2022 - Aug
Number of Months (Incl. Ref. Month): Year-To-Date

Figure 153 - Filters of report executed

The value "Number of Months (Incl. Ref. Month)", is set to "Year-To-Date" as the user selected in the prompt screen.

Service : T2 CLM COMPONENT

Filters Reference Month : Current Month 2022 - Aug
Number of Months (Incl. Ref. Month) : Year-To-Date

Figure 154 - Filters of report executed

After these selections, the results are expected to start from the January of 2022, ending to August of 2022.

In our list of results, we may see results starting from April of 2022:



NCBXSKMMXXX - NCB SK

Service : T2 CLM COMPONENT

Filters Reference Month : Current Month 2022 - Aug

Number of Months (Incl. Ref. Month): Year-To-Date

Currency: EUR

Party: NCBXSKMMXXX - NCB SK

Year Month: 2022 - 04

Cash Transfer Status: Final

	Peak Day				Peak Hour			
	Тор	Date	Value (in million)	Volume	Тор	Date and hour	Value (in million)	Volume
In Volume	1	2022-04-26	0.0	2	1	2022-04-21 14:00	0.0	1
	2	2022-04-21	0.0	1	1	2022-04-22 12:00	0.0	1
	2	2022-04-22	0.0	1	1	2022-04-26 09:00	0.0	1
					1	2022-04-26 10:00	0.0	1

Figure 155 - Report result with data starting from April

#### Ending in August 2022

NCBXSKMMXXX - NCB SK

Service : T2 CLM COMPONENT

Filters Reference Month : Current Month 2022 - Aug

Number of Months (Incl. Ref. Month): Year-To-Date

Currency: EUR

Party: NCBXSKMMXXX - NCB SK

Year Month: 2022 - 08

Cash Transfer Status: All

Figure 156 - Report result with data ending on August

Which verifies that our results are correct.

Example with Last Business Date

In this example the Reference Interval option is the "Last Business Date". By clicking on the Drop down, the user is presented with the Reference Intervals. In this example there is available "Last Business Date" and the "Prior Last Business Date":






Figure 157 - Last Business Date

The next drop down which is called "Time Range", provides the option to go back to the past, in order to filter the results of the report for a time period. In our example the available options are "Year-To-Date", "Quarter-To-Date", "Month-To-Date", "Week-To-Date" and the options "Reference Date" and — "Number of months".




Figure 158 - Time Range options to select

In our example that option would work as the "Period Start".

For the sake of our example, we will choose "Last Business Date" as "Reference Date" and "Reference Date" as the "Time Range". After the successful execution of our report, the user is presented with the following results:






Figure 159 - Dynamic prompt selected with all reference interval




Figure 160 - Report result



In the results the user may see in the header the values "Reference Date" set to "Last Business Date", like the user selected in the prompt screen and shows the Last Business day available.

Furthermore we have the "Time Range" set to "Reference Date" which is the Period Start for the report.




Figure 161 - Filters of report executed

#### 4.4.4 How to schedule a report with dynamic prompt

Click on "Content" > "Team content" and select the folder "Predefined Reports". Select the folder with the Predefined reports. In our example TRN03




Figure 162 - Scheduling a report with Dynamic prompts

After navigating to the report location, the user may click on the "Action menu" and select "Copy to" to copy the report to the "My content" folder.






Figure 163 - Scheduling a report with Dynamic prompts - copy to my content folder






Figure 164 - Scheduling a report with Dynamic prompts - copy to my content folder

From the "My content" folder now click again on the "Action menu" then click on "Properties"




Figure 165 - Scheduling a report with Dynamic prompts - selecting Action menu in copied report






Figure 166 - Scheduling a report with Dynamic prompts - Action menu - properties

Then, the user is shown a menu at the right side.






Figure 167 - Scheduling a report with Dynamic prompts - Action menu - properties menu

By clicking on the "Schedule" tab, the user is prompted to create a new schedule:




Figure 168 - Scheduling a report with Dynamic prompts - create schedule



By clicking on the "Create schedule" button the user is presented with a window having the schedule options:

TRN03 - Monthly peak day and peak hour in terms of value and volume of cash transfer orders




Figure 169 - Scheduling a report with Dynamic prompts - schedule menu - Schedule

Where someone could choose how often the report should be executed. The tab "Options" provides choices regarding the format of the report:




Figure 170 - Scheduling a report with Dynamic prompts - schedule menu - Options

Finally, the tab "Prompts" allows the user to set prompts by clicking on the "Set values" button:






Figure 171 - Scheduling a report with Dynamic prompts - schedule menu - Prompts

At first, the user is shown the existing "static" prompts having manual dates:

TRN03 - Monthly peak day and peak hour in terms of value and volume of cash transfer orders




Figure 172 - Scheduling a report with Dynamic prompts - static prompt page

In order to schedule the report using the new "dynamic dates" the user should click on the drop down "Run the report with manual or dynamic Dates:" select "Dynamic" and then click on "Reprompt" button.



## TRN03 - Monthly peak day and peak hour in terms of value and volume of cash transfer orders




Figure 173 - Scheduling a report with Dynamic prompts - Dynamic prompt page

In that case the user is presented to the dynamic date prompts, where you could select the new available options. In our example, let us use the Service "T2 CLM" and "Current Month" as the Reference Month, and "Year-To-Date" as the "Number of Months (Incl. Ref. Month)".

TRN03 - Monthly peak day and peak hour in terms of value and volume of cash transfer orders




Figure 174 - Scheduling a report with Dynamic prompts - Dynamic prompt page with reference intervals selected

After clicking on "Finish", the user is shown a window with the choices made:



TRN03 - Monthly peak day and peak hour in terms of value and volume of cash transfer orders




Figure 175 - Scheduling a report with Dynamic prompts - Dynamic prompt page with reference intervals selected

And by clicking on "Save" button

TRN03 - Monthly peak day and peak hour in terms of value and volume of cash transfer orders




Figure 176 - Scheduling a report with Dynamic prompts - Dynamic prompt page with reference intervals selected

The choices are saved and the Schedule is created:






Figure 177 - Scheduling a report with Dynamic prompts - successfully created



# 5 Predefined reports

# 5.1 Ancillary systems reports (ANS)

## 5.1.1 ANS01 - Overview of AS transfer orders

## **Context of usage**

The report ANS01 provides information on the total volume and value of AS transfer orders differentiated by AS name and BIC that were settled (or not settled) on (or within) a given date (range).

CBs can retrieve information for AS belonging to their system entity.

This report can be used by CB and AS users.

### **Report access**

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [ANS - Ancillary System Reports] >> [ANS01]

### <u>Screenshot – prompt</u>




Figure 178 - ANS01 prompt - Manual






Figure 179 - ANS01 prompt - Dynamic

ANS01 – Report description – prompt screen - Manual	
Field label	Description
Date From	You can select the date by clicking on the calendar.  This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.
Party BIC	You can use this drop-down field to select the party BIC. This field will show all party BICs within the data scope of the user's party.  This field is optional.

Table 1 - ANS01 - Report description - Prompt screen - Manual



ANS01 – Report description – prompt screen - Dynamic	
Field label	Description
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.
	Valid values:
	Last Business Day
	Prior Last Business Day
	The system will automatically calculate the end of the date range based upon the date at the time of execution.
Time Range	Indicates the start-point of the date range for which the dynamic report should contain data.
	The system will automatically calculate the start of the date range based upon
	the date at the time of execution.
Party BIC	You can use this drop-down field to select the party BIC. This field will show all
	party BICs within the data scope of the user's party.
	This field is optional.

Table 2 - ANS01 - Report description - Prompt screen - Dynamic




Figure 180 - ANS01 output



ANS01 – Report description – output screen	
Field label	Description
AS BIC and short name	BIC and short name of the AS
AS settlement procedure	AS settlement procedure
	Possible Values:
	A, B, C, D, E
Volume of AS transfer orders –	Number of AS transfer orders which were settled or partially settled for the respective
Settled	AS in the chosen date range is reflected.
Volume of AS transfer orders –	Number of AS transfer orders which were not settled (i.e. cancelled (revoked) or
Not settled	rejected) for the respective AS in the chosen date range.
Value of AS transfer orders –	Sum of amounts of all AS transfer orders which were settled or partially settled for the
Settled	respective AS in the chosen date range.
Value of AS transfer orders –	Sum of amounts of all AS transfer orders which were not settled (i.e. cancelled
Not settled	(revoked) or rejected) for the respective AS in the chosen date range.

Table 3 - ANS01 - Report description - Output screen

## 5.1.2 ANS02 - Daily average of AS transfers

### Context of usage

The report ANS02 provides information on the daily average volume and value of AS transfers settled within a given month (range) and differentiated by system entity/CB.

CBs can retrieve aggregated volume and value information for each system entity/CB.

This report can be used by CB users only.

## Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [ANS – Ancillary System Reports] >> [ANS02]



## Screenshot - prompt




Figure 181 - ANS02 Prompt

ANS02 – Report description – prompt screen	
Field label	Description
Year From	You can use this drop-down field to select the year, from which the report should contain the data.
	This field is mandatory.
Month From	You can use this drop-down field to select the month, from which the report should contain the data.
	For valid report result, the current month cannot be selected.
	This field is mandatory.



Year To	You can use this drop-down field to select the end year, for which the report should contain the data.
	This field is mandatory.
Month To	You can use this drop-down field to select the end month, for which the report should contain the data.
	For valid report result current month cannot be selected.
	This field is mandatory.
Country Code	You can select the Country Code of the related Party.
	This field is optional.

Table 4 - ANS02 - Report description - Prompt screen




Figure 182 - ANS02 output



#### ANS02 - Report description - output screen

The output table will be repeated for each currency and for every selected month in the search prompt. It is sorted by country code.

Field label	Description
Month	Month and Year
	AS transfer orders which were settled or partially settled within the scope of the respective CB during this month are reflected.
Country Code	Country Code for all available CBs or for the one selected in the search prompt.
Daily average volume	Daily average AS transfer volume for this CB in this month.
Daily average value	Daily average AS transfer value for this CB in this month.
Total daily average volume	The total daily average for a month as sum of daily averages for all CBs divided by the number of CBs.
Total daily average value	The total daily average for a month as sum of daily averages for all CBs divided by the number of CBs.

Table 5 - ANS02 - Report description - Output screen

# 5.2 Business day reports (BDY)

## 5.2.1 BDY01 – Business Day event/delay information on settlement opening time

## Context of usage

This report provides information on the daily timing of business day events and on delays in periods of the business Day for CLM or RTGS.

For each time-based event of a respective business day the report provides information as regards the planned time, the revised time and the effective time. For events that are not time-based the report will only provide an effective time. In case of currency-specific events the event times are provided separate per currency.

Based on the timing of the business Day events, the report calculates the daily opening time for settlement as well as the total number and the duration of delays in CLM or RTGS.

The report is available for a given date (range).

This report can be used by CB, PB and AS users.



## Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [BDY – Business Day Reports] >> [BDY01]

## Screenshot - prompt




Figure 183 - BDY01 prompt

BDY01 - Report description - prompt screen	
Field label	Description
Service	Service for which the data shall be displayed.
	Possible values:
	I All
	I RTGS
	I CLM
	This field is mandatory.



Date from	You can select the date by clicking on the calendar.
	This field is mandatory.
Date to	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.
Currency	Choose the currency, for which you want to generate the report.

Table 6 - BDY01 - Prompt description




Figure 184 - BDY01 Output (1)






Figure 185 - BDY01 Output (2)

BDY01 – Report description – output screen		
Field label	Description	
Event	Description of the business day event.	
Event code	The event code as delivered by the CLM or RTGS service. The list of events is not static because the set of events may change.  For a list of currently valid events, please see CLM and RTGS UDFS.	
Planned time	The planned time corresponds to the standard schedule applied by default.  Only for time-based events.  For non-time based events this field is empty.	



Revised time	The revised time is the foreseen time for the current business day, which
	usually coincides with the planned time except when a delay has occurred.
	Only for time-based events.
	For non-time based events this field is empty.
Effective time	The effective time is the time of the actual occurrence of the event during the
	current business day. It is the time, when the BDM (Business Day
	Management) sent the trigger to CLM or RTGS.
End time	The end time is the time, when CLM or RTGS informed the BDM, that the
	processes for this event have been finished.

Table 7 - BDY01 - Output description

# 5.3 Billing reports (BIL)

## 5.3.1 BIL01 – Consumption data

#### Context of usage

This report provides aggregated information on consumption data for a selected period **per service** and **charged party at the level of service item**. It provides a monthly view on the quantity per service item and the share (in %) compared to the whole system entity's quantity. CBs can retrieve information on the aggregated consumption data of those parties belonging to their system entity.

Additionally, the report provides the sums over all parties per service item and service for the system entity.

This report does not contain any ECMS billing data as ECMS is aggregating the data itself on a monthly basis and afterwards these are delivered to BILL. (CR-154)

This report can be used by CB users only.

### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [BIL – Billing Reports] >> [BIL01]



## Screenshot - prompt




Figure 186 - BIL01 prompt - Manual (CR-154)






Figure 187 - BIL01 prompt - Dynamic (CR-154)

BIL01 – Report description – prompt screen - Manual	
Field label	Description
Year	You can use this drop-down field to select the year, from which the report should contain the data.
	This field is mandatory.



Quarter	You can use this drop-down field to select the quarter, for which the report should show the data.
	This field is mandatory
Charged party BIC	You can use this search and select prompt to be able to search for the party BIC or short name. One or several parties can be selected. In case the user leaves this field free, all party BICs belonging to the user's data scope are selected.
	This field is optional.
Service	Service for which the data shall be displayed.  Possible values:  I RTGS  I TIPS
	I T2S
	I <del>ECMS</del> {CR-154}
	This field is optional

Table 8 - BIL01 - Prompt description - Manual



BIL01 – Report description – prompt screen - Dynamic	
Field label	Description
Reference Quarter	Reference Quarter for which the data shall be displayed.  Possible values:  Current Quarter  Previous Quarter  This field is mandatory.
Charged party BIC	You can use this search and select prompt to be able to search for the party BIC or short name. One or several parties can be selected. In case the user leaves this field free, all party BICs belonging to the user's data scope are selected.  This field is optional.
Service	Service for which the data shall be displayed.  Possible values:  I RTGS  I TIPS  I T2S  I ECMS{CR-154}  This field is optional.

Table 9 - BIL01 - Prompt description - Dynamic






Figure 188 - BIL01 Output ("Per service")(1)




Figure 189 - BIL01 Output ("Per service")(2)






Figure 190 - BIL01 Output ("System entity wide sums per service")(1)




Figure 191 - BIL01 Output ("System entity wide sums per service")(2)



BIL01 - Report description - output	screen	
Field label	Description	
Year, Quarter	Year and quarter as chosen in input screen	
Tab "Per service": Shows consumption	data per selected service	
Charged party BIC	BIC of the charged party	
Responsible party BIC	BIC of the responsible party.	
	Indicates the CB responsible for the party to be charged	
Service item category	Possible values are:	
	Settlement Services (SETT)	
	Account Management Services (ACMS)	
	Information Services (INSV)	
Service item code	Following service item codes are currently available:	
	I See BILL UDFS Annex I	
Service item description	Following service item descriptions are currently available:	
	I See BILL UDFS Annex I	
Month, Year	For each month within the chosen quarter, one row will be displayed.	
	If the billing period is not yet closed, then no quantities are shown (empty cells).	
Quantity	The number of counts for this service item	
Share (%)	The share (in %) for the usage of this service item within the month compared to the total of service items charged.	
Tab "System entity wide sums per service" shows the totals for the system entity per selected service		
Service item category	Possible values are:	
	I Settlement Services	
	Account Management Services	
	Information Services	
Service item code	Following service item codes are currently available:	
	I See BILL UDFS Annex I	



Service item description	Following service item descriptions are currently available:  See BILL UDFS Annex I
Month, Year	For each month within the chosen quarter, one row will be displayed.  If the billing period is not yet closed, then no quantities are shown (empty cells).
Quantity (sum)	For each service item the sum over all parties belonging to the data scope of the CB.

Table 10 - BIL01 - Output description

## 5.3.2 BIL02 — Monitoring the invoice activity

### **Context of usage**

This report provides aggregated information on invoicing activity per party, service, billing period and fee type. It shows the item count and value in EUR together with the respective share (in %) compared to the grand total of the system entity.

This report can be used by CB users only.

## Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [BIL – Billing Reports] >> [BIL02]

### <u>Screenshot – prompt</u>



Figure 192 - BIL02 prompt - Manual






Figure 193 - BIL02 prompt - Dynamic

BIL02 – Report description – prompt screen - Manual	
Field label	Description
Year	You can use this drop-down field to select the year, from which the report should contain the data.  This field is mandatory.
Quarter	You can use this drop-down field to select the quarter, for which the report should show the data.  This field is mandatory

Table 11 - BIL02 - Prompt description - Manual

BIL02 - Report description - prompt screen - Dynamic	
Field label	Description
Reference Quarter	Reference Quarter for which the data shall be displayed.
	Possible values:
	I Current Quarter
	I Previous Quarter
	This field is mandatory.

Table 12 - BIL02 - Prompt description - Dynamic






Figure 194 - BIL02 Output ("Monitor the invoicing activity by party")




Figure 195 - BIL02 Output ("Monitor the invoicing activity by service")






Figure 196 - BIL02 Output ("Monitor the invoicing activity by billing period")




Figure 197 - BIL02 Output ("Monitor the invoicing activity by fee type")



BIL02 – Report description – output screen	
Field label	Description
Year, Quarter	Year and quarter as chosen in input screen
Tab "Monitor the invoicing activity by pa	arty"
Party BIC	BIC of the charged party
Party name	Name of the charged party
Party type	Type of the charged party
Volume	Number of all charged service items for the party during the selected quarter
Share (%)	Share (in %) of the volume compared to the total of the system entity during the selected quarter
Value (in EUR)	Value of all charged service items for the party during the selected quarter
Share (%)	Share (in %) of the value compared to the total of the system entity during the selected quarter
Total volume	Sum of all volumes of charged service items for the system entity during the selected quarter
Total value (in EUR)	Sum of all values of charged service items for the system entity during the selected quarter
Tab "Monitor the invoicing activity by se	ervice"
Service	Service for which the data is displayed.
	Possible values:
	I RTGS
	I TIPS
Volume	Number of all charged service items for the service during the selected quarter
Share (%)	Share (in %) of the volume compared to the total of the system entity during the selected quarter
Value (in EUR)	Value of all charged service items for the service during the selected quarter
Share (%)	Share (in %) of the value compared to the total of the system entity during the selected quarter
Total volume	Sum of all volumes of charged service items for the system entity during the selected quarter



Total value (in EUR)	Sum of all values of charged service items for the system entity during the selected quarter
Tab "Monitor the invoicing activity by bil	
Billing period start	Start date (Calendar date) of the billing period for which data is shown
Billing period end	End date (Calendar date) of the billing period for which data is shown
Volume	Number of all charged service items for the billing period
Share (%)	Share (in %) of the volume compared to the total of the system entity during the selected quarter
Value (in EUR)	Value of all charged service items for the billing period
Share (%)	Share (in %) of the value compared to the total of the system entity during the selected quarter
Total volume	Sum of all volumes of charged service items for the system entity during the selected quarter
Total value (in EUR)	Sum of all values of charged service items for the system entity during the selected quarter
Tab "Monitor the invoicing activity by fe	e type"
Fee type	Fee type
Volume	Number of all charged service items for the fee type during the selected quarter
Share (%)	Share (in %) of the volume compared to the total of the system entity during the selected quarter
Value (in EUR)	Value of all charged service items for the fee type during the selected quarter
Share (%)	Share (in %) of the value compared to the total of the system entity during the selected quarter
Total volume	Sum of all volumes of charged service items for the system entity during the selected quarter
Total value (in EUR)	Sum of all values of charged service items for the system entity during the selected quarter

Table 13 - BIL02 - Output description



## 5.3.3 BIL03 - Audit of critical billing data

## **Context of usage**

This report provides audit information on changes to data critical for billing ("Critical data"). Sorted by party BIC, the report lists the most recent changes to critical data that were executed during a selected period stating their old and new values and the timestamp of the change.

ECMS provides just total amounts to BILL Common Component to generate invoices. BILL does not calculate anything here with respect to fee bands, tariff etc. Thus by definition there are no data critical for billing ECMS services to be tracked with this report.

This report can be used by CB users only.

### **Report access**

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [BIL – Billing Reports] >> [BIL03]

### Screenshot - prompt




Figure 198 - BIL03 prompt

BIL03 – Report description – prompt screen	
Field label	Description
Service	Service for which the data shall be displayed.






Table 14 - BIL03 - Prompt description




Figure 199 - BIL03 output (1) ("Invoice configuration")






Figure 200 - BIL03 output (2) ("Fee schedule")




Figure 201 - BIL03 output (3) ("Fee band")






Figure 202 - BIL03 output (4) ("VAT")




Figure 203 - BIL03 output (5) ("Service")



BIL03 – Report description – output screen	
Field label	Description
Party BIC	BIC of the party, for which the audit for critical billing data is shown in the following table
The following information is shown per o	critical data item (entity – see following list for possible values):
Entity name	Name of the critical data entity.
	Possible values:
	I Invoice configuration
	I Fee schedule
	I Fee band
	I VAT
	I Billing group
	I Service item
Last update timestamp	Timestamp of the last update to attributes of this critical data item
The following information is shown per attribute of the critical data item (entity – see following list for possible values):	
Attribute name	Name of the attribute
Old field value	Value of the attribute before the change.
New field value	Value of the attribute after the change. Is empty for those attributes that were not changed.

Table 15 - BIL03 - Output description

# Critical data fields

BIL03 – List of billing critical data entities and attributes	
Entity	Attribute
Invoice configuration	Service
Invoice configuration	Party BIC
Invoice configuration	Direct invoicing
Invoice configuration	Tax exempt
Invoice configuration	Annual amount threshold
Invoice configuration	Direct charging



Invoice configuration	Credit account
Invoice configuration	Debit account
Fee schedule	Tariff name
Fee schedule	Service item code
Fee schedule	Fee type
Fee schedule	Fee price
Fee schedule	Computation method
Fee schedule	Valid from
Fee schedule	Valid to
Fee band	Service item code
Fee band	Band price
Fee band	Lower bound
Fee band	Upper bound
VAT	Service
VAT	Party BIC (of the CB)
VAT	Default flag
VAT	VAT mnemonic
VAT	VAT percentage
Billing group	Billing group leader
Tariff	Service
Tariff	Tariff name

Table 16 - BIL03 - Critical data fields

# 5.3.4 BIL04 - Detailed consumption

## **Context of usage**

This report provides detailed information on consumption data for a selected period and provides information on the originator and the charged party, the service item category and code and the quantity of each service item per day within the selected period. CBs can retrieve information on the detailed consumption data of those parties belonging to their system entity.



This report does not contain any ECMS billing data as ECMS is aggregating the data itself on a monthly basis and afterwards these are delivered to BILL.

This report can be used by CB users only.

### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [BIL – Billing Reports] >> [BIL04]

# Screenshot - prompt




Figure 204 - BIL04 prompt - Manual (1)






Figure 205 - BIL04 prompt - Manual (2)




Figure 206 - BIL04 prompt - Dynamic (1)






Figure 207 - BIL04 prompt - Dynamic (2)

BIL04 - Report description - prompt screen - Manual	
Field label	Description
Date from	You can select the date by clicking on the calendar.
	This field is mandatory.
Date to	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.
Service	Service for which the data shall be displayed.  Possible values:  I RTGS  I TIPS  I T2S  This field is mandatory.



Charged party BIC and name	BIC and name of the party to be charged  You can use this search and select prompt to be able to search for the charged party BIC or short name. One or several parties can be selected. In case the user leaves this field free, all party BICs belonging to the user's data scope are selected.
Originator party BIC and name	This field is optional.  BIC and name of the party originating the charge  You can use this search and select prompt to be able to search for the charged party BIC or short name. One or several parties can be selected. In case the user leaves this field free, all party BICs belonging to the user's data scope are selected.  This field is optional.
Account number	Account number to which the service item is linked  This field is optional.

Table 17 - BIL04 - Prompt description - Manual

BIL04 – Report description – prompt screen - Dynamic	
Field label	Description
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  I Last Business Day  I Prior Last Business Day  The system will automatically calculate the end of the date range based upon
Time Range	Indicates the start-point of the date range for which the dynamic report should contain data.  The system will automatically calculate the start of the date range based upon the date at the time of execution.
Service	Service for which the data shall be displayed.



	Possible values:  I RTGS  I TIPS  I T2S  This field is mandatory.
Charged party BIC and name	BIC and name of the party to be charged  You can use this search and select prompt to be able to search for the charged party BIC or short name. One or several parties can be selected. In case the user leaves this field free, all party BICs belonging to the user's data scope are selected.  This field is optional.
Originator party BIC and name	BIC and name of the party originating the charge  You can use this search and select prompt to be able to search for the charged party BIC or short name. One or several parties can be selected. In case the user leaves this field free, all party BICs belonging to the user's data scope are selected.  This field is optional.
Account number	Account number to which the service item is linked  This field is optional.

Table 18 - BIL04 - Prompt description - Dynamic






Figure 208 - BIL04 Output

BIL04 – Report description – output screen		
Field label	Description	
Date	Date, for which detailed consumption data are shown	
The following information is shown per	date within the chosen date range.	
Service	Service where the detailed consumption data are shown.	
	Possible values:	
	I RTGS	
	I TIPS	
	I T2S	
Charged party BIC	Party that is charged for the service items	
Charged party name	Name of the charged party	
Charged party type	Party type of the charged party.	
Account number	Account number, to which the service item is linked (only filled in case of	
	service item category "Settlement services" or "Account management services".	
	Otherwise empty)	
Responsible party BIC	Party BIC of CB responsible for the charged party	



Responsible party name	Name of the CB responsible for the charged party
Originator party BIC	BIC of the party that originated the service item
Originator party name	Name of the party that originated the service item
Service Item Category	Possible values are:
	I Settlement Services (SETT)
	Account Management Services (ACMS)
	Information Services (INSV)
Service item code	Following service item codes are currently available:
	I See BILL UDFS Annex I
Service item description	Following service item descriptions are currently available:
	I See BILL UDFS Annex I
Quantity	Number of the service items counted

Table 19 - BIL04 - Output description

# 5.3.5 BIL05 - Detailed participation

### Context of usage

This report provides detailed information about charged parties per consumption of service item categories of each service for a given date range. CBs can retrieve information on the detailed participation data of those parties belonging to their system entity.

This report does not contain any ECMS billing data as ECMS is aggregating the data itself on a monthly basis and afterwards these are delivered to BILL.

This report can be used by CB users only.

### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [BIL – Billing Reports] >> [BIL05]



# Screenshot - prompt



Figure 209 - BIL05 prompt - Manual



Figure 210 - BIL05 prompt- Dynamic



BIL05 – Report description – prompt screen - Manual	
Field label	Description
Date from	You can select the date by clicking on the calendar.
	This field is mandatory.
Date to	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.
	For valid report results, the current day cannot be selected.
	This field is mandatory.
Service	Service for which the data shall be displayed.
	Possible values:
	I RTGS
	I TIPS
	I T2S
	This field is mandatory.
Charged party BIC and name	BIC and name of the party to be charged
	You can use this search and select prompt to be able to search for the charged
	party BIC or short name. One or several parties can be selected. In case the
	user leaves this field free, all party BICs belonging to the user's data scope are
	selected.
	This field is optional.

Table 20 - BIL05 - Prompt description - Manual

BIL05 - Report description - prompt screen - Dynamic	
Field label	Description
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.
	Valid values:
	I Last Business Day
	I Prior Last Business Day
	The system will automatically calculate the end of the date range based upon the date at the time of execution.






Table 21 - BIL05 - Prompt description - Dynamic




Figure 211 - BIL05 Output



### **Output description**

BIL05 – Report description – output screen	
Field label	Description
Service	Service where the detailed consumption data are shown.
	Possible values:
	I RTGS
	I TIPS
	I T2S
Charged party BIC	Party that is charged for the service items
Charged party name	Name of the charged party
Charged party type	Party type of the charged party.
Responsible party BIC	Party BIC of CB responsible for the charged party
Responsible party name	Name of the CB responsible for the charged party
Sum of consumptions for Settlement	Number of consumptions of Settlement Services by the charged party during
services	the given date range
Sum of consumptions for Account	Number of consumptions of Account management services by the charged
management services	party during the given date range
Sum of consumptions for Information	Number of consumptions of Information services by the charged party during
services	the given date range
Quantity	Number of the service items counted

Table 22 - BIL05 - Output description

5.3.6 BIL06 - PDF invoice list

# **Context of usage**

This report provides access to the PDF invoices created by the BILL module. The user will be provided with a list of invoices accessible to him where he can select a single invoice which is then shown either directly on the screen or downloaded to a dedicated directory (depending on the settings of the user's browser concerning handling of PDF documents).

This report can be used by CB users only.

### Report access

This report can be reached in the following way:



[Team Content] >> [Predefined Reports] >> [BIL – Billing Reports] >> [BIL06]

# Screenshot - prompt




Figure 212 - BIL06\_Prompt

BIL06 – Report description – prompt screen	
Field label	Description
Service	Service for which the available PDF invoices shall be displayed.  Possible values:
	I RTGS I TIPS I T2S






Table 23 - BIL06 - Prompt description




Figure 213 - BIL06\_Output



### **Output description**

BIL06 - Report description - output screen	
Field label	Description
Service	Service for which the invoice was generated.
	Possible values:
	I RTGS
	I TIPS
	I T2S
	I ECMS
Invoice date	Business date of the invoice
Party BIC	BIC of the CB for which the invoice was created
Link to PDF invoice	URL to webserver address, where the PDF document can be accessed

Table 24 - BIL06 - Output description

# 5.4 Business transaction pattern monitoring (BPM)

5.4.1 BPM01 — Business transaction pattern monitoring - Submission time on T2 opening days

### **Context of usage**

This report is part of a set of six reports which shall provide central banks with a possibility to observe significant deviations from RTGS DCA/CB Account normal behaviour in relation to several behaviour traits. Such behaviour might be an indication of fraudulent activities and central banks could act accordingly informing the RTGS DCA holders with which they have a business relationship.

This report provides alerts by RTGS DCA/RTGS CB Account, business day and time intervals of one hour if set thresholds are exceeded in terms of value and/or volume of the RTGS DCA/RTGS CB Account-interval under analysis.

The underlying data for this report are customer payments data, i.e. pacs.008 payment orders.

The report is based on the default reference period which spans two years going backwards starting from the business day prior to the business day under investigation, but it is possible to choose another period (which is input as optional report parameter).



If the value corresponding to a certain RTGS DCA/RTGS CB Account-interval on the investigation day exceeds the threshold then an alert will be triggered

Note: In case of a new RTGS DCA/RTGS CB Account, the monitoring starts as of 3 months after its creation.

This report can be used by CBs only.

### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [BPM – Business transaction pattern monitoring] >> [BPM01]

### <u>Screenshot – prompt</u>

# BPM01 – Business transaction pattern monitoring – Submission time on T2 opening days




Figure 214 - BPM01 - Prompt screen "no"



# BPM01 - Business transaction pattern monitoring - Submission time on T2 opening days




Figure 215 - BPM01 - Prompt screen "yes"

# BPM01 - Business transaction pattern monitoring - Submission time on T2 opening days




Figure 216 - BPM01 Prompt screen operator user(CR-154)



BPM01 - Report description - prompt screen	
Field label	Description
Investigation date:	The date chosen can be the date of the last available data load or any date within the last 10 years.
	This field is mandatory.
Use default reference period	The default reference period spans 2 years in the past calculated from the day prior to the investigation date.
	If any other period should be the basis for the analysis, the value "No" has to be chosen and a user-defined period has to be selected in the prompt fields "Period from" and "Period to".
	Possible values:
	I Yes (default)
	I No
	This field is mandatory.
Period from	When "Use default reference period" is "No":
	Date picker to select the start of the user-defined reference
	period. (Must be earlier than the date selected in "Period to")
	Hidden if
	"Use default period" = Yes.
	This field is mandatory.
Period to	When "Use default reference period" is "No":
	Date picker to select the end of the user-defined reference period. (Must be earlier than the date selected in "Period to")
	Hidden if
	"Use default period" = Yes.
	This field is mandatory.

Table 25 - BPM01 - Prompt description








Figure 217 - BPM01 Output

BPM01 – Report description – output	
Field label	Description
Investigation date	The date selected for running the investigation
Reference period	Selected reference period.  Shown as date from – date to
Business day	The business day on which the business transaction was settled.
Entry Date from ESMIG	The date at which the transaction was received by ESMIG.
Cash account holder BIC	BIC-11 of the cash account holder
Cash account number	Number of the RTGS DCA or RTGS CB account
Cash account holder name	Short name of the account holder



Party type	Party type of the account owner.  Possible values:  I NCBK  I PMBK  I ANSY
Currency	Currency of the cash account
"Time interval"	
From	Start time of the hour interval
То	Start time of the hour interval
"Volume"	
Threshold	Threshold calculated as 99th percentile of all the non-zero values corresponding to the cash account and the particular time interval over the reference period. In case there are less than 5 non-zero values, the threshold is set to 0 (zero).
at <investigation date=""></investigation>	Volume of instructions settled on the cash account
Volume exceeded (Y/N)	In case of "Y", volume exceeds the threshold, else "N"
"Value"	
Threshold	Threshold calculated as 99th percentile of all the non-zero values corresponding to the cash account and the particular time interval over the reference period. In case there are less than 5 non-zero values, the threshold is set to 0 (zero).
at <investigation date=""></investigation>	Value of instructions settled on the cash account
Value exceeded (Y/N)	In case of "Y", value exceeds the threshold, else "N"

Table 26 - BPM01 - Output description

5.4.2 BPM02 — Business transaction pattern monitoring - Submission time on T2 closing days

### **Context of usage**

This report is part of a set of six reports which shall provide central banks with a possibility to observe significant deviations from RTGS DCA/CB Account normal behaviour in relation to several behaviour traits. Such behaviour might be an indication of fraudulent activities and central banks could act accordingly informing the RTGS DCA holders with which they have a business relationship.



This report provides alerts by RTGS DCA/RTGS CB Account, business day and time intervals of one hour if set thresholds are exceeded in terms of value and/or volume of the RTGS DCA/RTGS CB Account-interval under analysis.

It is the same as report BPM01 but focussing on pacs.008 messages received during closing days (while BPM01 relates to business days)

The underlying data for this report are customer payments data, i.e. pacs.008 payment orders.

The report is based on the default reference period which spans two years going backwards starting from the business day prior to the business day under investigation, but it is possible to choose another period (which is input as optional report parameter).

If the value corresponding to a certain RTGS DCA/RTGS CB Account-interval on the investigation day exceeds the threshold then an alert will be triggered

Note: In case of a new RTGS DCA/RTGS CB Account, the monitoring starts as of 3 months after its creation.

This report can be used by CBs only.

### **Report access**

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [BPM – Business transaction pattern monitoring] >> [BPM02]

### Screenshot - prompt

BPM02 - Business transaction pattern monitoring - Submission time on T2 closing days




Figure 218 - BPM02 Prompt screen "no"



# BPM02 - Business transaction pattern monitoring - Submission time on T2 closing days



Figure 219 - BPM02 Prompt screen "yes"

# BPM02 - Business transaction pattern monitoring - Submission time on T2 closing days




Figure 220 - BPM02 Prompt screen operator user(CR-154)



BPM02 - Report description - prompt	
Field label	Description
Investigation date:	The date chosen can be the date of the last available data load or any date within the last 10 years.
	This field is mandatory.
Use default reference period	The default reference period spans 2 years in the past calculated from the day prior to the investigation date.
	If any other period should be the basis for the analysis, the value "No" has to be chosen and a user-defined period has to be selected in the prompt fields "Period from" and "Period to".
	Possible values:
	I Yes (default)
	I No
	This field is mandatory.
Period from	When "Use default reference period" is "No":
	Date picker to select the start of the user-defined reference
	period. (Must be earlier than the date selected in "Period to")
	Hidden if
	"Use default period" = Yes.
	This field is mandatory.
Period to	When "Use default reference period" is "No":
	Date picker to select the end of the user-defined reference period. (Must be earlier than the date selected in "Period to")
	Hidden if
	"Use default period" = Yes.
	This field is mandatory.

Table 27 - BPM02 - Prompt description





Figure 221 - BPM02 Output

BPM02 - Report description - output screen	
Field label	Description
Investigation date	The date selected for running the investigation
Reference period	Selected reference period.
	Shown as date from – date to
Business day	The business day on which the business transaction was settled.
Entry Date from ESMIG	The date at which the transaction was received by ESMIG.
Cash account holder BIC	BIC-11 of the cash account holder
Cash account number	Number of the RTGS DCA or RTGS CB account
Cash account holder name	Short name of the account holder
Party type	Party type of the account owner.
	Possible values:
	I NCBK
	I PMBK
	I ANSY
Currency	Currency of the cash account
"Time interval"	
From	Start time of the hour interval
То	End time of the hour interval
"Volume"	



Threshold	Threshold calculated as 99th percentile of all the non-zero values corresponding to the cash account and the particular time interval over the reference period. In case there are less than 5 non-zero values, the threshold is set to 0 (zero).
At <investigation date=""></investigation>	Volume of instructions settled on the cash account
Volume exceeded (Y/N)	In case of "Y", volume exceeds the threshold, else "N"
"Value"	
Threshold	Threshold calculated as 99th percentile of all the non-zero values corresponding to the cash account and the particular time interval over the reference period. In case there are less than 5 non-zero values, the threshold is set to 0 (zero).
At <investigation date=""></investigation>	Value of instructions settled on the cash account
Value exceeded (Y/N)	In case of "Y", value exceeds the threshold, else "N"

Table 28 - BPM02 - Output description

5.4.3 BPM03 - Business transaction pattern monitoring - New parties

### **Context of usage**

This report is part of a set of six reports which shall provide central banks with a possibility to observe significant deviations from RTGS DCA/CB Account normal behaviour in relation to several behaviour traits. Such behaviour might be an indication of fraudulent activities and central banks could act accordingly informing the RTGS DCA holders with which they have a business relationship.

This report retrieves transaction level information of transactions that address parties (in any of the pacs.008 "party fields") who appear for the first time in RTGS transactions relative to the reference period and who during the day of investigation are addressed in transactions debited from only one RTGS DCA/RTGS CB Account. The reference period spans two years going backwards starting from the business day prior to the business day under investigation.

The underlying data for this report are customer payments data, i.e. pacs.008 payment orders.

This report can be used by CBs only.

# Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [BPM – Business transaction pattern monitoring] >> [BPM03]



# Screenshot - prompt

# BPM03 - Business transaction pattern monitoring - New parties




Figure 222 - BPM03 Prompt screen



# **Prompt description**

BPM03 – Report description – prompt screen					
Field label	Description				
Investigation date:	Date picker to select an investigation date.  The date chosen can be the date of the last available data load or any date within the last 10 years.  This field is mandatory.				
Cash account number	Number of the RTGS DCA or RTGS CB account for which the user intends to run the report  This field is mandatory.				

Table 29 - BPM03 - Prompt description

# Screenshot - output screen



Figure 223 - BPM03 Output screen

BPM03 - Report description - output screen	
Field label	Description
Investgation date	The date selected for running the investigation
Reference period	Default reference period.  Shown as date from – date to
CB BIC	BIC-11 of the CB running the report
Business day	The business day on which the business transaction was settled.
Cash account number	Number of the RTGS DCA or RTGS CB account
Cash account owner BIC	BIC-11 of the cash account owner
Instruction ID	Identifier of the instruction
Sender BIC	BIC-11 of the sender as stated in the instruction



Receiver BIC	BIC-11 of the receiver as stated in the instruction
Instructing party BIC	BIC-11 of the instructing party as stated in the instruction
Instructed party BIC	BIC-11 of the instructed party as stated in the instruction
Intermediary agent 1 BIC	BIC-11 of the intermediary agent 1 as stated in the instruction
Intermediary agent 2 BIC	BIC-11 of the intermediary agent 2 as stated in the instruction
Intermediary agent 3 BIC	BIC-11 of the intermediary agent 3 as stated in the instruction
Creditor BIC	BIC-11 of the creditor as stated in the instruction
Creditor agent BIC	BIC-11 of the creditor agent as stated in the instruction
Ultimate creditor BIC	BIC-11 of the ultimate creditor as stated in the instruction
ESMIG entry timestamp	ESMIG timestamp of the entry of the pacs.008 message
Settlement timestamp	Settlement timestamp of the instruction
Currency	Currency of the instruction
Settlement amount	Amount of the instruction

Table 30 - BPM03 - Output description

5.4.4 BPM04 - Business transaction pattern monitoring - Failed transactions

### **Context of usage**

This report is part of a set of six reports which shall provide central banks with a possibility to observe significant deviations from RTGS DCA/CB Account normal behaviour in relation to several behaviour traits. Such behaviour might be an indication of fraudulent activities and central banks could act accordingly informing the RTGS DCA holders with which they have a business relationship.

This report should retrieve a list of RTGS DCAs/RTGS CB Accounts for which the number/value of failed transactions is above a certain threshold which is built based on the activity during the reference period. The reference period spans two years going backwards starting from the business day prior to the business day under investigation. More precisely this period consists of d-1 to d-730[d-731] calendar days. The threshold is calculated using a coefficient defined by the CB in the prompt screen.

This report has the following two categories of instructions as input:

- 1. Messages that failed technical or business validation
- 2. Cash transfers that did not settle due to lack of liquidity



This report can be used by CBs only.

### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [BPM – Business transaction pattern monitoring] >> [BPM04]

### Screenshot - prompt

# BPM04 - Business transaction pattern monitoring - Failed transactions




Figure 224 - BPM04 prompt

BPM04 – Report description – prompt screen					
Field label	Description				
Investigation date	Date picker to select an investigation date.				
	This field is mandatory.				
Coefficient	Pull down list showing the exhaustive list of following values:				
	I 1				
	I 2 (default)				
	I 3				
	This field is mandatory				

Table 31 - BPM04 - Prompt description



targ	BPM04 – Business transaction pattern monitoring – Failed transactions  13 024  14 02 4  14 02 4  14 02 14													
CBXXAQD0XX	X - CSLD BBK QM	DWH Test CB1												
Filters Refere Coeffic CB BIO	gation date : 2023-1 nce period : from 2 ient : 2 : CBXX	10-19 021-10-19 to 2023-10-19 AQD0XXX - CSLD BBK QM DWH Test (	CB1											
Business	Cash account	Cash account	Cash account			R	lejected due to technical re	easons - Volume	F	Rejected due to lack of lic	quidity - Value		Rejected due to lack of liqu	idity - Volume
Day	holder BIC	holder name	number	Currency	Coefficient	Threshold	Volume onOct 19, 2023	Volume exceeded (Y/N)	Threshold	Value onOct 19, 2023	Value exceeded (Y/N)	Threshold	Volume onOct 19, 2023	Value exceeded (Y/N)
2023-10-19	PBAAAQD0XXX	CSLD BBK QM DWH Test CB1-PB1	RTGSDCPBAAAQD0XXXEUR0A01	EUR	2	0	2	Y	0	0	N	0	0	N
2023-10-19	PBAAAQD0XXX	CSLD BBK QM DWH Test CB1-PB1	RTGSDCPBAAAQD0XXXEUR0A02	EUR	2	0	1	Y	0	0	N	0	0	N
2023-10-19	PBABAQD0XXX	CSLD BBK QM DWH Test CB1-PB2	RTGSDCPBABAQD0XXXEUR0A01	EUR	2	0	2	Y	0	0	N	0	0	N
2023-10-19	PBAFAQD0XXX	CSLD BBK QM DWH Test CB1-PB6	RTGSDCPBAFAQD0XXXEUR0A08	EUR	2	0	1	Y	0	0	N	0	0	N
2023-10-19	PBAHAQD0XXX	CSLD BBK QM DWH Test CB1-PB8	RTGSDCPBAHAQD0XXXEUR0A02	EUR	2	0	0	N	0	0.63	Y	0	1	Y
2023-10-19	PBAJAQD0XXX	CSLD BBK QM DWH Test CB1-PB10	RTGSDCPBAJAQD0XXXEUR0A08	EUR	2	0	2	Y	0	0	N	0	0	N
2023-10-19	PBAJAQD0XXX	CSLD BBK QM DWH Test CB1-PB10	RTGSDCPBAJAQD0XXXEUR0A09	EUR	2	0	3	Y	0	0	N	0	0	N

Figure 225 - BPM04 output

BPM04 - Report description - outpu	t screen
Sheet 1	
Field label	Description
Business day	copy from investigation date
Cash account holder BIC	BIC-11 of the cash account holder
Cash account holder name	Short name of the cash account holder
Cash account number	Number of the cash account
Currency	Currency of the cash account
Rejected due to technical reasons -	Volume
Threshold	Threshold calculated from average, standard deviation and coefficient
Volume on <investigation date=""></investigation>	Insert investigation date in placeholder
Volume exceeded (Y/N)	In case of "Y", volume exceeds the threshold, else "N"
Rejected due to lack of liquidity - Va	lue
Threshold	Threshold calculated from average, standard deviation and coefficient
Value on <investigation date=""></investigation>	Insert investigation date in placeholder
Value exceeded (Y/N)	In case of "Y", value exceeds the threshold, else "N"
Rejected due to lack of liquidity - Vo	lume"
Threshold	Threshold calculated from average, standard deviation and coefficient
Volume on <investigation date=""></investigation>	Insert investigation date in placeholder
Volume exceeded (Y/N)	In case of "Y", volume exceeds the threshold, else "N"

Table 32 - BPM04 - Output description



# 5.4.5 BPM05 - Business transaction pattern monitoring - Daily volumes and value

### **Context of usage**

This report is part of a set of six reports which shall provide central banks with a possibility to observe significant deviations from RTGS DCA/CB Account normal behaviour in relation to several behaviour traits. Such behaviour might be an indication of fraudulent activities and central banks could act accordingly informing the RTGS DCA holders with which they have a business relationship.

This report retrieves a list of RTGS DCAs/RTGS CB Accounts for which the number/value of final transactions (excluding revoked, cancelled and warehoused payments and those sent to T2 on a closing day) is above a certain threshold which is built based on the activity during the reference period. The reference period spans two years going backwards starting from the business day prior to the business day under investigation. The threshold is calculated using a coefficient defined by the CB in the prompt screen.

This report can be used by CBs only.

### **Report access**

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [BPM – Business transaction pattern monitoring] >> [BPM05]

### Screenshot - prompt




Figure 226 - BPM05 - prompt screen



# BPM05 – Business transaction pattern monitoring – Daily volumes and value Keywords: Input keywords here No Results Starts with any of these keywords Cancel Next >

Figure 227 - BPM05 - prompt screen operator user(CR-154)

BPM05 - Report description - prompt screen	
Field label	Description
Investigation date:	The date chosen can be the date of the last available data load or any date within the last 10 years.  This field is mandatory.
Coefficient	The coefficient can be changed and directly affects the threshold which decides whether an alarm is raised or not.  1  1 1  2 (default) 1  3 This field is mandatory

Table 33 - BPM05 - Prompt description



Data Walcing	xuse 🖺 🗎	BPM05 – Business t and value 🔍															
- Edit	B	D G HIML															
₽																	
terget BPM05 - Business transaction pattern monitoring - Daily volumes and value																	
		DIAM Tool CD4															
BXXAQD0XX	CX - CSLD BBK QM	DVID TEST CD I															
Investi	gation date : 2024-l	02-14															
Investig Filters Refere	igation date : 2024-tence period : from 2																
Investig Filters Refere	gation date : 2024-l	02-14															
Investig Filters Refere	igation date : 2024-tence period : from 2	02-14	Cash account	Cash account				Daily w	olume		Daily v.	alue	S	easonally adjust	ied total volume	Seasonally adjus	ted total value
Filters Refere Coeffic	gation date : 2024-1 ence period : from ; sient : 2	02-14 2022-02-14 to 2024-02-13		Cash account holder party type	Currency	Coefficient	Threshold		olume Volume exceeded (Y/N)	Threshold	Daily v. Value on Feb 14, 2024	alue Value exceeded (Y/N)			ied total volume Volume exceeded (Y/N)		ted total value  Value exceeded (Y/

Figure 228 - BPM05 - Output

BPM05 - Report description - output screen	
Field label	Description
Investgation date	The date selected for running the investigation
Reference period	Default reference period.
CB BIC	Shown as date from – date to  BIC-11 of the CB running the report
Business day	Business day on which the transactions used in the analysis were settled.
Cash account holder BIC	BIC-11 of the cash account holder.
Cash account holder name	Short name of the cash account holder.
Cash account holder party type	Party type of the cash account holder.  Possible values:  I NCBK  I PMBK  I ANSY
Cash account number	Number of the cash account
Currency	Currency of the cash account
Coefficient	As selected in the respective prompt field.
"Daily volume"	
Threshold	Threshold calculated from average, standard deviation and coefficient
Volume on <investigation date=""></investigation>	Volume of final instructions settled on the cash account
Volume exceeded (Y/N)	In case of "Y", the volume exceeds the threshold, else "N"



"Daily value"	
Threshold	Threshold calculated from average, standard deviation and coefficient
Value on <investigation date=""></investigation>	Value of final instructions settled on the cash account
Value exceeded (Y/N)	In case of "Y", the value exceeds the threshold, else "N"
"Seasonally adjusted total volume"	
Threshold	Threshold calculated from average, standard deviation and coefficient
Volume on <investigation date=""></investigation>	Seasonally adjusted total volume of final instructions settled on the cash account.
Volume exceeded (Y/N)	In case of "Y", the volume exceeds the threshold, else "N"
"Seasonally adjusted total value"	
Threshold	Threshold calculated from average, standard deviation and coefficient
Value on <investigation date=""></investigation>	Seasonally adjusted total value of final instructions settled on the cash account.
Volume exceeded (Y/N)	In case of "Y", the volume exceeds the threshold, else "N"

Table 34 - BPM05 - Output description

5.4.6 BPM06 - Business transaction pattern monitoring - Overview of alerts triggered

### **Context of usage**

This report is part of a set of six reports, which shall provide central banks with a possibility to observe significant deviations from RTGS DCA/CB Account normal behaviour in relation to several behaviour traits. Such behaviour might be an indication of fraudulent activities and central banks could act accordingly informing the RTGS DCA holders with which they have a business relationship.

This report retrieves a list of RTGS DCAs/RTGS CB Accounts for which at least one alert was triggered by the indicators below.

- 1. Submission time opening days value
- 2. Submission time opening days-volume
- 3. Submission time closing days value
- 4. Submission time closing days volume
- 5. New party



- 6. Failed transactions rejected due to technical reasons volume
- 7. Failed transactions rejected due to lack of liquidity volume
- 8. Failed transactions rejected due to lack of liquidity value
- 9. Total daily value
- 10. Total daily volume
- 11. Total daily value seasonally adjusted
- 12. Total daily volume seasonally adjusted

An alert occurs when the volume/value of an indicator is above a certain threshold during the reference period. The reference period spans two years going backwards starting from the business day prior to the business day under investigation. For some indicators the threshold is calculated using a coefficient defined by the CB in the prompt screen.

This report can be used by CBs only.

### **Report access**

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [BPM – Business transaction pattern monitoring] >> [BPM06]

### Screenshot - prompt

BPM06 - Business transaction pattern monitoring - Overview of alerts triggered BTPM




Figure 229 - BPM06 - prompt screen



# BPM06 - Business transaction pattern monitoring - Overview of alerts triggered BTPM Keywords: Input keywords here No Results Starts with any of these keywords Case Insensitive Cancel Next >

Figure 230 - BPM06 - prompt screen operator user(CR-154)

BPM06 - Report description - prompt screen					
Field label	Description				
Investigation date:	The date chosen can be the date of the last available data load or any date within the last 10 years.  This field is mandatory.				
Coefficient	The coefficient can be changed and directly affects the threshold which decides whether an alarm is raised or not.  1  1 1  2 (default) 1  3 This field is mandatory.				

Table 35 - BPM06 - Prompt description






Figure 231 - BPM06 - Output

-					
BPM06 - Report description - output screen					
Field label	Description				
Investigation date	The date selected for running the investigation				
Reference period	Default reference period.				
	Shown as date from – date to.				
Coefficient	As selected in the respective prompt field.				
CB BIC	BIC-11 of the CB running the report				
Business day	The business day on which the instructions were settled on which the report is based.				
Cash account holder BIC	BIC-11 of the cash account holder.				
Cash account holder name	Short name of the cash account holder.				
Cash account number	Number of the cash account.				



Cash account holder party type	Party type of the cash account holder.
	Possible values:
	I NCBK
	I PMBK
	I ANSY
Submission time opening days	
Volume exceeded (Y/N)	In case of "Y", volume of instructions settled on the cah account exceeds the threshold, else "N"
Value exceeded (Y/N)	In case of "Y", value of instructions settled on the cah account exceeds the threshold, else "N"
Submission time closing days	
Volume exceeded (Y/N)	In case of "Y", volume of instructions settled on the cah account exceeds the threshold, else "N"
Value exceeded (Y/N)	In case of "Y", value of instructions settled on the cah account exceeds the threshold, else "N"
New party (Y/N)	In case of "Y", a new party involved in an instruction settld on the cash account raised an alarm, else "N"
Financial transactions rejected due to technical reasons	
Volume exceeded (Y/N)	In case of "Y", volume of instructions rejected due to technical reasons exceeds the threshold, else "N"
Financial transactions rejected due to lack of liquidity	
Volume exceeded (Y/N)	In case of "Y", volume of instructions rejected due lack of liquidity exceeds the threshold, else "N"
Value exceeded (Y/N)	In case of "Y", value of instructions rejected due lack of liquidity exceeds the threshold, else "N"
Total daily	
Volume exceeded (Y/N)	In case of "Y", total daily volume exceeds the threshold, else "N"
Value exceeded (Y/N)	In case of "Y", total daily value exceeds the threshold, else "N"



Seasonally adjusted daily total	
Volume exceeded (Y/N)	In case of "Y", seasonally adjusted daily total volume exceeds the threshold, else "N"
Value exceeded (Y/N)	In case of "Y", seasonally adjusted daily total value exceeds the threshold, else "N"

Table 36 - BPM06 - Output description

# 5.5 Contingency reports (CON)

5.5.1 CON01 – Cash transfers settled during contingency processing and final contingency account balances

#### **Context of usage**

This report provides information on the cash transfers settled on accounts in the Contingency Services during a contingency procedure. For each party/contingency account (with at least one cash transfer within a contingency processing) all cash transfers within the contingency processing as well as the final account balance on the contingency account at the time of the closure of the contingency processing are provided.

For each cash transfer the report provides the account number in the Contingency Services, the account number of the cash transfer counterparty in the Contingency Services, the settlement timestamp and the credit or debit amount. Cash transfers on the same account are sorted in chronological order of their settlement timestamp.

In case that several contingency processing sessions occurred within the same business day, the sessions are reported separate.

CBs can retrieve information for parties belonging to their system entity.

This report can be used by CB users only.

## Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [CON - Contingency Reports] >> [CON01]



# Screenshot - prompt



Figure 232 - CON1 prompt

# **Prompt description**

CON01 - Report description - prompt screen	
Field label	Description
Year	You can use this drop-down field to select the year, from which the report should contain the data.
	This field is mandatory.
Contingency session	You can select the contingency session, for which the report should contain the data, depending on the chosen year.
	This field is mandatory.

Table 37 - CON01 - Prompt description



#### Screenshot - output screen




Figure 233 - CON01 output (1) ("Synthesis of contingency accounts settlements during the contingency procedure and final balances")




Figure 234 - CON01 output (2) ("Details on contingency cash transfers settled")



# **Output description**

CON01 – Report description – output screen	
Sheet 1	
Field label	Description
Party BIC	BIC of the party whose details are listed in the following fields
Parent party BIC	The party BIC of the responsible CB in case the Party BIC belongs to a PB or AS. In case the party BIC belongs to a CB, this field is empty.
Contingency account number	The account number of the contingency account of a PB and/or an AS
Injection or drain of liquidity - CB	Sum of credited (injected) - Sum of debited (drained) amount of liquidity transfers on the current partys contingency account when the counterparty of the liquidity transfer is the CB contingency account.
Injection or drain of liquidity – T2S	Sum of credited (injected) - Sum of debited (drained) amount of liquidity transfers on the current partys account when the counterparty of the liquidity transfer is the T2S contingency transit account.
Injection or drain of liquidity - TIPS	Sum of credited (injected) - Sum of debited (drained) amount of liquidity transfers on the current partys account when the counterparty of the liquidity transfer is the TIPS contingency transit account
Total credit	Sum of credited cash transfers i.e. payment orders and liquidity transfers between the current partys account and any other contingency account (excluding the CB/T2S/TIPS injections or drains) during the session.
Total debit	Sum of debited cash transfers i.e. payment orders and liquidity transfers between the current partys account and any other contingency account (excluding the CB/T2S/TIPS injections or drains) during the session.
Session balance	The available cash balance for the current partys contingency account by the end of the contingency session.
One row for the « CB » with the following data for the select	ed congingency session
Party BIC	BIC of the CB



Contingency account number	The contingency account number of the CB
Injection or drain of liquidity - CB	Sum of credited (drained) - Sum of debited (injected) amount of liquidity transfers on the CBs contingency account when the counterparty of the liquidity transfer is the contingency account of a party within the data scope of the CB
Total credit	Sum of credited payment orders and liquidity transfers between the CBs contingency account and any other contingency account (excluding the liquidity transfers on the counterparty accounts within the data scope of the CB, i.e. without CB liquidity drains) during the session.
Total debit	Sum of debited payment orders and liquidity transfers between the CBs contingency account and any other contingency account (excluding the liquidity transfers on the counterparty accounts within the data scope of the CB, i.e. without CB liquidity injections) during the session.
Session balance	The available cash balance for the CB contingency account by the end of the contingency session
Sheet 2	
Field label	Description
Party BIC	BIC of the party whose details are listed in the following fields
Parent party BIC	The party BIC of the responsible CB in case the Party BIC belongs to a PB or AS
Contingency account number	The contingency account number of the party
Settlement timestamp	The timestamp at which the cash transfer was settled
Counterparty contingency account number	The contingency account number of the counterparty of the cash transfer.
Counterparty CB	The country code of the CB of the counterparty of the cash transfer.
Credit	Credited value of the cash transfer

Table 38 - CON01 - Output description



5.5.2 CON02 - Contingency processing - end of procedure account balances per CB

## **Context of usage**

This report provides the balance for each CB contingency account at the end of a contingency procedure. This report provides the aggregated balance over all its CB contingency accounts at the end of a contingency procedure for each CB. (CR-154) In addition, the sum of debits and credits during a contingency procedure for each CB contingency account are reported.

This report can be used by CB users only.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [CON - Contingency Reports] >> [CON02]

#### Screenshot - prompt




Figure 235 - CON02 prompt



CON02 - Report description - prompt screen	
Field label	Description
Year	You can use this drop-down field to select the year, from which the report should contain the data.  This field is mandatory.
Contingency session	You can select the contingency session, for which the report should contain the data, depending on the chosen year.  This field is mandatory.

Table 39 - CON02 - Prompt description

## Screenshot - output screen




Figure 236 - CON02 output (2)



#### **Output description**

CON02 - Report description - output screen	
Field label	Description
Central Bank	Filled with the country code of the CB and the name of the country
Central bank liquidity	Central bank liquidity = Sum of CB liquidity drains – Sum of CB liquidity injections against the parties contingency accounts within the CBs data scope.
Credit	Sum over credited amounts of the cash transfers of the PB/As contingency accounts without CB liquidity injections
Debit	Sum over debited amounts of the cash transfers of the PB/AS contingency accounts without CB liquidity drains
Country balance	Country balance = CB liquidity + Credit – Debit

Table 40 - CON02 - Output description

# 5.6 Data extraction reports (DXE)

5.6.1 DXE01 — Data extraction reports: Party reference data

### **Context of usage**

This report belongs to a group of six reports (DXE01 – DXE06) that give the users the possibility to extract static and transactional data from the DWH data store and have it sent to them as CSV files in order to feed f.ex. a local data warehouse.

The report DXE01 allows extraction of party static data which is limited to a set of party service link types to prevent the delivery of parties not being T2 parties or not being involved in the clearing and settlement of cash and liquidity transfer orders.

This report is not limited by any data scope restrictions – all parties will receive all party static data available in CRDM for T2 belonging to the following party service link types:

- RCAH (RTGS CB Account Holder)
- I RTRH (RTGS Transit Account Holder)
- I RACH (RTGS Account Holder)
- I ANSY (Ancillary System)
- I CCAH (CLM CB Account Holder)
- I CTEH (CLM CB Technical Account Holder)



- I CTRH (CLM Transit Account Holder)
- I CACH (CLM Account Holder)
- I IMMR (Institution managing minimum reserve without account in CLM.

This report can be used by CB users only.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [DXE – Data Extraction Reports] >> [DXE01]

### Screenshot - output screen

No output screen available - report result is only provided via CSV files.

## **Output description**

The report output sent via A2A consists of one file described in detail in chapter <u>DXE01 – party reference data</u> file specification [> 761].

5.6.2 DXE02 — Data extraction reports: Cash account reference data

#### Context of usage

This report belongs to a group of six reports (DXE01 – DXE06) that give the users the possibility to extract static and transactional data from the DWH data store and have it sent to them as CSV files in order to feed f.ex. a local data warehouse.

The report DXE02 allows extraction of cash account static data belonging to the data scope of the party of the report scheduling user, meaning those cash accounts where the user's party is the account owning or account servicing party.

This report can be used by CB users only.

### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [DXE – Data Extraction Reports] >> [DXE02]

#### Screenshot - output screen

No output screen available - report result is only provided via CSV file.



#### **Output description**

The report output sent via A2A consists of one file described in detail in chapter <a href="DXE02">DXE02</a> - Cash account reference data file specification [> 763].

5.6.3 DXE03 – Data extraction reports: Cash account aggregation group

#### Context of usage

This report belongs to a group of six reports (DXE01 – DXE06) that give the users the possibility to extract static and transactional data from the DWH data store and have it sent to them as CSV files in order to feed f.ex. a local data warehouse.

The report DXE03 allows extraction of cash account or party aggregation data referring to the cash accounts belonging to the data scope of the party of the report scheduling user, meaning aggregations to those cash accounts where the user's party is the account owning or account servicing party, or to the party itself. The following aggregation types exist:

#### Cash Account:

- Account monitoring group (ACCM)
- Liquidity transfer group (LQTR)
- Settlement bank account group (SETL)

#### Party:

Banking group (BANK)

This report can be used by CB users only.

#### Data scope

The report DXE03 provides only CB-relevant aggregations, where

- I For cash account aggregations: the CB is either account owning or account servicing party of the linked cash account in other words, where the cash account owning party belongs to the data scope of the CB.
- I For party aggregations:
  The party belongs to the data scope of the CB.
- For all:

The aggregation leader party belongs to the data scope of the CB.

To fulfil the data scope requirements, it is sufficient that one of the three clauses are true. This means, that if the aggregation leader party belongs to the data scope of the CB running the report, the extract will contain all members of the aggregation group irrespective whether they themselves belong to the data scope of the CB



or not. If the aggregation leader party does not belong to the data scope of the CB then only those members of the aggregation are extracted, that belong to the data scope of the CB.

Since liquidity transfer groups do not have an aggregation leader, only those members are extracted per default, that belong to the data scope of the CB.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [DXE – Data Extraction Reports] >> [DXE03]

### Screenshot - output screen

No output screen available – report result is only provided via CSV files.

## **Output description**

The report output sent via A2A consists of one file described in detail in chapter <u>DXE03 – Cash account</u> aggregation group file specification [> 766].

5.6.4 DXE04 – Data extraction reports: Cash account balance and liquidity

#### Context of usage

This report belongs to a group of six reports (DXE01 – DXE06) that give the users the possibility to extract static and transactional data from the DWH data store and have it sent to them as CSV files in order to feed f.ex. a local data warehouse.

The report DXE04 allows extraction of data concerning the liquidity of cash accounts belonging to the data scope of the party of the report scheduling user, meaning liquidity data of those cash accounts where the user's party is the account owning or account servicing party. This report can be used by CB users only.

The report can be used by CBs only.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [DXE - Data Extraction Reports] >> [DXE04]



# Screenshot - prompt




Figure 237 - DXE04 prompt - Manual



Figure 238 - DXE04 prompt - Dynamic



DXE04 - Report description - prompt screen - Manual		
Field label	<u>Description</u>	
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  "Last Business Date"  "Prior Last Business Date"  The system will automatically calculate the end of the date range based upon the date at the time of execution.	
Date Range	Indicates the start-point of the date range for which the dynamic report should contain data.  Valid values:  "Month-to-Date"  "Week-to-Date"  "Reference Date"  The system will automatically calculate the start of the date range based upon the date at the time of execution.	

Table 41 - DXE04 - Prompt description - Manual

{CR-154}



DXE04 - Report description - prompt screen - Dynamic		
Field label	<u>Description</u>	
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  Last Business Day Prior Last Business Day The system will automatically calculate the end of the date range based upon the date at the time of execution.	
Time Range	Indicates the start-point of the date range for which the dynamic report should contain data.  The system will automatically calculate the start of the date range based upon the date at the time of execution.	

Table 42 - DXE04 - Prompt description - Dynamic

{CR-154}

## <u>Screenshot – output screen</u>

No output screen available – report result is only provided via CSV files.

#### **Output description**

The report output sent via A2A consists of one file described in detail in chapter <u>DXE04 – Cash account balance and liquidity file specification</u> [▶ 768].

## 5.6.5 DXE05 – Data extraction reports: Cash transfer orders

#### Context of usage

This report belongs to a group of six reports (DXE01 – DXE06) that give the users the possibility to extract static and transactional data from the DWH data store and have it sent to them as CSV files in order to feed f.ex. a local data warehouse.

The report DXE05 allows extraction of transactional data of cash accounts belonging to the data scope of the party of the report scheduling user, meaning cash transfer orders impacting those cash accounts where the user's party is the account owning or account servicing party.

The report can be used by CBs only.



#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [DXE – Data Extraction Reports] >> [DXE05]

## <u>Screenshot - prompt</u>




Figure 239 - DXE05 prompt - Manual




Figure 240 - DXE05 prompt - Dynamic



DXE05 - Report description - prompt screen - Manual	
Field label	Description
Reference Date	This field is mandatory.
Date Range	Indicates the start-point of the date range for which the dynamic report should contain data.
	Valid values:  "Month-to-Date"
	"Week-to-Date"
	"Reference Date"
	The system will automatically calculate the start of the date
	range based upon the date at the time of execution.

Table 43 - DXE05 - Prompt description - Manual

## {CR-154}

DXE05 - Report description - prompt screen - Dynamic	
Field label	Description
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  Last Business Day Prior Last Business Day The system will automatically calculate the end of the date range based upon the date at the time of execution.
Time Range	Indicates the start-point of the date range for which the dynamic report should contain data.  The system will automatically calculate the start of the date range based upon the date at the time of execution.

Table 44 - DXE05 - Prompt description - Dynamic

{CR-154}

# Screenshot - output screen

No output screen available – report result is only provided via CSV files.



## **Output description**

The report output sent via A2A consists of one file described <u>DXE05 – Cash transfers orders/cash transfer file</u> <u>specification</u> [\* 772].

5.6.6 DXE06 – Data extraction reports: Business day event

#### Context of usage

This report belongs to a group of six reports (DXE01 – DXE06) that give the users the possibility to extract static and transactional data from the DWH data store and have it sent to them as CSV files in order to feed f.ex. a local data warehouse.

The report DXE06 allows extraction of business day data along with the events and the scheduled and actual timestamps.

The report can be used by CBs only.

## Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [DXE – Data Extraction Reports] >> [DXE06]

#### Screenshot - prompt




Figure 241 - DXE06 prompt - Manual






Figure 242 - DXE06 prompt - Dynamic

DXE06 - Report description - prompt screen - Manual		
Field label	<u>Description</u>	
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  "Last Business Date"  "Prior Last Business Date"  The system will automatically calculate the end of the date range based upon the date at the time of execution.	
Date Range	Indicates the start-point of the date range for which the dynamic report should contain data.  Valid values:  "Month-to-Date"  "Week-to-Date"  "Reference Date"  The system will automatically calculate the start of the date range based upon the date at the time of execution.	

Table 45 - DXE06 - Prompt description - Manual

{CR-154}



DXE06 - Report description - prompt screen - Dynamic	
Field label	<u>Description</u>
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  Last Business Day Prior Last Business Day The system will automatically calculate the end of the date range based upon the date at the time of execution.
Time Range	Indicates the start-point of the date range for which the dynamic report should contain data.  The system will automatically calculate the start of the date range based upon the date at the time of execution.

Table 46 - DXE06 - Prompt description - Dynamic

{CR-154}

## Screenshot - output screen

No output screen available – report result is only provided via CSV files.

## **Output description**

The report output sent via A2A consists of one file described <u>DXE06 − Business day file specification</u> [▶ 783].

# 5.7 Intraday credit reports (IDC)

# 5.7.1 IDC01 - Daily Intraday credit (IDC) community indicators

#### **Context of usage**

This report provides a set of community indicators related to the use of credit lines and IDC. The indicators focus on those default main cash accounts (MCAs) belonging to the system entity of each CB and having at least once within the respective business day a credit line > 0.

For the respective business day the number of default MCAs with a credit line > 0 and the number of those with a negative intraday balance (IDC used) is reported. In addition, the report provides calculations (lowest community value, highest community value and time weighted average value) for the aggregated credit line amounts, IDC use and queued cash transfer orders.

This report can be used by CB users only.



#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [IDC - Intraday Credit Reports] >> [IDC01]

## Screenshot - prompt



Figure 243 - IDC01 prompt - Manual




Figure 244 - IDC01 prompt - Dynamic

# **Prompt description**

IDC01 – Report description – prompt screen - Manual		
Field label	Description	
Date	You can select the date by clicking on the calendar.	
	For valid report results, the current day cannot be selected.	
	This field is mandatory.	

Table 47 - IDC01 - Prompt description - Manual



IDC01 – Report description – prompt screen - Dynamic	
Field label	Description
Reference Date	Reference Date for which the data shall be displayed.
	Possible values:
	I Last Business Date
	l Prior Last Business Date
	This field is mandatory.

Table 48 - IDC01 - Prompt description - Dynamic

## Screenshot - output screen




Figure 245 - IDC01 Output (1)






Figure 246 - IDC01 Output (2)

# **Output description**

IDC01 – Report description – output screen		
Field label	Description	
Number of MCAs with a credit line > 0	Number of all MCAs, which had a credit line > 0 at least once during the selected date.	
Number of MCAs with a negative intraday balance	Number of those MCAs that had a negative account balance at least once during the selected date.	
Credit line amount	Amount of credit line	
Weighted average	Weighted average of the credit line amount (Time based on a minute-level excluding the maintenance times during the business day)	
Lowest community value	Lowest community value of the credit line amount	
Timestamp	For lowest community level, this is the timestamps, when the community-wide values for the Credit line amount, the IDC use etc. reached their minimum.	
Highest community level	Highest community value of the credit line amount	
Timestamp	For highest community level, this is the timestamps, when the community-wide values for the Credit line amount, the IDC use etc. reached their maximum.	
IDC use value	Total amount of intraday credit use	
Weighted average	Weighted average of the IDC use value (Time based on a minute-level excluding the maintenance times during the business day).	



Lowest community value	Lowest community value of the IDC use
Timestamp	For lowest community level
Highest community level	Highest community level of the IDC used
Timestamp	For highest community level
Queued cash transfer orders for MCAs Volume / Value	Queued cash transfer orders for the default MCAs
Weighted average volume / value	Weighted average volume/value of queued cash transfer orders for the default MCAs in CLM
Lowest community volume / value	Lowest community volume/value of queued cash transfer orders for the default MCAs in CLM
Timestamp	For lowest community level
Highest community volume / value	Highest community volume/value of queued cash transfer orders for the default MCAs in CLM
Timestamp	For highest community level
Queued cash transfer orders for RTGS DCAs	Queued cash transfer orders for the RTGS DCAs that are linked to a default MCA which had a credit line > 0 at least once a day
Volume / Value	
Weighted average volume / value	Weighted average volume/value of queued cash transfer orders for the RTGS DCAs that are linked to a default MCA which had a credit line > 0 at least once a day.
Lowest community volume / value	Lowest community volume/value of queued cash transfer orders for the RTGS DCAs that are linked to a default MCA which had a credit line > 0 at least once a day.
Timestamp	For lowest community level
Highest community volume / value	Highest community volume/value of queued cash transfer orders for the RTGS DCAs that are linked to a default MCA which had a credit line > 0 at least once a day.
Timestamp	For highest community level
Graph 1	Evolution of daily credit line indicators
	Cartesian coordinate system, y-axis representing the amount, x-axis representing the time (hours of the business day)

Table 49 - IDC01 - Output description



# 5.7.2 IDC02 - Credit line/IDC daily reporting

## **Context of usage**

The report IDC02 provides information related to the amount of credit line, the use of IDC and queued cash transfer orders on a given business day for a selected holder of a default MCA.

CBs can retrieve information on default MCAs of those parties belonging to their system entity.

This report can be used by CB users only.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [IDC - Intraday Credit Reports] >> [IDC02]

#### Screenshot - prompt




Figure 247 - IDC02 prompt - Manual






Figure 248 - IDC02 prompt - Dynamic

IDC02 – Report description – prompt screen - Manual	
Field label	Description
Date	You can select the date by clicking on the calendar.  For valid report results, the current day cannot be selected.
	This field is mandatory.
Party BIC	You can use this drop-down field to select the Party BIC. This field will show all related BIC's, which belong to the party.  This field is mandatory.

Table 50 - IDC02 - Prompt description - Manual



IDC02 – Report description – prompt screen - Dynamic	
Field label	Description
Reference Date	Reference Date for which the data shall be displayed.
	Possible values:
	I Last Business Date
	l Prior Last Business Date
	This field is mandatory.
Party BIC	You can use this drop-down field to select the Party BIC. This field will show all
	related BIC´s, which belong to the party.
	This field is mandatory.

Table 51 - IDC02 - Prompt description - Dynamic

## Screenshot - output screen




Figure 249 - IDC02 output (1)






Figure 250 - IDC02 output (2)




Figure 251 - IDC02 output (3)



# **Output description**

IDC02 – Report description – output screen	
Field label	Description
Following details are available in separa	ate tables for:
Amount of credit line/ Amount of IDC us	sed/ Queued Cash Transfer Orders
Time band	Time band in one hour interval.
Average volume	For "Queued cash transfer orders" table only: Average number of queued cash transfer orders in the timeframe 19:00:00 – 18:00:00
Weighted average	Weighted average of  I the credit line amount  I the amount of IDC used  I the sum of values of queued cash transfer orders  I for the time band
Minima	Minimum of  I the credit line amount  I the amount of IDC used  I the sum of values of queued cash transfer orders  I for the time band



Maxima	Maximum of  I the credit line amount  I the amount of IDC used  I the sum of values of queued cash transfer orders
Standard deviation	I for the time band  Standard deviation of  I the credit line amount values  I the amounts of IDC used  I the sum of values of queued cash transfer orders  I during the time band
Number of events	The number of  I changes to the credit line I changes to the account balance influencing the IDC use I Queued cash transfers I during the time band

Table 52 - IDC02 - Output description

# 5.7.3 IDC03 – Credit line/IDC averages and maxima (account level)

## **Context of usage**

This report provides information related to the credit line and IDC development during a given date range for a selected holder of a default MCA. For each business day within the given date range the weighted average and maximum amount of credit line amount and IDC use are reported.

CBs can retrieve information on default MCAs of those parties belonging to their system entity.

This report can be used by CB, PB and AS users.

# Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [IDC – Intraday Credit Reports] >> [IDC03]



## Screenshot - prompt




Figure 252 - IDC03 prompt - Manual




Figure 253 - IDC03 prompt - Dynamic



IDC03 – Report description –prompt screen - Manual	
Field label	Description
Date From	You can select the date by clicking on the calendar.
	This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.
Party BIC	You can use this drop-down field to select the party BIC. This field will show all related BIC's, which belong to the party.
	This field is mandatory.

Table 53 - IDC03 - Prompt description - Manual

IDC03 – Report description –prompt screen - Dynamic	
Field label	Description
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  I Last Business Day  I Prior Last Business Day
	The system will automatically calculate the end of the date range based upon the date at the time of execution.
Time Range	Indicates the start-point of the date range for which the dynamic report should contain data.  The system will automatically calculate the start of the date range based upon the date at the time of execution.
Party BIC	You can use this drop-down field to select the party BIC. This field will show all related BIC's, which belong to the party.  This field is mandatory.

Table 54 - IDC03 - Prompt description - Dynamic



## Screenshot - output screen




Figure 254 - IDC03 output (1)



## **Output Description**




Figure 255 - IDC03 output (2)

# **Output description**

IDC03 – Report description – output screen		
Field label	Description	
Date	One line per business date within the chosen date range, sorted by date.	
Credit line amount: Weighted average	Weighted average of the credit line amount of that day.	
Credit line amount:  Maxima	Maximum of the credit line amount at that day.	
Intraday credit use: Weighted average	Weighted average of the intraday credit line use of that day.	



Intraday credit use:	Maximum of the intraday credit line use at that day.
Maximum over period	Highest amount of the respective column.
Graph 1	Evolution of credit line amount and IDC use  Cartesian coordinate system, y-axis representing the amount, x-axis representing the date.  Show four lines in different colours representing the values in the table on previous
	page.

Table 55 - IDC03 - Output description

# 5.7.4 IDC04 - Credit line/IDC averages and maxima (community level)

#### Context of usage

This report provides aggregated information related to the credit line and IDC development during a given date range at community level. For each business day within the given date range the weighted average and maximum amount of credit line amount and IDC use (aggregated Figures at community level) are reported.

CBs can retrieve aggregated information on parties belonging to their system entity.

This report can be used by CB users only.

## Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [IDC – Intraday Credit Reports] >> [IDC04]

## Screenshot - prompt



Figure 256 - IDC04 prompt - Manual





Figure 257 - IDC04 prompt - Dynamic

IDC04 – Report description – prompt screen - Manual		
Field label	Description	
Date From	You can select the date by clicking on the calendar.  This field is mandatory.	
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.	
	For valid report results, the current day cannot be selected.  This field is mandatory.	

Table 56 - IDC04 - Prompt description - Manual



IDC04 – Report description – prompt screen - Dynamic	
Field label	Description
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  Last Business Day  Prior Last Business Day  The system will automatically calculate the end of the date range based upon the date at the time of execution.
Time Range	Indicates the start-point of the date range for which the dynamic report should contain data.  The system will automatically calculate the start of the date range based upon the date at the time of execution.

Table 57 - IDC04 - Prompt description - Dynamic




Figure 258 - IDC04 output (1)






Figure 259 - IDC04 output (2)

IDC04 – Report description – output screen	
Field label	Description
Date	One line per business date within the chosen date range, sorted by date.
Credit line amount:	Weighted average of the credit line amount of that day
Weighted average	and
	Weighted average of the intraday credit line use of that day.
Credit line amount:	Maximum of the credit line amount at that day
Maxima	and
	Maximum of the intraday credit line use at that day.
Intraday credit use:	Weighted average of the intraday credit line use of that day.
Weighted average	



Intraday credit use:	Maximum of the intraday credit line use at that day.
Maximum over period	Highest amount of the respective column.
Graph 1	"Evolution of credit line amount and IDC use (community level)"  Cartesian coordinate system, y-axis representing the amount, x-axis representing the date.
	Show four lines in different colours representing the values in the table on previous page.

Table 58 - IDC04 - Output description

#### 5.7.5 IDC05 - Maximum of credit line used

#### **Context of usage**

This report provides credit line and balance information for the SoD and EoD of a selected parties' default MCA on a given business day. Moreover, the peak IDC use for the selected default MCA on that business day is reported together with the corresponding amount of credit line at that point in time.

CBs can retrieve information on default MCAs of those parties belonging to their system entity.

This report can be used by CB, PB and users.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [IDC – Intraday Credit Reports] >> [IDC05]



#### Screenshot - prompt




Figure 260 - IDC05 prompt (1) - For a specific party BIC - Manual




Figure 261 - IDC05 prompt (2) - For a specific party BIC - Dynamic





Figure 262 - IDC05 prompt (3) - For all parties - Manual



Figure 263 - IDC05 prompt (4) - For all parties - Dynamic



IDC05 – Report description –prompt screen - Manual	
Field label	Description
Date From	You can select the date by clicking on the calendar.
	This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.
Party BIC	You can use this drop-down field to select the party BIC. This field will show all related BICs, which belong to the party.  In case the party BIC is not selected, the report only shows results for one date (the date selected under "Date from").
	This field is optional.

Table 59 - IDC05 - Prompt description - Manual



IDC05 - Report description -prompt screen - Dynamic	
Field label	Description
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.
	Valid values:
	I Last Business Day
	l Prior Last Business Day
	The system will automatically calculate the end of the date range based upon the date at the time of execution.
Time Range	Indicates the start-point of the date range for which the dynamic report should contain data.
	The system will automatically calculate the start of the date range based upon the date at the time of execution.
Party BIC	You can use this drop-down field to select the party BIC. This field will show all related BICs, which belong to the party.
	In case the party BIC is not selected, the report only shows results for one date (the date selected under "Date from").
	This field is optional.

Table 60 - IDC05 - Prompt description - Dynamic






Figure 264 - IDC05 output (1) - A party was selected




Figure 265 - IDC05 output (2) - A party was not selected covering one day only



IDC05 – Report description – output screen (a party was selected)			
Field label	Description		
Following details are available for			
Credit line amount / Account bal	ance		
Date	One line per business date within the chosen date range, sorted by date		
At SoD	Credit line amount at SoD		
	and		
	Account balance of the MCA at SoD		
At EoD	Credit line amount at EoD		
	and		
	Account balance of the MCA at EoD		
Following details are available for	or:		
Peak IDC use			
Date	One line per business date within the chosen date range		
Time	Time of the peak IDC use (HH:MM:SS); Marked with "—" in case the account balance remained positive throughout the day		
Amount	IDC amount used at that time;		
	Marked with "—" in case the account balance remained positive throughout the day		
Credit line amount	Credit line amount at that time;		
	Marked with "—" in case the account balance remained positive throughout the day		
IDC05 – Report description – o	output screen (a party was not selected covering one day only)		
Field label	Description		
Party BIC	BIC of the party for which the default MCA is regarded.		
Party name	Party short name according to party BIC		
Default MCA number	Account number of the default MCA of the party		
Following details are available for:			
Credit line amount /Account balance			
At SoD	Credit line amount at SoD		
	and		
	Account balance of the MCA at SoD		



At EoD	Credit line amount at EoD	
	and	
	Account balance of the MCA at EoD	
Following details are available for	Following details are available for:	
Peak IDC use		
Time	Time of the peak IDC use (HH:MM:SS); Marked with "—" in case the account balance remained positive throughout the day.	
Amount	IDC amount used at that time;  Marked with "—" in case the account balance remained positive throughout the day.	
Credit line amount	Credit line amount at that time;  Marked with "—" in case the account balance remained positive throughout the day.	

Table 61 - IDC05 - Output description

# 5.7.6 IDC06 - Credit line and IDC use at system level

# Context of usage

This report provides system-wide aggregated information on the overall amount of credit line and IDC use for a given date (range). For both objects the weighted average for each business day within the given date range is reported.

CBs can retrieve aggregated information including credit line and IDC data from all system entities in a respective currency.

This report can be used by CB users only.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [IDC – Intraday Credit Reports] >> [IDC06]



# Screenshot - prompt




Figure 266 - IDC06 prompt

IDC06 – Report description – prompt screen	
Field label	Description
Date From	You can select the date by clicking on the calendar.  This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory

Table 62 - IDC06 - Prompt description






Figure 267 - IDC06 output (1)






Figure 268 - IDC06 output (2)

IDC06 – Report description – output screen	
Field label	Description
Currency	ISO currency code
Date	Business day as chosen in prompt screen.
	One line per business day within the date range.
Weighted average of credit line amount	The weighted average of credit line amounts for all parties within the system entity at the business day.
Weighted average of intraday credit line use	The weighted average of the intraday credit line use for parties within the system entity at the business day.
Graph 1	Credit line and IDC use at system level  Cartesian coordinate system, y-axis representing the amount (value), x-axis representing the date (each business day within the selected date range)  Shows two lines in different colours representing the evolution of the values in the table on previous page per business day within the selected date range (between from and to date).

Table 63 - IDC06 - Output description



# 5.8 Invoice Data (INV)

# 5.8.1 INV01 - Reporting revenues

#### **Context of usage**

This report provides information on the volumes and values of fees/revenues for each month within a given quarter. Within the selected service, absolute volumes and values are reported for each service item. In addition, the fee category (e.g. "Account Management") and the fee type (e.g. "Fixed Independent") are provided for each service item. For each month the total amount of fees/revenues is reported.

CBs can retrieve aggregated information on the fees/revenues of parties belonging to their system entity.

This report can be used by CB users only.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [INV – Invoice Data Reports] >> [INV01]

#### Screenshot - prompt




Figure 269 - INV01 prompt - Manual






Figure 270 - INV01 prompt - Dynamic

INV01 - Report description - prompt screen - Manual	
Field label	Description
Year	You can use this drop-down field to select the year, from which the report should contain the data.
	This field is mandatory.



Quarter	You can use this drop-down field to select the quarter, for which the report should show the data.
	This field is mandatory
Service	Service for which the data shall be displayed.
	Possible values:
	I RTGS
	I TIPS
	I T2S
	I ECMS
	This field is optional
Charged party BIC	You can use this search and select prompt to be able to search for the party BIC or short name. One or several parties can be selected. In case the user leaves this field free, all party BICs belonging to the user's data scope are selected.
	This field is optional.

Table 64 - INV01 - Prompt description - Manual



INV01 - Report description - prompt screen - Dynamic	
Field label	Description
Reference Quarter	Reference Quarter for which the data shall be displayed.
	Possible values:
	Current Quarter
	I Previous Quarter
	This field is mandatory.
Service	Service for which the data shall be displayed.
	Possible values:
	I RTGS
	I TIPS
	I T2S
	I ECMS
	This field is optional.
Charged party BIC	You can use this search and select prompt to be able to search for the party BIC
	or short name. One or several parties can be selected. In case the user leaves
	this field free, all party BICs belonging to the user's data scope are selected.
	This field is optional.
	This hold is optional.

Table 65 - INV01 - Prompt description - Dynamic



Figure 271 - INV01 Output(CR-154)



INV01 – Report description – output screen	
Field label	Description
Year, Quarter	Year and quarter as chosen in input screen
The following block is repeated for ever	y service chosen in the prompt screen
Service	The service, for which invoice data are displayed  Possible values:  I RTGS  I TIPS
	I T2S I ECMS
Year/Month	Calendar month and year of the billing period, for which the invoice data are shown. All three months of the selected quarter are displayed. In case the billing period of one month is still running, no data will be shown for that month.
Service item category	Service item category
Service item code	Following service item codes are currently available:  See BILL UDFS Annex I
Service item description	Following service item descriptions are currently available:  See BILL UDFS Annex I
Fee type	Fee type
Volume	The quantity of the billable items for the service item having this fee type  If there is no fee for this fee type, then 0 is displayed.
Value <u>(EUR)</u>	The sum of amounts of the billable items for the service item having this fee type (VAT not included)  The invoices are always in EUR.  If there is no fee for this fee type, then 0 is displayed.
Total (Volume/Value (EUR))	Sum of the volumes/values within the month over all fee types
Overall total (Volume/Value(EUR))(CR-154)	Overall sum of the volumes/values within the month over all fee types and services

Table 66 - INV01 - Output description



# 5.9 Minimum reserve reports (MIR)

#### 5.9.1 MIR01 – Minimum reserve information

#### **Context of usage**

This report provides periodic information on the minimum reserve requirements, the fulfilment of the aforementioned and the associated (accrued/pro rata) interests. In addition to the party BIC/name, entities are reported with their respective MFI code. The report provides information on payment banks being subject to minimum reserves on the level of the respective leading CLM Account Holder. The report is available for each reserve maintenance period.

CBs can retrieve minimum reserve information on those parties belonging to their system entity.

**Note:** As the report is required to display accrued interests (interests will be shown pro rata within an ongoing reserve maintenance period), the interest amounts shown are derived from calculations (and not from interest payments). The final (calculated) interest amounts are displayed as soon as all data for a respective reserve maintenance period is available in the DWH.

This report can be used by CB and PB users.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [MIR – Minimum Reserve Reports] >> [MIR01]

#### <u>Screenshot – prompt</u>




Figure 272 - MIR01 prompt - Manual






Figure 273 - MIR01 prompt - Dynamic

MIR01 – Report description – prompt screen - Manual	
Field label	Description
Year	You can use this drop-down field to select the year, from which the report should contain the data.
	This field is mandatory.
Maintenance period	You can select the required maintenance period in this drop-down field.  This field contains "validity start date" to "validity end date" of maintenance periods and consists of all maintenance periods that start in the chosen year
	This field is mandatory.
Party BIC	You can use this drop-down field to select the party BIC. This field will show all related BICs, which belong to the party.
	This field is optional.

Table 67 - MIR01 - Prompt description - Manual



MIR01 - Report description - prompt screen - Dynamic	
Field label	Description
Reference Period	Reference Period for which the data shall be displayed.
	Possible values:
	Current Maintenance Period
	Last Maintenance Period
	This field is mandatory.
Party BIC	You can use this drop-down field to select the party BIC. This field will show all related BICs, which belong to the party.
	This field is optional.

Table 68 - MIR01 - Prompt description - Dynamic




Figure 274 - MIR01 output (1)






Figure 275 - MIR01 output (2)




Figure 276 - MIR01 - Output (List of interest and penalty rates)



MIR01 – Report description – output screen – table minimum reserve information	
Field label	Description
Sorted by party BIC:	
MFI code	MFI code of the party
Party BIC	BIC of the party
Party name	Name of the party
MR Obligation	Minimum reserve obligation.  Possible Values:    Direct   Indirect   Pool
Party BIC of the Leading CLM Account Holder	BIC of the party that holds the leading CLM account
MR Requirement	Amount of minimum reserve to be held at the end of each day of the maintenance period.
Effective MR requirement	Amount of minimum reserve to be held effectively at the end of each day of the maintenance period.  For Leading CLM Account Holders offering to maintain the MR requirements for other parties (i.e. for those with MR obligation = "Indirect") this is the sum of the requirement for the Leading CLM Account Holder itself as well as of the MR requirements from the other parties.  For parties with MR obligation "Indirect", the value is always 0 (zero)  For all other parties the value is identical to the MR requirement.
Running average	This is the arithmetic mean of the accumulated balances from the first calendar day of the current maintenance period until the last day of the maintenance period, i.e sum of daily balances from beginning of the maintenance period till the end of the maintenance period / total number of days in the maintenance period (for ongoing maintenance periods: sum of daily balances from beginning of the maintenance period till the day for which MR data is available in the DWH / total number of days in the maintenance period that have already been passed).



	As soon as a Maintenance Period is over, this amount corresponds to the Minimum Reserve fulfilment.
Adjustment balance	The adjustment balance is the amount that would be needed at the end of each business day from the current day until the end of the maintenance period, in order to precisely fulfil the minimum reserve requirement. It corresponds to the daily average that the party would have to hold on its cash accounts for the remaining business days in the maintenance period to fulfil its minimum reserve requirement. In case that the minimum reserve requirement for an ongoing maintenance period is already fulfilled the adjustment balance is 0 (zero).  This field is only filled in case the chosen maintenance period is the currently running. For past maintenance periods, this field is empty.
Excess / deficiency of reserve	This is the difference between the running average and the minimum reserve requirements.
Interest amount	The amount of MR interest for the displayed maintenance period.  In case the chosen maintenance period is the currently running, the accrued interest is displayed, calculated from the start of the MP until the end of the day preceding the day of report generation.  Please note, that accrued MR interest calculations are based on MR fulfilment data delivered by CLM.
Excess reserve interest amount (non-exemption tier)	Amount of interest to be paid for excess reserves within the non-exemption tier.  In case the chosen maintenance period is the currently running, the accrued interest is calculated from the start of the MP until the end of the day preceding the day of report generation.  Please note, that accrued excess reserve interest calculations are based on MR fulfilment data delivered by CLM.



(non-exempt tier)

Excess reserve interest amount (exemption tier)	Amount of interest to be paid for excess reserves within the exemption tier.  In case the chosen maintenance period is the currently running, the accrued interest is calculated from the start of the MP until the end of the day preceding the day of report generation.  Please note, that accrued excess reserve interest calculations are based on MR fulfilment data delivered by CLM.
MR calculated penalty amount 1 (single infringement)	Penalty to be debited for balances not meeting the MR requirements. The value is calculated by CLM at the end of the MP. It is up to the responsible CB to decide, whether penalties are debited and which of the two.  This field is only filled for a past maintenance period. For the current maintenance period, this field is empty.
MR calculated penalty amount 2 (repeated infringement)	Penalty to be debited for balances not meeting the MR requirements. The value is calculated by CLM at the end of the MP. It is up to the responsible CB to decide, whether penalties are debited and which of the two.  This field is only filled for a past maintenance. For the current maintenance period, this field is empty.

Table 69 - MIR01 - Output description - table minimum reserve information

MIR01 – Report description – output screen – table list of interest and penalty rates	
Field label	Field label
Calculation includes data until <date></date>	The calculation includes data until the given date. For past maintenance periods it is always the last day of the MP, for running MP it is the date of the last data load in the DWH.
Number of calendar days in the MP	Number of days within the maintenance period; For current MP, the days are counted from the start of the MP until the date in the previous line.
Minimum reserve interest rate	Rate (in %) which is used to calculate the interest amount on MR
Excess reserve interest rate (exempt tier)	Rate (in %) which is used to calculate the interest amount for excess reserves (exempt tier).
Excess reserve interest rate  (non-exempt tier)	Rate (in %) which is used to calculate the interest amount for excess reserves (non-exempt tier).



Excess reserve exemption factor	Factor for the calculation of the excess reserve exemption amount
Penalty rate 1 (single infringement)	Rate (in %) which is used to calculate the interest amount on MR balances which did not meet the MR requirement (for a single infringement).
Penalty rate 2 (repeated infringement)	Rate (in %) which is used to calculate the interest amount on MR balances which did not meet the MR requirement (for a repeated infringement)

Table 70 - MIR01 - Output description - table list of interest and penalty rates

# 5.9.2 MIR02 – Minimum reserve requirements per country

#### **Context of usage**

This report provides information on the aggregated amount of minimum reserve requirements for a given reserve maintenance period and the five preceding reserve maintenance periods. For each reserve maintenance period the aggregated amount of minimum reserve requirements at country level is reported.

CBs can retrieve aggregated minimum reserve information of parties belonging to their system entity.

This report can be used by CB users only.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [MIR – Minimum Reserve Reports] >> [MIR02]

#### <u>Screenshot - prompt</u>




Figure 277 - MIR02 prompt - Manual






Figure 278 - MIR02 prompt - Dynamic

MIR02 – Report description – prompt screen - Manual	
Field label	Description
Year	You can use this drop-down field to select the year, from which the report should contain the data.  This field is mandatory.
Maintenance period	You can select the required maintenance period in this drop-down field.  This field contains "validity start date" to "validity end date" of maintenance periods and consists of all maintenance periods that start in the chosen year.  This field is mandatory.

Table 71 - MIR02 - Prompt description - Manual

MIR02 - Report description - prompt screen - Dynamic	
Field label	Description
Reference Period	Reference Period for which the data shall be displayed.
	Possible values:
	l Current Maintenance Period
	Last Maintenance Period
	This field is mandatory.

Table 72 - MIR02 - Prompt description - Dynamic






Figure 279 - MIR02 output

#### **Output description**

MIR02 – Report description – output screen		
Field label	Description	
For the chosen maintenance period and the five preceding periods:		
Maintenance period	Shows the validity start date until validity end date of the maintenance period	
Value	Aggregated amount of the minimum reserve requirements during the respective period at the country level:	
	Within the data scope of the CB the minimum reserve requirements of all parties	
	subject to minimum reserve requirements (minimum reserve obligation = direct,	
	indirect or pool) for the respective maintenance period are summed up.	

Table 73 - MIR02 - Output description

# 5.10 TARGET Multilateral Balances (MLB)

# 5.10.1 MLB01 — TARGET Multilateral Balances

#### **Context of usage**

The MLB01 report allows all Central Banks having a CB ECB Account to have access to daily EoD balances of all CB ECB Accounts in the data warehouse.



This report is set up with search prompts for date range and the possibility of dynamic date scheduling.

When running the report the system will check whether the CB (identified by the user running the report) is owning a CB ECB Account. If not, the report will be empty otherwise a result will be shown.

For every CB owning a CB ECB Account in T2 the report result contains:

- I Party BIC of the CB owning the CB ECB Account
- Business Day (one line for every business day within the selected date range)
- I EoD Balances of all CB ECB Accounts of this business day

This report will only be available for CB users.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [MLB -Target Multilateral Balances] >> [MLB01] Screenshot - prompt

#### **Screenshot-prompt**



Figure 280 - Prompt - manual



Figure 281 - Prompt - dynamic



# **Prompt description - manuel**

MLB01 – Report description – prompt screen - manual	
Field label	Description
Date from	You can use this field to select the Date from which the report should contain the data.  This field is mandatory.
Date to	You can select the end date of the period, for which the report should contain the data.  This field is mandatory.

Table 74 - MLB01 - Prompt description - manual

# **Prompt description - dynamic**

MLB01 - Report description - prompt screen - dynamic		
Field label	Description	
Reference date	Indicates the end-point of the date range for which the dynamic report should contain data.  This field is mandatory.	
Time range	Indicates the start-point of the date range for which the dynamic report should contain data.  The system will automatically calculate the start of the date range based upon the date at the time of execution.  This field is mandatory	

Table 75 - MLB01 - Prompt description - dynamic



#### Screenshot - output




Figure 282 - MLB01 -OUTPUT

MLB01 – Report description – output screen		
Field label	Description	
Business day	One line per business day and CB Party BIC	
Party BIC	Party BIC of the CB owning the CB ECB Account – sorted by 5th and 6th character of the BIC	
Party name	Name of the party owning the CB ECB account	
EoD balance	EoD balance of the CB ECB Account	

Table 76 - MLB01 - Output description



# 5.11 Participation reports (PAR)

### 5.11.1 PAR01 – Critical participants

#### **Context of usage**

This report aims to identify critical participants in RTGS. For the chosen quarter, the report provides information on the daily average volume and value of payments and AS transfers on RTGS dedicated cash accounts (DCAs). Payments and AS transfers are counted once on the debit side of each RTGS DCA and reported by account number, party BIC and party name. Volumes and values for payments and AS transfers are reported as aggregated daily averages for the chosen quarter. By standard, the report result is sorted decreasing by the aggregated daily average value of payments and AS transfers.

In a second report table the report provides the daily average volume and value of payments and AS transfers on all RTGS DCAs within the given quarter. In addition, the value corresponding to one percent of the reported value is displayed.

CBs can retrieve information for those parties belonging to their system entity.

This report can be used by CB users only.

#### **Report access**

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [PAR - Participation Reports] >> [PAR01]

#### Screenshot - prompt




Figure 283 - PAR01 prompt - Manual






Figure 284 - PAR01 prompt - Dynamic

PAR01 – Report description – prompt screen - Manual		
Field label	Description	
Year	You can use this drop-down field to select the year, from which the report should contain the data.  This field is mandatory	
Quarter	You can use this drop-down field to select the quarter, from which the report should contain the data.  This field is mandatory	

Table 77 - PAR01 - Prompt description - Manual

PAR01 - Report description - prompt screen - Dynamic		
Field label	Description	
Reference Quarter	Reference Quarter for which the data shall be displayed.	
	Possible values:	
	Current Quarter	
	l Previous Quarter	
	This field is mandatory.	

Table 78 - PAR01 - Prompt description - Dynamic






Figure 285 - PAR01 output (1)

PAR01 – Report description – output screen		
Field label	Description	
List by RTGS DCA and party. It is sorted by average value decreasing, then average volume decreasing, then party BIC decreasing		
Party	BIC and short name of the party	
Cash Account Number	RTGS dedicated cash account number	
Daily Average Volume	Average volume of the debit side of payments and AS transfers on the specified RTGS DCA.	
Daily Average Value	Average value of the debit side of payments and AS transfers on the specified RTGS DCA.	
Overall		
Daily average Volume	Daily average volume for all RTGS DCAs in the first list.	
Daily average Value	Daily average value for all RTGS DCAs in the first list.	
1 % of the reported Value	1 % of the daily average value for all RTGS DCAs in the first list.	

Table 79 - PAR01 - Output description



# 5.11.2 PAR02 – List of active Direct and Indirect Participants according to RTGS Directory

#### **Context of usage**

This report provides information on those entities being a Direct or an Indirect Participant (Participation Type = 01 – Direct or 02 – Indirect) according to the RTGS Directory on a given date.

For each Direct and Indirect Participant the following information from the RTGS Directory are provided: BIC, Institution Name, Valid from, National Sorting Code, Participation Type. In addition, the overall number of Direct and Indirect Participants is reported.

In case of Indirect Participation, the report provides the country code (ISO 3166 Alpha-2) from the BIC of the corresponding Direct Participant.

The report is provided in several sorting options, including an option where the Indirect Participants are reported under their corresponding Direct Participant/addressee.

**Note:** Independent from the Participation Type, unpublished BICs and RTGS Central Bank Accounts are not considered for the purpose of this report:

This report can be used by CB, PB and AS users.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [PAR - Participation Reports] >> [PAR02]



# Screenshot - prompt



Figure 286 - PAR02 prompt

PAR02 – Report description – prompt screen	
Field label	Description
Date	You can select the date by clicking on the calendar.
	For valid report results, the current day cannot be selected.
	This field is mandatory.

Table 80 - PAR02 - Prompt description



# Screenshot - output screen




Figure 287 - PAR02 output (1)




Figure 288 - PAR02 output (2)






Figure 289 - PAR02 output (3)

PAR02 – Report description – output screen – table Direct Participant view				
Field label	Description			
Per active party in RTGS, sorted by participant BIC, then by account BIC.				
Participant BIC	The participant BIC			
Participant name	Short name of the participant			
Account BIC	RTGS DCA account BIC of the Direct Participant, where at least one Indirect Participant is linked to.			
Indirect Participant BIC	BIC of the Indirect Participant linked to the account BIC			
Institution name	Institution name of the Indirect Participant			
PAR02 – Report description – output screen – table Ind	irect Participant view			
Field label	Description			
Per active party in RTGS, sorted by account BIC.				
Account BIC	RTGS DCA Account BIC of the Direct Participant.			
Participant BIC	BIC of the Direct or Indirect Participant.			
Participant Name	Short name of the Direct or Indirect Participant.			
Valid from	Date, from which the Direct or Indirect Participant became valid.			
National Sorting Code	National sorting code of the Direct or Indirect Participant			



RTGS participation type	RTGS participation type.
	Possible values:
	I Direct
	I Indirect
Direct Participant BIC	The Participant BIC of the related participant.
Direct Participant Name	The Direct Participant Name of the related participant.
Country code	The Country code of the related participant.
Total number of Direct Participants	Only displayed for participation type = direct
Total number of Indirect Participant	Only displayed for participation type = indirect

Table 81 - PAR02 - Output description

# 5.11.3 PAR03 – Parties subject and not subject to minimum reserve

#### **Context of usage**

This report provides information on whether or not parties are subject to minimum reserves according to the CLM configuration reference data attribute Minimum Reserve Obligation on a given date.

Separate lists are provided for parties holding their minimum reserves direct, indirect, in a pool of accounts (pool) and those not being subject to minimum reserves.

Each party is reported with its respective MFI code in addition to its party BIC and name.

For parties holding their minimum reserves indirect, BIC and name of the party maintaining reserves for this party are reported.

CBs can retrieve data of those parties belonging to their system entity.

This report can be used by CB users.

# Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [PAR - Participation Reports] >> [PAR03]



# Screenshot - prompt



Figure 290 - PAR03 prompt

# **Prompt description**

PAR03 – Report description – prompt screen			
Field label	Description		
Date	You can select the date by clicking on the calendar.		
	This field is mandatory.		

Table 82 - PAR03 - Prompt description



### Screenshot - output screen




Figure 291 - PAR03 output (1) (CR-154)




Figure 292 - PAR03 output (2){CR-154}



PAR03 – Report description – output screen – table parties subject to minimum reserve			
Field label	Description		
Direct – List is sorted by party BIC			
Party BIC	Party BIC		
Party Name	Party short name		
MFI Code	MFI code of the party		
Leading CLM Account Holder BIC	BIC of the Leading CLM Account Holder		
Leading CLM Account Holder Name	Short name of the Leading CLM Account Holder(CR-154)		
Indirect – List sorted by party BIC			
Party BIC	Party BIC		
Party Name	Party short name		
MFI Code	MFI code of the party		
Leading CLM Account Holder BIC	BIC of the Leading CLM Account Holder		
Leading CLM Account Holder Name	Short name of the Leading CLM Account Holder		
Pool			
Party BIC	Party BIC		
Party Name	Party short name		
MFI Code	MFI code of the party		
Leading CLM Account Holder BIC	BIC of the Leading CLM Account Holder		
Leading CLM Account Holder Name	Short name of the Leading CLM Account Holder		

Table 83 - PAR03 - Output description - table parties subject to minimum reserve

PAR03 – Report description – output screen - table parties not subject to minimum reserve			
<u>Field</u> <u>I</u> Łabel{CR-154}	Description		
Party BIC	Party BIC		
Party Name	Party short name		
MFI Code	MFI-Code of the party (can be empty)		

Table 84 - PAR03 - Output description - table parties not subject to minimum reserve



### 5.11.4 PAR04 – List of ancillary systems

### **Context of usage**

This report provides information on those parties classified as ancillary system according to the party reference data attribute Party Type on a given date.

For each ancillary system, the party name and BIC and the corresponding accounts of the ancillary system, or linked through a settlement bank account group, in RTGS are reported.

For each account the account number and the ancillary system procedure (where applicable) is provided.

CBs can retrieve data of those ancillary systems belonging to their system entity.

This report can be used by CB users only.

#### **Report access**

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [PAR - Participation Reports] >> [PAR04]

### Screenshot - prompt



Figure 293 - PAR04 prompt



# **Prompt description**

PAR04 – Report description – prompt screen			
Field label	Description		
Date	You can select the date by clicking on the calendar.		
	For valid report results, the current day cannot be selected.		
	This field is mandatory.		

Table 85 - PAR04 - Prompt description

# Screenshot - output screen

target				PAR04 - List of ancillary systems				
BXXAQD0XXX - C	SLD BBK QM DWH Tes	t CB1						
Filters Date : 2024-04-29								
Party BIC	Party name	Ancillary system type	Service party type	Account type	Account number	Account owner BIC	Account owner name	AS settlement procedure
ASAAAQD0XXX	DWH Test 1-ASAA	HVPS	Ancillary System	Ancillary System Technical Account	ASTECHCBXXAQD0XXXEUR0A01	CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	A
		Ancillary System	RTGS CB Account	RTGSCBCBXXAQD0XXXEUR0005	CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	A	
			Ancillary System	Ancillary System Guarantee Funds Account	ASGUAFPBAAAQD0XXXEUR0001	PBAAAQD0XXX	CSLD BBK QM DWH Test CB1-PB1	A
			Ancillary System	RTGS DCA	RTGSDCPBAAAQD0XXXEUR0A09	PBAAAQD0XXX	CSLD BBK QM DWH Test CB1-PB1	A
			Ancillary System	RTGS DCA	RTGSDCPBABAQD0XXXEUR0A09	PBABAQD0XXX	CSLD BBK QM DWH Test CB1-PB2	A
			Ancillary System	RTGS DCA	RTGSDCPBACAQD0XXXEUR0A09	PBACAQD0XXX	CSLD BBK QM DWH Test CB1-PB3	A
			Ancillary System	RTGS CB Account	RTGSCBCBXXMMD0XXXEUR0005	CBXXMMD0XXX	CSLD BBK QM DWH Test CB2	A
		Ancillary System	RTGS DCA	RTGSDCPBAAMMD0XXXEUR0A09	PBAAMMD0XXX	CSLD BBK QM DWH Test CB2-PB1	A	
ASBAAQD0XXX	CSLD BBK QM DWH RPS	RPS	Ancillary System	Ancillary System Technical Account	ASTECHCBXXAQD0XXXEUR0A02	CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	В
			Ancillary System	RTGS CB Account	RTGSCBCBXXAQD0XXXEUR0005	CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	В
			Ancillary System	RTGS DCA	RTGSDCPBABAQD0XXXEUR0A09	PBABAQD0XXX	CSLD BBK QM DWH Test CB1-PB2	В
			Ancillary System	RTGS DCA	RTGSDCPBACAQD0XXXEUR0A09	PBACAQD0XXX	CSLD BBK QM DWH Test CB1-PB3	В
			Ancillary System	RTGS DCA	RTGSDCPBADAQD0XXXEUR0A09	PBADAQD0XXX	CSLD BBK QM DWH Test CB1-PB4	В
			Ancillary System	RTGS CB Account	RTGSCBCBXXMMD0XXXEUR0005	CBXXMMD0XXX	CSLD BBK QM DWH Test CB2	В
			Ancillary System	RTGS DCA	RTGSDCPBABMMD0XXXEUR0A09	PBABMMD0XXX	CSLD BBK QM DWH Test CB2-PB2	В
ASCAAQD0XXX	CSLD BBK QM DWH	IPS	Ancillary System	Ancillary System Technical Account	ASTECHASCAAQD0XXXEUR0A01	ASCAAQD0XXX	CSLD BBK QM DWH	С
			Ancillary System	RTGS CB Account	RTGSCBCBXXAQD0XXXEUR0005	CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	С
			Ancillary System	RTGS Sub-account	RTGSSBPBAAAQD0XXXEUR0002	PBAAAQD0XXX	CSLD BBK QM DWH Test CB1-PB1	С
			Ancillary System	RTGS DCA	RTGSDCPBACAQD0XXXEUR0A09	PBACAQD0XXX	CSLD BBK QM DWH Test CB1-PB3	С
				RTGS DCA	RTGSDCPBADAQD0XXXEUR0A09	PBADAQD0XXX	CSLD BBK QM DWH Test CB1-PB4	С

Figure 294 - PAR04 output

PAR04 – Report description – output screen			
Field Label	Description		
Party BIC	Party BIC of the ancillary system		
Party Name	Party short name of the ancillary system		
Ancillary System Type	Ancillary System Type.		
	Possible values:		
	High-Value-Payment- Systems (HVPS)		
	Retail-Payment-Systems (RPS)		
	I Instant-Payment-Systems (IPS)		
	Security-Settlement-Systems (SSS)		
	Foreign-Exchange-Settlement-Systems		



	<ul><li>I Money-Market-Settlement-Systems (MMS)</li><li>I Central Counterparties (CCP)</li><li>I Other</li></ul>
Service Party Type	Service Party Type linked to the party.  Possible values:  I Ancillary system  I RTGS Account holder
Account Type	Account Type.  Possible values:  I RTGS CB account  I RTGS DCA  I RTGS sub-account  I AS guarantee funds account  I AS technical account
Account Number	Account Number, where the party (AS) is owner as well as those, that are linked to this party (AS) via its Settlement Bank Account Group.
Account Owner BIC	BIC of the party owning the account. This can either be the AS itself or (in case the account is linked to the AS via the Settlement Bank Account Group) the AS settlement bank
Account Owner Name	Name of the party owning the account
AS Settlement Procedure	Optional criteria; Possible Values: A, B, C, D, E  If not applicable, field is filled with "—"

Table 86 - PAR04 - Output description

# 5.11.5 PAR05 – Aggregations list

This report provides information on the aggregation groups that users have configured in Common Reference Data Management (CRDM) at a specific point time.

Banking Group Group

A Banking Group is an optional group of parties that CLM uses to provide a collective view over the liquidity of the involved parties of a central bank. A Banking Group is used for liquidity monitoring purposes of central banks.



Account Monitoring Group is an optional group of accounts (MCAs, DCAs and TIPS Accounts) that CLM uses in order to provide a collective view over the liquidity of the involved accounts to payment banks. An Account Monitoring Group is used for liquidity monitoring purposes of payment banks. The leader party of the Account Monitoring Group can see the liquidity of all included accounts while the other participants of the Account Monitoring Group can only see the liquidity of their accounts.

- I Liquidity Transfer Group (LTG)
  A Liquidity Transfer Group is an optional group of MCAs that CBs can configure to allow intra-CLM liquidity transfers between them (not for liquidity monitoring purposes). Intra-service liquidity transfers between two MCAs can only take place between accounts belonging to the same Liquidity Transfer Group.
- I Settlement Bank Account Group is a group of cash accounts used in ancillary system settlement.

Depending on the aggregation group, the report provides output based on cash accounts (liquidity transfer group, settlement bank account group and account monitoring group) and based on party (banking group).

This report is available to central bank (all groups) as well as to payment banks and ancillary systems (only for SBAG: leader party, AMG: leader party, LTG account owned by payment bank/ancillary system).

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [PAR - Participation Reports] >> [PAR05]

#### <u>Screenshot – prompt</u>

PLACEHOLDER FOR OUTPUT SCREEN






Figure 295 - PAR05 prompt(CR-154)




Figure 296 - PAR05 - Aggregations list(CR-154)



# **Prompt description**

PAR05 – Report description – prompt screen			
Field label	Description		
Aggregation <mark>Gg</mark> roup <b>∓</b> type	You can use this drop-down field to select the type of aggregation group for which Cognos is to generate the report.  Possible values:  I BANK: Banking group  I ACCM: Account monitoring group  I LQTR: Liquidity transfer group  I SETL: Settlement bank account group  I All  The field is mandatory.		
<del>Valid d<u>D</u>ate</del>	The composition of aggregation groups may change over time. You can use this date picker to select the date as of which Cognos is to select the state of the selected aggregation groups.  This field is mandatory		
Party or cash account selection(CR-154)	This field provides you with the option to select whether you wish to select an aggregation group that includes a specific party or cash account.  If a value other than "None" is selected, also Party or Cash account needs to be filled.  The field is mandatory.		
Party BIC	BIC and short name of the party The field is mandatory when the user select "Party".		
Cash Account Number	The cash account number for which the report output is created.  The field is mandatory when the user select "Cash Account".		

Table 87 - PAR05 - Prompt description

Screenshot - output screen

PLACEHOLDER FOR OUTPUT SCREEN



BXXAQD0XXX - CSLD B	BY ON DUNITOR CRA						
Filters Aggregation group Date	Oct 15, 2024						
10010							
			The second secon		•		
		Ag	gregation leader		Aggregation group members		
Aggregation group type	Aggregation group name	Party BIC	Party name	Party BIC	Party name	Cash account number	Cash account BIC
			COLD DELL'OLI DILLIT - LODA	PBAFAQD0XXX	CSLD BBK QM DWH Test CB1-PB6		
BANK	BBk-DWH-BG-01	CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	PBAFAGDUAAA	CSLD DDK CIM DWH Test CD1-PD0		
BANK BANK	BBk-DWH-BG-01 BBk-DWH-BG-01	CBXXAQD0XXX CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	PBAFMMD0XXX	CSLD BBK QM DWH Test CB2-PB6		
BANK	BBk-DWH-BG-01	CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	PBAFMMD0XXX	CSLD BBK QM DWH Test CB2-PB6		

Figure 297 - PAR05 output (1) - Banking Group

# **Output description**

PAR05 –Report description – output screen – Banking Group			
Field label	Description		
Report Header			
Central Bank	BIC and name of the central bank		
As of dDate(CR-154)	Date that the user entered, i.e. date as of which the selection took place		
Aggregation Group Header			
Aggregation Group Type	This field provides the code that determines whether the aggregation group is for a banking group, settlement bank account group, liquidity transfer group or an account monitoring group.		
Aggregation Group Name	This field provides the name of the aggregation group that the user assigned		
Aggregation Leader	This field provides the party BIC and the party name of the leader of the aggregation group.		
Repeatable fields within an aggrega	ation group		
Cash Account Number	This field provides the number of the cash account that is a member of the liquidity transfer group or the account monitoring group.  This field remains empty.		
Cash Account BIC	This field provides the BIC of the cash account that is a member of the liquidity transfer group or the account monitoring group. This field remains empty.		
Party BIC	This field provides the BIC of the party that is a member of the banking group.		
Party Name	This field provides the name of the party that is a member of the banking group.		

Table 88 - PAR05 - Output description - Table Banking Group

Screenshot – output screen

PLACEHOLDER FOR OUTPUT SCREEN (CR-154)



ta	rget			PAR05 - Aggregations list	
BXXA	QD0XXX - CSLD BBK QM	DWH Test	CB1		
	Valid Date:	15	Dec 18, 2023		
ilters	Application group type:		Settlement bank account group		
	Party BIC:		CBXXAQD0XXX		

		Aggregation leader		Aggregation group members			
Aggregation group type	Aggregation group name	Party BIC	Party name	Party BIC	Party name	Cash account number	Cash account BIC
SETL	1-ASAA	ASAAAQD0XXX	DWH Test 1-ASAA	CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	RTGSCBCBXXAQD0XXXEUR0005	CBXXAQR005X
SETL	1-ASBA	ASBAAQD0XXX	CSLD BBK QM DWH	CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	RTGSCBCBXXAQD0XXXEUR0005	CBXXAQR005X
SETL	1-ASCA	ASCAAQD0XXX	CSLD BBK QM DWH	CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	RTGSCBCBXXAQD0XXXEUR0005	CBXXAQR005X
SETL	1-ASDA	ASDAAQD0XXX	CSLD BBK QM DWH	CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	RTGSCBCBXXAQD0XXXEUR0005	CBXXAQR005X
SETL	1-ASEA	ASEAAQD0XXX	CSLD BBK QM DWH	CBXXAQD0XXX	CSLD BBK QM DWH Test CB1	RTGSCBCBXXAQD0XXXEUR0005	CBXXAQR005X

Figure 298 - PAR05 output (2) – Account Monitoring Group, Settlement Bank Account Group and Liquidity Transfer Group

PAR05 –Report description – output screen – Account Monitoring Group, Settlement Bank Account Group and		
Liquidity Transfer Group, All		
Field label	Description	
Report Header		
Central Bank	BIC and name of the central bank	
As of dDate{CR-154}	Date that the user entered, i.e. date as of which the selection took place	
Aggregation Group Header		
Aggregation Group Type	This field provides the code that determines whether the aggregation group is for a banking group, settlement bank account group, liquidity transfer group or an account monitoring group.	
Aggregation Group Name	This field provides the name of the aggregation group that the user assigned	
Repeatable fields within an aggre	egation group	
Cash Account Number	This field provides the number of the cash account that is a member of the liquidity transfer group or the account monitoring group.	
Cash Account BIC	This field provides the BIC of the cash account that is a member of the liquidity transfer group or the account monitoring group. This field is empty when there is no account BIC assigned to the cash account.	
Party BIC	This field provides the BIC of the party that owns the cash account.	
Party Name	This field provides the name of the party that owns the cash account.	

Table 89 - PAR05 - Output description - Account Monitoring Group, Settlement Bank Account Group and Liquidity Transfer Group



### 5.11.6 PAR06 – Number of participants per CB

### **Context of usage**

This report provides information on the number of participants per participation type according to RTGS Directory on a given date.

For each participation type in RTGS Directory, the number (total and per CB) of participants on the given date is reported. In addition, the number of unpublished RTGS DCAs belonging to payment banks and the number of Direct Participants (payment banks) having a different BIC8 is provided in the same manner.

CBs can retrieve aggregated numbers (overall and per CB) for all CBs/system entities.

This report can be used by CB users only.

### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [PAR – Participation Reports] >> [PAR06]

### <u>Screenshot - prompt</u>




Figure 299 - PAR06 prompt



# **Prompt description**

PAR06 – Report description – prompt screen		
Field label	Description	
Date	You can select the date by clicking on the calendar.	
	For valid report results, the current day cannot be selected.	
	This field is mandatory	

Table 90 - PAR06 - Prompt description

# Screenshot - output screen




Figure 300 - PAR06 output

PAR06 – Report description – output screen		
Field label	Description	
Country code	ISO country code	
Direct Participants		
Published	Number of published RTGS DCA Account BICs	
Unpublished	Number of unpublished RTGS DCA Account BICs	
Overall	Number of published + unpublished RTGS DCA Account BICs	



Payment banks with at least one RTGS DCA	Distinct number of payment banks having at least one RTGS DCA
Number of RTGS DCAs having a different BIC8	Distinct number of RTGS DCA Account BICs for each CB on BIC8-Level (without the last 3 positions of BIC11)  Every BIC needs to have 11 characters, but in this column all accounts are summed up, that have the same first 8 characters in their account BIC (the trailing three are disregarded)
Indirect Participants	Number of Indirect Participants
Multi Addressee	Number of all types of Multi addressees
Addressable BICs	Number of all types of Addressable BICs
Ancillary Systems	Number of parties with party type = ancillary system
Overall - Total	Sums for each of the columns

Table 91 - PAR06 - Output description

# 5.12 Standing facilities reports (STF)

# 5.12.1 STF01 – Standing facility information

#### Context of usage

This report provides daily information on the use of standing facilities within a given data range. In addition to the party BIC/name, entities are reported with their respective MFI code. The report provides information on payment banks with access to monetary policy operations and is split in two parts: Marginal lending and overnight deposit.

For each facility and day the set-up amount, the refund amount and the interest amount is reported. For the marginal lending facility, the reported amounts include both, the use of marginal lending on request and the use of automated marginal lending.

CBs can retrieve information on the use of standing facilities of those parties belonging to their system entity.

Note: After the launch of Eurosystem Collateral Management System (ECMS) this report will only provide information on the use of the overnight deposit facility as major parts of the marginal lending facility will be no more handled by CLM, but by ECMS. Further information can be found in CLM UDFS chapters "Marginal lending on request" and "Automatic marginal lending".

This report can be used by CB and PB users.



#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [STF - Standing Facilities Reports] >> [STF01]

## Screenshot - prompt




Figure 301 - STF01 prompt - Manual




Figure 302 - STF01 prompt - Dynamic



# **Prompt description**

STF01 - Report description -prompt screen - Manual		
Field label	Description	
Date From	You can select the date by clicking on the calendar.  This field is mandatory.	
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report result, the current day cannot be selected.  This field is mandatory.	
Party BIC	You can use this search and select prompt to search for the party BIC or short name. One, several or all parties can be selected.  This field is optional.	

Table 92 - STF01 - Prompt description - Manual

STF01 - Report description -prompt screen - Dynamic		
Field label	Description	
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.	
	Valid values:	
	l Last Business Day	
	l Prior Last Business Day	
	The system will automatically calculate the end of the date range based upon the date at the time of execution.	
Time Range	Indicates the start-point of the date range for which the dynamic report should contain data.	
	The system will automatically calculate the start of the date range based upon the date at the time of execution.	
Party BIC	You can use this search and select prompt to search for the party BIC or short name. One, several or all parties can be selected.  This field is optional.	

Table 93 - STF01 - Prompt description - Dynamic



### Screenshot - output screen




Figure 303 - STF01 output (1)




Figure 304 - STF01 output (2)






Figure 305 - STF01 output (3)

STF01 – Report description – output screen – table use of marginal lending		
Field label	Description	
The table contains the following details for each selected party (sorted by party BIC):		
BIC	BIC of the party holding the default MCA	
Party name	Short name of the party holding the default MCA	
Account BIC	Account BIC of the default MCA	
MFI Code	MFI code of the party holding the default MCA	
Date	Date of the chosen Date range in the search prompt. The following details will be repeated for each business day (sorted by date).	
Capital set-up	Total value of liquidity granted to the party minus the on-demand reverse operation between default MCA of the party and its dedicated ML account.  This value considers automatic and on-demand marginal lending.	
Capital refund	Total value of liquidity reimbursed by the party on a daily basis.	



Interest	Total value of interests paid by the party.
	In case of multiple marginal lending operations, automatic and on request, for the
	same CLM account holder, the interest is calculated on the basis of the aggregated
	marginal lending amount by CLM.
"Total" per party for	For all business days for each party
capital set-up	
capital refund	
interests	
"Total all Parties" for	For all business days and all parties
capital set-up	
capital refund	
interests	

Table 94 - STF01 - Output description - Table use of marginal lending

STF01 – Report description – output screen – table overnight deposit		
Field label	Description	
The table contains the following details for each selected party (sorted by party BIC)		
BIC	BIC of the party holding the default MCA	
Party name	Short name of the party holding the default MCA	
Account BIC	Account BIC of the default MCA	
MFI Code	MFI code of the party holding the default MCA	
Date	Date of the chosen date range in the search prompt. The following details will be repeated for each business day (sorted by date).	
Capital set-up	The overnight deposit capital set-up amount.  This amount equals the (positive) end of day balance on the dedicated overnight deposit account (owned by the responsible CB) per default MCA holder.  The balance is the result of liquidity transfers of a party to its dedicated overnight deposit account minus possible overnight deposit reverse transactions on a given business day.	
Capital refund	Total value of liquidity reimbursed to the party on a daily basis.	



Interest	Amount of overnight deposit interests received by the party on a daily basis.  Note:
	Depending on the interest rate for overnight deposit in CRDM, interest amounts are displayed positive (positive interest rate) or negative (negative interest rate).
Total per party for capital set-up capital refund interests	For all business days for each party
Total all Parties for capital set-up capital refund interests	For all business days and all parties

Table 95 - STF01 - Output description - Table overnight deposit

STF01 – Report description – output screen - bar chart for marginal lending and overnight deposit		
Field label	Description	
x-axis: Date	Bar chart:	
y-axis:	Each business day within the given date range has an entry on the x-axis-	
- The amount of marginal	The amounts of each facility for each business day is calculated as:	
lending capital set-up	sum over all capital set-ups (per facility) of all parties (for each business day)	
	Marginal lending and overnight deposit are separately shown for each business day	
	and are differentiated by separate colours.	

Table 96 - STF01 - Output description - Bar chart for marginal lending and overnight deposit

# 5.13 Statement reports (STA)

# 5.13.1 STA01 – Statement of account (single account)

# Context of usage

This report provides information on all cash transfers debited or credited on an account in CLM or RTGS for a given date (range).

For each business day the account balance at the beginning and the end of the day is reported. In between, the report lists all cash transfers in the order of their CLM/RTGS settlement timestamp. For each cash transfer an ID, the currency of the instructed amount, the party BIC of the counterparty, the service/component where the account of the counterparty is located and the debit/credit settlement value are provided. Each cash transfer is reported with the respective account balance after its settlement.



For each business day the volume and value (separate for debits and credits) of cash transfers are calculated.

CBs can retrieve account statement information for those parties belonging to their system entity.

Note: No information is provided for RTGS sub-accounts and accounts in the Contingency Services.

This report can be used by CB, PB and AS users.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [STA – Statement Reports] >> [STA01]

### Screenshot - prompt




Figure 306 - STA01 prompt - Manual






Figure 307 - STA01 prompt - Dynamic

# **Prompt description**

STA01 – Report description – prompt screen - Manual	
Field label	Description
Date from	You can select the date by clicking on the calendar.  This field is mandatory.
Date to	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.
Party BIC	You can use this search and select prompt to be able to search for the party BIC or short name.  This field is mandatory.
Account number	You can choose here the cash account number for which the account statement should be generated.  Only account numbers under the selected party BIC can be selected (either CLM or RTGS accounts).  RTGS sub-accounts and accounts in the contingency services are excluded in this report.  This field is mandatory.

Table 97 - STA01 - Prompt description - Manual



STA01 - Report description - prompt screen - Dynamic	
Field label	Description
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  Last Business Day  Prior Last Business Day  The system will automatically calculate the end of the date range based upon the date at the time of execution.
Party BIC	You can use this search and select prompt to be able to search for the party BIC or short name.  This field is mandatory.
Account number	You can choose here the cash account number for which the account statement should be generated.  Only account numbers under the selected party BIC can be selected (either CLM or RTGS accounts).  RTGS sub-accounts and accounts in the contingency services are excluded in this report.  This field is mandatory.

Table 98 - STA01 - Prompt description - Dynamic



### Screenshot - output screen




Figure 308 - STA01 output (1)






Figure 309 - STA01 output (2)

STA01 – Report description – output screen	
Field label	Description
Party Address	Street, house number, postal code and city of the selected Party
National Sorting Code	NSC of the selected Party
Currency	Currency of the selected Party
"Place and date" + City + date	City of the user's party + current date. Used as place and date of creation of the report
"Created by" + Party BIC + Party short name	The user's party. Used for information about the executor of the report in line "created by"
Account Type	Account type of selected account number
Date	Business day



Balance of account (SoD)	Balance of account (SoD) is always shown, even if there is no cash transfer
	during the business day.
Reference 1	Depending on the message that caused the cash transfer, the following reference type is listed:
	camt.050: Message ID (from BAH)
	pacs.004: original UETR
	pacs.008: UETR
	pacs.009: UETR
	l pacs.010: UETR
	I pain.998 ASTI: None <sup>2</sup>
	If no reference can be found, this field is left empty.
Reference 2	End To End ID
	If no reference can be found, this field is left empty. For AS cash transfer orders
	delivered via pain.998 ASTI message, the End-to-End ID is never available.3
Settlement timestamp	Settlement timestamp of the cash transfer
Counterpart country code	ISO country code of the counterpart
Counterpart party BIC	Party BIC of the counterpart
Counterpart account BIC	Account BIC of the counterpart; If no account BIC exists (e.g. for marginal
	lending accounts), the value "-" is filled in
Counterpart service	Service of the counterpart
Debit	Debited value of the cash transfer- If the settlement was debited
Credit	Credited value of the cash transfer - If the settlement was credited
Balance	Calculated balance of the account after the settlement of the cash transfer
Volume (number of cash transfers)	Volume of cash transfers during the business day
Value (sum of cash transfers debited)	Value of debited cash transfers during the business day
Value (sum of cash transfers credited)	Value of credited cash transfers during the business day
Balance of Account (EoD)	Balance of the account at the end of the business days
	Balance of account (EoD) is always shown, even if there is no cash transfer
	during the business day.

<sup>2</sup> For cash transfer orders delivered via pain.998, the source system does not provide any business identifiers of the single transactions.

All rights reserved. DWH UHB R2025.JUN Page 317 of 837

For cash transfer orders delivered via pain.998, the source system does not provide any business identifiers of the single transactions.



Total Volume (number of cash transfers)	Total volume over all business days within the selected date range
Total Value (of all cash transfers) debited	Total value of debited cash transfers over all business days within the selected date range
Total Value (of all cash transfers) credited	Total value of credited cash transfers over all business days within the selected date range
Balance	EoD balance at the end of the date range

Table 99 - STA01 - Output description

# 5.13.2 STA02 – Statement of account (co-managed accounts)

### **Context of usage**

This report provides information on all cash transfers debited or credited on one or several co-managed MCAs in CLM for a given date (range).

Apart from that, the content of the report is congruent to STA01.

Co-managers can retrieve account statement information on single or all of their co-managed accounts.

CBs can retrieve account statement for those parties belonging to their system entity.

This report can be used by CB and PB users.

### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [STA – Statement Reports] >> [STA02]



# Screenshot - prompt




Figure 310 - STA02 prompt - Manual




Figure 311 - STA02 prompt - Dynamic

# **Prompt description**

STA02 – Report description – prompt screen - Manual		
Field label	Description	
Date From	You can select the date by clicking on the calendar.	



	This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.
Party BIC	This field is mandatory  You can use this search and select prompt to search for the party BIC or short name
Account number	This field is mandatory  You can select here the cash account number for which the account statement should be generated.
	Only MCA numbers under the selected party BIC can be selected  This field is optional.

Table 100 - STA02 - Prompt description - Manual



STA02 - Report description - prompt screen - Dynamic	
Field label	Description
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.
	Valid values:  I Last Business Day  I Prior Last Business Day
	The system will automatically calculate the end of the date range based upon the date at the time of execution.
Party BIC	You can use this search and select prompt to search for the party BIC or short name
	This field is mandatory.
Account number	You can select here the cash account number for which the account statement should be generated.
	Only MCA numbers under the selected party BIC can be selected
	This field is optional.

Table 101 - STA02 - Prompt description - Dynamic



# Screenshot - output screen




Figure 312 - STA02 output (1)




Figure 313 - STA02 output (2)



STA02 – Report description – output screen	
Field label	Description
Party Address	Street, house number, postal code and city of the selected co-manager
National Sorting Code	National sorting code of the selected Party
Currency	ISO currency code of the selected party
"Place and date" + City + date	City of the user's party + current date. Used as place and date of creation of the report
"Created by" + Party BIC + Party short name	The user's party. Used for information about the executor of the report in line "created by"
Account number	The following details are repeated per co-managed MCA (sorted by account number).
Date	Date of the Business day
	The following details are repeated per business day in the date range (sorted by date).
Balance of account (SoD)	Balance of account (SoD) is always shown, even if there is no cash transfer during the business day.
Reference Id 1	Depending on the message that caused the cash transfer, the following reference type is listed:
	I camt.050: Message ID (from BAH)
	I pacs.009: UETR
	I pacs.010: UETR
	I pain.998 ASTI: none <sup>4</sup>
	If no reference can be found, this field is left empty.
Reference Id 2	End To End ID
	If no reference can be found, this field is left empty. For AS cash transfer orders delivered via pain.998 ASTI message, the End-to-End ID is never available. <sup>5</sup>
Settlement timestamp	Settlement timestamp of the cash transfer
Counterparty country code	ISO country code of the counterparty
Counterparty party BIC	Party BIC of the counterparty
Counterparty account BIC	Account BIC of the counterparty; If no account BIC exists (e.g. for marginal lending accounts), the value "-" is filled in

<sup>4</sup> For cash transfer orders delivered via pain.998, the source system does not provide any business identifiers of the single transactions.

<sup>5</sup> For cash transfer orders delivered via pain.998, the source system does not provide any business identifiers of the single transactions.



Counterparty service	Service of the counterparty
Debit	Debited value of the cash transfer- If the settlement was debited
Credit	Credited value of the cash transfer - If the settlement was credited
Balance	Calculated balance of the account after the settlement of the cash transfer
Balance EoD	Balance of the account at the end of the business days
	Balance of account (EoD) is always shown, even if there is no cash transfer during the
	business day.
Total number of cash transfers	Total volume of cash transfers per business day
Total sum of cash transfers	Total value of cash transfers per business day
Overall number of cash	Total volume over all business days within the selected date range
transfers	
Overall sum of cash transfers	Total value over all business days within the selected date range
Balance EoD	EoD balance at the end of the date range

Table 102 - STA02 - Output description

# 5.14 Transaction reports (TRN)

# 5.14.1 TRN01 — Cash transfer (order) search and details

## **Context of usage**

The report TRN01 offers the possibility to search for cash transfer orders/cash transfers using a set of (optional) filter criteria (including e.g. the UETR). For the resulting cash transfers/cash transfer orders it is possible to display the respective message and settlement details.

For CBs access to those cash transfers/cash transfer orders is granted where one of its parties is involved on the credit and/or the debit side.

From a prompt of the selection criteria screen the user either opts for the selection by reference or selection by business related criteria.

This report can be used by CB, PB and AS users.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [TRN – Transaction Report] >> [TRN01]



## Screenshot - prompt




Figure 314 - TRN01 prompt (1) - by transaction reference



## TRN01 - Cash transfer (order) search and details




Figure 315 - TRN01 prompt (2) - by business characteristics






Figure 316 - TRN01 prompt (3) - by business characteristics

## **Prompt description**

The TRN01 offers the possibility to execute the report in two ways. The first way is "Select by Transaction Reference" the other way is "Search by Business Characteristics".

Having chosen a selection by transaction reference, you may enter any reference such as message ID, a UETR, an End-To-End ID, an instruction ID etc.

Having chosen a selection by business related criteria, you can enter business related search criteria.

When the DWH finds at least one transaction, a view on all transactions, which match the entered business criteria is opened. Here you can choose a certain transaction by double click for a view on its detailed data.



TRN01 – Report description – prompt screen	
Field label	Description
Search by transaction reference	
Reference	You can use this field to search with any reference that can be contained in a cash transfer.  This field is mandatory.
Search by Business Characteristics	
Date From	You can select the date by clicking on the calendar.
	This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, current day cannot be selected.
	This field is mandatory.
Debited / Credited party BIC	You can use this drop-down field to select the BIC of the debited resp. credited party.  The possible values are built from parties within the user's data scope.  This field is mandatory.
Sender/receiver BIC	You can use this drop-down field to select the BIC of the sending resp. receiving party  The possible values are built from parties within the user's data scope.  This field is optional.
Message Type	You can use this drop-down field to restrict the result list to one message type.  Possible Values:  i camt.050 i pacs.004 i pacs.008 i pacs.009



	pacs.010 pain.998 (ASTI) This field is optional.
Service Type	This drop-down field offers the possibility to select between the services  CLM or  RTGS.  This field is optional.
Status	You can use this drop-down field to restrict the result list to one status.  Possible Values:  I Partially settled I Revoked I Reversed I Rejected I Settled I Warehoused  This field is optional.
Amount from/to	You can use these fields to search for a certain amount or amount range.  This field is optional.

Table 103 - TRN01 - Prompt description






Figure 317 - TRN01 output (1) - by transaction reference




Figure 318 - TRN01 output (2) - details



500360710 - NoLastName User-DWH-CB1-U1-CBXXAQD0XXX



Version 0.01-13 R00 / 2023-01-30

Figure 319 - TRN01 output (3) - by business characteristics

target TRN01 - Cash transfer (order) details CBXXAQD0XXX - CSLD BBK QM DWH Test CB1
Transaction Detail
Business Date 2023-02-01 Entry Timestamp 2023-02-01 10:00:39.363 466b59d9-4f73-4211-8cd5-c3b621db2971 End-to-End Reference E020109595254605 TC13 7401859 Instruction Identification Transaction Identification Not provided Not provided Clearing System Reference Sender Message Reference B020109595254605 Message ID 7401859 Transaction Re Message Type Sender BIC pacs.010 CBXXAQD0XXX Sender Name CSLD BBK QM DWH Test CB1 Receiver Name Debited Party BIC Debited Party Name CSLD BBK QM DWH Test CB1-PB1 Credited Party BIC CBXXAQD0XXX Debited Account BIC PBAAAQC001X Debited Account Number
Type of Debited Account MACASHPBAAAQD0XXXEUR0A01 Main Cash Account Credited Account BIC CBXXAQC001X Type of Credited Account CLM CB Account

Figure 320 - TRN01 output (4) - details






Figure 321 - TRN01 output (5) - details

TRN01 – Report description – output screen – list of cash transfers		
Field label	Description	
Date	Above the table you can see the date of the transaction search "at"	
Currency	Above the table you can see the currency of the transaction	
One table for " <b>Debited party BIC</b> " and one table for " <b>Credited party BIC</b> ". In each table every cash transfer order is listed with following data (sorted by transaction reference number):		
Transaction Reference Number	Transaction reference; technical identifier of the transfer.	
Sender Message Reference	Identification of the message, which is delivered by the sender.	
Message Type	Message type  Possible values:  I camt.050  I pacs.004  I pacs.008  I pacs.009  I pacs.010  I pain.998 (ASTI)	



	I Unknown
Service	Service for which the data is displayed.
	Possible values:
	I CLM
	I RTGS
Sender BIC	BIC of the sending party (can be empty)
Receiver BIC	BIC of the receiving party (can be empty)
Status	Status of the cash transfer order.
	Possible values:
	I Warehoused
	I Settled
	I Reversed
	I Revoked
	I Rejected
	I Cancelled
Debited Account Number	Debited account number
	The account number is not displayed if it does not belong to
	data scope of the user.
Debited Account BIC	Debited account BIC
Credited Account Number	Credited account number
	The account number is not displayed if it does not belong to
	data scope of the user.
Credited Account BIC	The BIC of the credited account
Amount	Amount of payment

Table 104 - TRN01 - Output description

TRN01 – Report description – details	
Field label	Description
Entry Timestamp	Timestamp of entry in CLM/RTGS



UETR	Universal-End-to-End-Transaction Reference <sup>6</sup>
End-to-End Reference	End-to-End-Transaction Reference <sup>7</sup>
Instruction Identification	Instruction Identification <sup>8</sup>
Transaction Identification	Transaction Identification <sup>9</sup>
Clearing System Reference	Clearing System Reference <sup>10</sup>
Settlement Reference	Settlement Reference <sup>11</sup>
Sender Message Reference	Sender Message Reference <sup>12</sup>
Message ID	Message ID
Transaction Reference Number	Technical Identifier of the transfer
Message Type	Message Type
	Possible values:
	l camt.050
	I pacs.004
	l pacs.008
	l pacs.009
	l pacs.010
	I pain.998 (ASTI)
Sender BIC	Party BIC of the sender (can be empty)
Sender Name	Sender Name (can be empty)
Receiver BIC	Party BIC of the receiver (can be empty)

For cash transfer orders delivered via pain.998, the source system does not provide any business identifiers of the single transactions so the reference and identification fields are empty for those cash transfer orders.

<sup>7</sup> For cash transfer orders delivered via pain.998, the source system does not provide any business identifiers of the single transactions so the reference and identification fields are empty for those cash transfer orders.

<sup>8</sup> For cash transfer orders delivered via pain.998, the source system does not provide any business identifiers of the single transactions so the reference and identification fields are empty for those cash transfer orders.

<sup>9</sup> For cash transfer orders delivered via pain.998, the source system does not provide any business identifiers of the single transactions so the reference and identification fields are empty for those cash transfer orders.

For cash transfer orders delivered via pain.998, the source system does not provide any business identifiers of the single transactions so the reference and identification fields are empty for those cash transfer orders.

For cash transfer orders delivered via pain.998, the source system does not provide any business identifiers of the single transactions so the reference and identification fields are empty for those cash transfer orders.

<sup>12</sup> For cash transfer orders delivered via pain.998, the source system does not provide any business identifiers of the single transactions so the reference and identification fields are empty for those cash transfer orders.



Receiver Name	Receiver name (can be empty)
Debited party BIC	Debited party BIC
Debited party name	Debited party name
Credited party BIC	Credited party BIC
Credited party name	Credited party name
Debited Account BIC	Debited account BIC
Debited Account Number	Debited account number
	The account number is not displayed if it does not belong to data scope of the user.
Type of Debited Account	Type of debited account
	Possible Values:
	I RTGS DCA
	I RTGS CB account
	I AS guarantee funds account
	I RTGS sub-account
	I AS technical account
	I CLM dedicated transit account in RTGS
	I MCA
	I CLM CB account
	Overnight deposit account
	Marginal lending account
	I ECB mirror account
	I CB ECB account
	Technical account for CONT settlement
	T2S dedicated transit account in CLM
	I TIPS dedicated transit account in CLM
	RTGS dedicated transit account in CLM
Credited Account BIC	Credited account BIC
Credited Account Number	Credited account number
	The account number is not displayed if it does not belong to data scope of the user.
Type of Credited Account	Type of credited account



	Descible Websers
	Possible Values:
	I RTGS DCA
	RTGS CB account
	AS guarantee funds account
	I RTGS sub-account
	AS technical account
	CLM dedicated transit account in RTGS
	I MCA
	I CLM CB account
	Overnight deposit account
	Marginal lending account
	I ECB mirror account
	I CB ECB account
	Technical account for CONT settlement
	T2S dedicated transit account in CLM
	TIPS dedicated transit account in CLM
	RTGS dedicated transit account in CLM
Amount of Payment	Amount of payment
Currency of Payment	Currency of payment
Settlement Status Description	Status description.
	I Warehoused
	I Settled
	I Rejected
	I Reversed
	I Revoked
	I Cancelled
Reversed Payment Indicator	Reversed payment indicator.
	Possible values:
	I "not reversed"
	I "is a reversed"
	I "has been reversed"
Timestamp of Effective Settlement	Date and time of effective settlement
Timodamp of Endouve Community	Date and time of encoure octaement



Error Code	Error code (if provided)
Error Description	Error description (if provided)
Message in XML-Format	Original message in XML format. Only the payload of the
	message will be displayed, not the BAH.

Table 105 - TRN01 - Report description - Details

5.14.2 TRN02 — Monthly overview of domestic and cross-border payments

## **Context of usage**

The report TRN02 provides information on the monthly volume and value of payments in RTGS differentiated by domestic and cross-border traffic. Separate tables for interbank and customer payments are displayed. For CBs information on all of its payment banks the figures are shown sorted by name and BIC.

This report can be used by CB and PB users

#### **Report access**

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [TRN – Transaction Report] >> [TRN02]

#### <u>Screenshot – prompt</u>




Figure 322 - TRN02 prompt - Manual






Figure 323 - TRN02 prompt - Dynamic

## **Prompt description**

TRN02 - Report description - prompt screen - Manual	
Filed label	Description
Year	You can use this drop-down to select the year, from which the report should contain the data.  This field is mandatory.
Month	You can use this drop-down field to select the month, from which the report should contain the data.  For valid report results, the current month cannot be selected.  This field is mandatory.
Party BIC	You can use this drop-down field to select the party BIC. This field will show all related BIC's, which belong to the party.  This field is optional.

Table 106 - TRN02 - Prompt description - Manual



TRN02 – Report description – prompt screen - Dynamic	
Filed label	Description
Reference Month	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  Current Month Previous Month This field is mandatory.
Number of Months (incl. Ref. Month)	Indicates the start-point of the date range for which the dynamic report should contain data.  The system will automatically calculate the start of the date range based upon the date at the time of execution.  This field is mandatory.
Party BIC	You can use this drop-down field to select the party BIC. This field will show all related BIC's, which belong to the party.  This field is optional.

Table 107 - TRN02 - Prompt description - Dynamic




Figure 324 - TRN02 output (1)






Figure 325 - TRN02 output (2)

TRN02 – Report description – output screen		
The currency will be displayed above	the table	
Field label	Description	
One table for "Interbank payments" and one table for "Customer payments" with following data, sorted by message type and then by party BIC:		
National Sorting Code	National Sorting Code of the participant	
Party BIC	BIC of Party	
Party Name	Short name of the party;	
Message Type	Message type.	
	Possible Values:	
	I camt.050	
	I pacs.004	
	I pacs.008	
	l pacs.009	
	I pacs.010	
	pain.998 (ASTI)	



Domestic/Cross Border	Mark, which identifies whether the displayed aggregation refers to domestic or cross border payments.  Possible values:  I Domestic  I Cross Border
Debit/Credit	"Debit" or "Credit" are displayed.
Volume	Number of payments per party, message type, domestic/cross border payment and debit/credit
Value	Sum of payments per party, message type, domestic/cross border payment and debit/credit
Total	Total of volumes and values listed in the preceding rows.  Recalculated automatically on the base of a data subset when the user uses filters.

Table 108 - TRN02 - Output description

5.14.3 TRN03 — Monthly peak day and peak hour in terms of volume and value of cash transfer orders

#### **Context of usage**

The report TRN03 provides information on the peak hour and peak day within a given month (range) in terms of volume and value of cash transfer orders in CLM or in RTGS. Within given time intervals the report TRN03 identifies peaks in volume and peaks in value of cash transfer orders grouped by their status.

This report can be used by CB and PB users.

## Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [TRN – Transaction Report] >> [TRN03]



## Screenshot - prompt




Figure 326 - TRN03 prompt - Manual




Figure 327 - TRN03 prompt - Dynamic

## **Prompt description**

TRN03 – Report description – prompt screen - Manual	
Field label	Description
Service	You can use this drop-down field to select between the services.
	Possible values:
	I CLM,
	I RTGS.
	This field is mandatory.
Year From	You can use this drop-down field to select the year, from which the report should contain the data.



	This field is mandatory.
Month From	You can use this drop-down field to select the month, from which the report should contain the data.  For a valid report result, it is necessary to select at least the previous month.  This field is mandatory.
Year To	You can use this drop-down field to select the end date of the period, for which the report should contain the data.  This field is mandatory
Month To	You can use this drop-down field to select the end date of the period, for which the report should contain the data.  For a valid report result, it is necessary to select at least the previous month.  This field is mandatory.

Table 109 - TRN03 - Prompt description - Manual



TRN03 - Report description - prompt screen - Dynamic	
Field label	Description
Service	You can use this drop-down field to select between the services.  Possible values:  CLM,  RTGS.
	This field is mandatory.
Reference Month	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  Current Month Previous Month This field is mandatory.
Number of Months (incl. Ref. Month)	Indicates the start-point of the date range for which the dynamic report should contain data.  The system will automatically calculate the start of the date range based upon the date at the time of execution.  This field is mandatory.

Table 110 - TRN03 - Prompt description - Dynamic






Figure 328 - TRN03 output

The report result is separated into two blocks, one for transfer orders in volume and the other one for transfer orders in value. Within this blocks there is a further segmentation in "Peak Day" and "Peak Hour" for the selected time period. For every segmentation the report will display the Top 5 results. If one or several results are identical, the report result will be extended by another result.

The report result shows the date, date and hour, volume and value of all cash transfer orders/final cash transfer orders/not settled cash transfer orders and cancelled cash transfer orders

TRN03 – Report description – output screen	
Field label	Description
Party	The party BIC and party short name of the user are shown. Both values are separated by a hyphen "-"
Peak day – in volume	
Тор	Numbers 1 through 5, each in a single row
Date	Date of the peak day this row refers to



Value (in million)	Sum of the value of all cash transfer orders/all final cash transfer orders/all not settled cash transfer orders this row refers to million of the given currency commercially rounded.
Volume	Number of all cash transfer orders/all final cash transfer orders/all not settled cash transfer orders this row refers to.
Peak day – in value	
Тор	Numbers 1 through 5, each in a single row
Date	Date of the peak day this row refers to
Value (in million)	Sum of the value of all cash transfer orders/all final cash transfer orders/all not settled cash transfer orders this row refers to million of the given currency, commercially rounded.
Volume	Number of all cash transfer orders/all final cash transfer orders/all not settled cash transfer orders this row refers to.
Peak hour – in volume	
Тор	Numbers 1 through 5, each in a single row
Hour	Date and hour (as range) this row refers to:  yyyy-mm-dd  hh.mm – hh.mm  (from 00:00 – 00:59 till 23:00 – 23:59)
Value (in million)	Sum of the value of all cash transfer orders/all final cash transfer orders/all not settled cash transfer orders this row refers to million in the given currency, commercially rounded.
Volume	Number of all cash transfer orders/all final cash transfer orders/all not settled cash transfer orders this row refers to
Peak hour – in value	
Тор	Numbers 1 through 5, each in a single row



Date and Hour	Date and hour (as range) this row refers to:
	yyyy-mm-dd
	hh:mm – hh:mm
	(from 00:00 - 00:59 till 23:00 - 23:59)
Value (in million)	Sum of the value of all cash transfer orders/all final cash transfer orders/all not settled cash transfer orders this row refers to in million in the given currency, commercially rounded.
Volume	Number of all cash transfer orders/all final cash transfer orders/all not settled cash transfer orders this row refers to.

Table 111 - TRN03 - Output description

# 5.14.4 TRN04 - Cash transfers per time band and per CB

#### **Context of usage**

The report TRN04 provides information on the total volume and value of cash transfers per time band of 15 minutes on a chosen business day. Cash transfers in CLM and RTGS are reported in separate report Tables.

Volume and value Figures are reported separate for domestic (only debits) and cross-border (differentiated by debits and credits) cash transfers. In addition, cumulated volume and value Figures are displayed.

CBs can retrieve information on cash transfers of parties belonging to their system entity.

This report can be used by CB users only.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [TRN – Transaction Report] >> [TRN04]



## Screenshot - prompt




Figure 329 - TRN04 prompt - Manual




Figure 330 - TRN04 prompt - Dynamic

## **Prompt description**

TRN04 – Report description – prompt screen - Manual	
Field label	Description
Date	You can specify the business day by clicking on the calendar.
	For valid report results, the current day cannot be selected.
	This field is mandatory.

Table 112 - TRN04 - Prompt description - Manual



TRN04 - Report description - prompt screen - Dynamic		
Field label	Description	
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  Last Business Date Prior Last Business Date This field is mandatory.	

Table 113 - TRN04 - Prompt description - Dynamic




Figure 331 - TRN04 output (1)






Figure 332 - TRN04 output (2)




Figure 333 - TRN04 output (3)






Figure 334 - TRN04 output (4)

TRN04 – Report description – output screen	
Field label	Description
Time band	Time band in 15 minutes intervals:  Time band in 15 minutes intervals: Before 19:00 (beginning with start of the business day), 19:00, 19:15, 19:30, (etc. in 15 minutes steps), 18:00, after
	18:00 (ending with EoD)
Volume Domestic	Volume of domestic cash transfers (only debits) per time band
Volume Cross border debited	Volume of debited cross border cash transfers per time band
Volume Cross border credited	Volume of credited cross border cash transfers per time band
Volume Cumulated volume	Sum of all three volumes per time band
Value Domestic	Value of domestic cash transfers (only debits) per time band
Value Cross border debited	Value of debited cross border cash transfers per time band
Value Cross border credited	Value of credited cross border cash transfers per time band
Value Cumulated value	Sum of all three values per time band



Total	Overall Sum of the volumes/values types over all time bands
Graph 1	Evolution of CLM/RTGS cash transfer volumes per time band".
	Four different lines stacked areas in different colours representing the values in
	the table on previous page.
Graph 2	Evolution of CLM/RTGS cash transfer values per time band".
	Four different lines stacked areas in different colours representing the values in
	the table on previous page.

Table 114 - TRN04 - Output description

## 5.14.5 TRN05 – Monthly overview of cash transfer orders per party

#### **Context of usage**

The report TRN05 provides information on the monthly volume and value of cash transfer orders of a selected party on its account(s). Cash transfer orders in CLM and RTGS are reported in separate report Tables. In case that several accounts belong to the same party in CLM or RTGS, separate Figures for each account are displayed. The volume/value Figures include totals, monthly averages and are differentiated by settlement priority and settlement status and service.

CBs can retrieve information for parties belonging to their system entity.

This report can be used by CB and PB users.

#### **Report access**

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [TRN – Transaction Report] >> [TRN05]



## Screenshot - prompt




Figure 335 - TRN05 prompt - Manual




Figure 336 - TRN05 prompt - Dynamic



## **Prompt description**

TRN05 – Report description – prompt screen - Manual	
Field label	Description
Year	You can use this drop-down field to select the Year, from which the report should contain the data.  This field is mandatory.
Month	You can use this drop-down field to select the Month, from which the report should contain the data.  For valid report results, the current month cannot be selected.  This field is mandatory.
Party BIC	You can use this drop-down field to select the party BIC. This field will show all related BIC's, which belong to the party.  This field is mandatory.

Table 115 - TRN05 - Prompt description - Manual

TRN05 - Report description - prompt screen - Dynamic		
Field label	Description	
Reference Month	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  Current Month Previous Month	
	This field is mandatory.	
Number of Months (incl. Ref. Month)	Indicates the start-point of the date range for which the dynamic report should contain data.  The system will automatically calculate the start of the date range based upon the date at the time of execution.	
	This field is mandatory.	
Party BIC	You can use this drop-down field to select the party BIC. This field will show all related BIC's, which belong to the party.	
	This field is mandatory.	

Table 116 - TRN05 - Prompt description - Dynamic





Figure 337 - TRN05 output (1)




Figure 338 - TRN05 output (2)






Figure 339 - TRN05 output (3)




Figure 340 - TRN05 output (4)






Figure 341 - TRN05 output (5)



Figure 342 - TRN05 output (6)

TRN05 – Report description – output screen			
Field label	Description		
The report consists of four sheets:			
Sheet 1: Cross border transactions debited			
Sheet 2: Cross border transactions credited			



Sheet 3: Domestic transactions debited

Sheet 4: Domestic transactions credited

Each sheet with following data:

For every service (CLM and RTGS, in case the chosen party owns accounts in both) and every cash account owned by the chosen party in the respective service:

Service, account number	Service in which the account is held:
	I CLM,
	I RTGS,
	followed by the account number of cash account owned by the chosen party in
	the respective service.
	Only accounts of the following types are regarded:
	For CLM:
	I MCA
	I CLM CB account
	For RTGS:
	I RTGS DCA
	I RTGS sub-account
	I RTGS CB account
	Ancillary System Guarantee funds account
	I AS Technical account

Three tables for "Final transactions", "Cancelled transactions" and "Rejected transactions". Each table with following data:

Priority	Possible values:
	I Urgent
	l High
	I Normal
Total volume	Total of volume of chosen month
Daily average volume	Daily average of volume
Previous month daily average volume	Daily average of volume of the previous month
Total value	Total value
Daily average value	Monthly average of value



Previous month daily average value	Daily average of value of the previous month
Total	Sum of each column for one status
Overall Total	Sum of each column over all status (final, cancelled, rejected)

Table 117 - TRN05 - Output description

5.14.6 TRN06 – Monthly share of Indirect Participant, addressable BIC and multi-addressee payments as part of total Direct Participant's activity

#### **Context of usage**

This report provides information on the monthly volume and value of payments of all Indirect Participants, addressable BICs and multi-addressees belonging to a selected Direct Participant in RTGS. The volume and value Figures are presented for each Indirect Participant/addressable BIC/multi-addressee as totals (differentiated by domestic and cross-border traffic) and in addition, as share of the Direct Participant's activity.

All Figures are reported for the given month and the preceding month.

CBs can retrieve information for those entities where the respective Direct Participant belongs to their system entity.

This report can be used by CB and PB users.

## Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [TRN – Transaction Report] >> [TRN06]



## Screenshot - prompt screen




Figure 343 - TRN06 prompt - Manual




Figure 344 - TRN06 prompt - Dynamic



## Prompt description,

TRN06 – Report description – prompt description – Manual	
Field label	Description
Year	You can use this drop-down field to select the year, from which the report should contain the data.  This field is mandatory.
Month	You can use this drop-down field to select the month, from which the report should contain the data.  For valid report results, the current month cannot be selected.  This field is mandatory.
Party BIC	You can use this drop-down field to select the Party BIC. This field will show all related BIC's, which belong to the Party.

Table 118 - TRN06 - Prompt description - Manual

TRN06 - Report description - prompt description - Dynamic	
Field label	Description
Reference Month	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:  Current Month Previous Month This field is mandatory.
Number of Months (incl. Ref. Month)	Indicates the start-point of the date range for which the dynamic report should contain data.  The system will automatically calculate the start of the date range based upon the date at the time of execution.  This field is mandatory.
Party BIC	You can use this drop-down field to select the Party BIC. This field will show all related BIC's, which belong to the Party.

Table 119 - TRN06 - Prompt description - Dynamic






Figure 345 - TRN06 output (1)




Figure 346 - TRN06 output (2)



## **Output description**

TRN06 – Report description – output screen		
Field label	Description	
Currency	Currency	
Party	The party BIC and party short name of the user are shown. Both values separated by a hyphen "-"	
Participation Type	Participation type.	
	Possible values:	
	I "Overall"	
	l "Direct"	
	"Addressable BIC"	
	I "Indirect"	
	I "Multi Addressee"	
	In order to increase readability the participation type is displayed only after a	
	group change.	
	Initial sorting by this column , then by party BIC	
Party BIC	In total rows the column either displays "Addressable BIC" resp. "All Indirect" resp. "All Multi Addressee" or the BICs of the Direct Participant, of related addressable BICs, the party's Indirect Participants or of its multi addressee.	
	In order to increase readability the party BIC/Total is displayed only after a group change.	
	Initial sorting by participation type , then by this column	
Overall/Domestic/Cross Border	Mark which identifies whether the displayed aggregation refers to a total per BIC or domestic or cross border cash transfer orders.	
	Possible values:	
	I Overall	
	I Domestic	
	I Cross Border	
Previous Month		
Volume	Number of cash transfer orders	
%	Percentage value of the displayed volume for the combination of participation type, party BIC total and debit/credit;	
	Up to 2 decimals are displayed	



Value	Sum of amount. The base for the calculation are debited amounts only.
%	Percentage of the displayed volume for the combination of participation type, party BIC total and debit/credit
	Up to 2 decimals are displayed.
Reported Month	
%	Percentage value of the displayed volume for the combination of participation type, party BIC total and debit/credit;
	Up to 2 decimals are displayed.
Value	Sum of amount. The base for the calculation are debited amounts only.
%	Percentage of the displayed volume for the combination of participation type, party BIC total and debit/credit
	Up to 2 decimals are displayed.

Table 120 - TRN06 - Output description

#### 5.14.7 TRN07 – Cash transfers between two accounts of different parties

## **Context of usage**

TRN07 lists all cash transfers between two accounts in CLM or RTGS for a given date (range). For each cash transfer the settlement time stamp, the message type, the CLM/RTGS booking reference, the transaction category and the settlement amount are displayed. CBs can retrieve information on those cash transfers where at least one of the two involved accounts (credited or debited account) is opened under a party belonging to its system entity.

This report can be used by CB users only.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [TRN – Transaction Report] >> [TRN07]



## Screenshot - prompt




Figure 347 - TRN07 prompt

## **Prompt description**

TRN07 – Report description – prompt description	
Field label	Description
Date From	You can enter the date by clicking on the calendar.
	This field is mandatory.
Date To	You can enter the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.
	This field is mandatory
First Party BIC	You can use this search and select prompt to select the first party BIC or short name.
	This field is mandatory



Second Party BIC	You can use this search and select prompt to select the second party BIC and short name.
	This field is mandatory
Account Number of the first party	.You can use this drop-down list to select the account number of the first party.  It is built from account numbers within the user's data scope.
	This field is mandatory.
Account Number of the second party	You can use this free text field to enter the account number of the second party.
	This field is mandatory

Table 121 - TRN07 - Prompt description




Figure 348 - TRN07 output (1)






Figure 349 - TRN07 output (2)




Figure 350 - TRN07 output (3)



## **Output description**

output uses i priori		
TRN07 - Report description - output screen - table		
Account details		
Field label	Description	
Account number	Account number as chosen in the search criteria	
Account type	Account type as chosen in the search criteria	
	Possible values:	
	For CLM	
	I MCA	
	l Overnight Deposit account	
	I CLM CB account	
	I Marginal Lending account	
	For RTGS:	
	I RTGS DCA	
	I RTGS sub-account	
	I RTGS CB account	
	I Ancillary System Guarantee funds account	
	I AS technical accounts	
Country code	Country code related to the party chosen in the search criteria	
Party BIC	Party BIC as chosen in the search criteria	
Party Name	Party name related to the party BIC chosen in the search criteria	
National Sorting Code	National Sorting Code related to the party BIC chosen in the search criteria	
TRN07 – Report description – outp	ut screen – table list of cash transfers	
Field label	Description	
Currency	ISO currency code	
Transaction Reference Number	Transaction reference number (CLM/RTGS internal cash transfer identifier)	
Settlement Timestamp	Timestamp of the cash transfer settlement	
Message Type	Message type.	
	Possible values:	
	I camt.050	
	I pain.998 (ASTI)	



	l pacs.004
	l pacs.008
	l pacs.009
	I pacs.010
Transaction Category	Statistical Classification Transaction category.
	Possible values:
	CLM Intra Liquidity Transfer (C.10.00)
	CLM RTGS Liquidity Transfer (C.10.20)
	CLM T2S Liquidity Transfer (C.10.30)
	CLM TIPS Liquidity Transfer (C.10.40)
	Open Market Operations (C.11.01)
	Standing Facilities (C.11.02)
	Reserve and Account Management (C.11.03)
	Inter Central Bank Transactions (C.11.04)
	Connected payments for credit line changes (C.11.05)
	Non-euro area CB operations (C.11.06)
	Other (including cash transactions) (C.11.09)
	Billing (C.12)
	Target balances (C.13)
	Levelling out of closed accounts (C.14.01)
	ECONS II back transfers (C.14.02)
	Seizure of funds (C.14.03)
	CLM Other (C.19)
	RTGS Intra Liquidity Transfer (R.20.00)
	RTGS CLM Liquidity Transfer (R.20.10)
	RTGS T2S Liquidity Transfer (R.20.30)
	RTGS TIPS Liquidity Transfer (R.20.40)
	Interbank Payments (R.21.01)
	Customer Payments (R.21.02)
	Other (R.21.09)
	AS Transactions HVPS (R.22.01)
	AS Transactions RPS (R.22.02)
	AS Transactions IPS (R.22.03)



	AS Transactions SSS (R.22.04)  AS Transactions FES (R.22.05)  AS Transactions MMS (R.22.06)  AS Transactions CCP (R.22.07)  AS Transactions Other (R.22.09)  Levelling out of closed accounts (R.23.01)  RTGS Other (R.29)	
Debited Account	Debited account number	
Credited Account	Identification of the credited account number	
Value of Settlement	Settlement amount	
Total value of settlement (first account debited)	Total value of settlement (first account debited)	
Total volume of settlement (first account debited)	Total volume of settlement (first account debited)	
Total value of settlement (first account credited)	Total value of settlement (first account credited)	
Total volume of settlement (first account credited)	Total volume of settlement (first account credited)	
Details of chosen cash transfer	This Details-screen is shown when the user has clicked on the reference of one of the objects in the screen. <u>TRN01 – Cash transfer (order) search and details</u> [▶ 324]	

Table 122 - TRN07 - Output description

## 5.14.8 TRN08 – Business activity of a party/parties

## **Context of usage**

The report TRN08 provides information on the total volume and value as well as the average settlement amount of cash transfer orders in CLM or RTGS per party for a given date (range). In case that several accounts belong to the same party in CLM or RTGS, aggregated Figures are displayed. The volume, value and average settlement amount Figures are presented separately for the debit/credit side and the sending/receiving side.

CBs can retrieve information for parties belonging to their system entity.

This report can be used by CB and PB users.



#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [TRN - Transaction Report] >> [TRN08]

#### Screenshot - prompt screen




Figure 351 - TRN08 prompt - Manual




Figure 352 - TRN08 prompt - Dynamic



## **Prompt description**

TRN08 – Report description – prompt screen - Manual	
Field label	Description
Service Type	You can use this drop-down field to select between the services  Possible values:  I CLM,  I RTGS.
	This field is mandatory.
Date From	You can select the date by clicking on the calendar.
	This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data.
	For valid report results, the current day cannot be selected.
	This field is optional.

Table 123 - TRN08 - Prompt description - Manual



TRN08 - Report description - prompt screen - Dynamic	
Field label	Description
Reference Date	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:
	I Last Business Day
	l Prior Last Business Day
	The system will automatically calculate the end of the date range based upon the date at the time of execution.
Time Range	Indicates the start-point of the date range for which the dynamic report should contain data.
	The system will automatically calculate the start of the date range based upon the date at the time of execution.
Service	You can use this drop-down field to select between the services
	Possible values:
	I CLM,
	I RTGS.
	This field is mandatory.

Table 124 - TRN08 - Prompt description - Dynamic




Figure 353 - TRN08 output (1)






Figure 354 - TRN08 output (2)




Figure 355 - TRN08 output (3)






Figure 356 - TRN08 output (4)

#### **Output description**

TRN08 – Report description – output screen		
Field Label	Description	
Following information is available for:		
"Cash transfer orders debited", "Cash transfer orders credited", "Cash transfer orders sent", "Cash transfer orders		
received"		
Party	The party BIC and party short name of the user are shown.	
	Sorting is done by party BIC.	
Volume of cash transfer orders	Number of cash transfer orders for this party of final status within the	
debited/credited/sent/received	regarded date / date range.	
Value of cash transfer orders	Total amount of all cash transfer orders for this party of final status	
debited/credited/sent/received	within the regarded date / date range.	
Average amount	Average calculated from previous fields of the row (value divided by volume).	

Table 125 - TRN08 - Output description



#### 5.14.9 TRN09 - RTGS Account Holder activity

#### **Context of usage**

The report TRN09 provides information on the biannually activity of RTGS Account Holders. It displays for the selected account holder(s) the total volume and value of cash transfer orders per transaction category, per message type and differentiated per settlement status within the first or second half of a year. In case that several accounts belong to the same party, each account is displayed separately. In case that a CB executes the report for ALL RTGS Account Holders belonging to its system entity, the market share per RTGS Account Holder in terms of volume of cash transfers in relation to the volume of all cash transfers of RTGS Account Holders belonging to the CBs system entity is added to the report.

CBs can retrieve information for Account Holders belonging to their system entity.

This report can be used by CB users only.

#### **Report access**

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [TRN - Transaction Report] >> [TRN09]

#### Screenshot - prompt screen




Figure 357 - TRN09 prompt



## **Prompt description**

TRN09 - Report description - prompt screen	
Field label	Description
Semester	You can use this drop-down field to select a semester.  Possible Values:  1 1st semester (representing 01.01. – 30.06.)  1 2nd semester (representing 01.07. – 31.12.)
	This field is mandatory.
Year	You can use this drop-down field to select the year, for which the report should contain the data.
	This field is mandatory.
Party BIC	You can use this field to select one, several or all party BICs. This field will show all related BICs, which belong to the party.
	This field is mandatory.

Table 126 - TRN09 - Prompt description




Figure 358 - TRN09 output (1) - RTGS Account Holder activity View






Figure 359 - TRN09 output (2) - Party Market Share View

## **Output description**

TRN09 - Report description - output screen - table	
RTGS Account Holder activity	
Field label	Description
Payment type	Payment type.
	Possible values:
	l Credit transfer orders
	l Liquidity transfer orders
	l Direct debit orders
Volume of payments sent	Volume of all payments sent
	Final (Settled)
	Not settled (Cancelled, rejected)
	per payment type and total for the chosen semester
Volume of payments received	Volume of all payments received
	Final (Settled)
	Not settled (Cancelled, rejected)
	per payment type and total for the chosen semester
Value of payments sent	Value of all payments sent



	I Final (Settled)
	Not settled (Cancelled, rejected)
	per payment type and total for the chosen semester
Value of payments received	Value of all payments received
	I Final (Settled)
	Not settled (Cancelled, rejected)
	per payment type and total for the chosen semester
Message type	Message type.
	Possible values:
	I camt.050
	I pacs.004
	I pacs.008
	I pacs.009
	I pacs.010
Volume of payments sent	Volume of all payments sent
	Market share final (in %)
	Final (Settled)
	Not settled (Cancelled, rejected)
	per message type and total for the chosen semester
Volume of payments received	Volume of all payments received
	I Final (Settled)
	Not settled (Cancelled, rejected)
	per message type and total for the chosen semester
Message type	Message type.
	Possible values:
	I camt.050
	I pacs.004
	I pacs.008
	I pacs.009
	I pacs.010



Value of payments sent	Value of all payments sent  Market share final (in %)  I Final (Settled)  I Not settled (Cancelled, rejected)  per message type and total for the chosen semester
Value of payments received	Value of all payments received  I Final (Settled)  I Not settled (Cancelled, rejected)  per message type and total for the chosen semester
Total	Totals of volumes and values

Table 127 - TRN09 - Output description - Table

TRN09 – Report description – output Screen – only in case ALL Party BICs were chosen		
Field label	Description	
Party	BIC and short name of the party	
Payments volume in %	Percentage of the party's volume of whole CB's volume (only final payments sent) for the chosen semester	
Payments value in %	Percentage of the party's value of whole CB's value (only final payments sent) for the chosen semester	

Table 128 - TRN09 - Output description

5.14.10 TRN10 – Monthly value and volume of cash transfers in CLM/RTGS (according to T2 statistical framework)

#### **Context of usage**

This report provides information on the monthly volume and value of cash transfers in CLM or RTGS according to the T2 statistical framework, which aims to reflect cash transfers from a business perspective. In this respect, some cash transfers (e.g. any liquidity transfers between two accounts of the same party) are not considered for the volume and value Figures in this report.

Volume and value figures are displayed as monthly totals and daily averages (for each month) and are given for each CB/system entity and in addition as the total sum of all system entities for a given currency.



CBs can retrieve aggregated volume and value information for each CB/system entity as well as the sum of all system entities in CLM/RTGS.

This report can be used by CB users only.

#### Report access

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [TRN – Transaction Report] >> [TRN10]

#### <u>Screenshot – prompt</u>




Figure 360 - TRN10 prompt - Manual




Figure 361 - TRN10 prompt - Dynamic



## **Prompt description**

TRN10 – Report description – prompt screen - Manual	
Field label	Description
Year From	You can use this drop-down field to select the year, from which the report should contain the data.
	This field is mandatory.
Month From	You can use this drop-down field to select the month, from which the report should contain the data.
	For valid report results, the current month cannot be selected.
	This field is mandatory.
Year To	You can use this drop-down field offers the possibility to select the end year of the period, for which the report should contain the data.
	This field is mandatory.
Month To	You can use this drop-down field to select the end month of the period, for which the report should contain the data.
	For valid report results, the current month cannot be selected.
	This field is mandatory.
Currency	You can use this drop-down field to select from all valid currencies in CLM/RTGS.
	This field is mandatory.

Table 129 - TRN10 - Prompt description - Manual



TRN10 - Report description - prompt screen - Dynamic	
Field label	Description
Currency	You can use this drop-down field to select from all valid currencies in CLM/RTGS.
	This field is mandatory.
Reference Month	Indicates the end-point of the date range for which the dynamic report should contain data.
	Valid values:
	Current Month
	I Previous Month
	This field is mandatory.
Number of Months (incl. Ref. Month)	Indicates the start-point of the date range for which the dynamic report should contain data.
	The system will automatically calculate the start of the date range based upon the
	date at the time of execution.
	This field is mandatory.

Table 130 - TRN10 - Prompt description - Dynamic




Figure 362 - TRN10 output (1)






Figure 363 - TRN10 output (2)

## **Output description**

TRN10 – Report description – output screen		
Field label	Description	
One table per Service (CLM/RTGS) and month with following data per CB in each table. The table is sorted by month ascending and then within each table by ISO country code.		
Country Code CB	ISO Country Code of the CB	
Volume	Number of all cash transfers (according to T2 statistical framework) of the CB in the chosen month.	
Daily average volume	Calculated from the sum of volumes divided by the number of business days for the chosen currency in the chosen month.	
Value	Sum of the value of all cash transfers (according to T2 statistical framework) of the CB in the chosen month.	
Daily average value	Calculated from the sum of values divided by the number of business days for the chosen currency in the chosen month.	
Total	Total of volumes and values listed in the preceding rows over all CBs.	

Table 131 - TRN10 - Output description



## 5.14.11 TRN11 – Monthly value and volume of cash transfers between system entities

## **Context of usage**

The report TRN11 provides information on the monthly volume and value of cash transfers in CLM and RTGS between all accounts belonging to the system entities/CBs active in a selected currency. The Figures for the bilateral payment flows between all accounts of system entities/CBs which are differentiated by Euro area and by EU CBs are dis-played as totals.

CBs can retrieve aggregated volume and value information for each bi-lateral CB/system entity relationship.

This report can be used by CB users only.

#### **Report access**

This report can be reached in the following way:

[Team Content] >> [Predefined Reports] >> [TRN - Transaction Report] >> [TRN11]

#### Screenshot - prompt




Figure 364 - TRN11 prompt - Manual






Figure 365 - TRN11 prompt - Dynamic

## **Prompt description**

TRN11 – Report description – prompt screen - Manual		
Field label	Description	
Year From	You can use this drop-down field to select the year, from which the report should contain the data.	
	This field is mandatory.	
Month From	You can use this drop-down field to select the month, from which the report should contain the data.	
	For valid report results, the current month cannot be selected.	
	This field is mandatory.	
Year To	You can use this drop-down field to select the end year of the period, for which the report should contain the data.	
	This field is mandatory	



Month To	You can use this drop-down field to select the end month of the period, for which
	the report should contain the data.
	For valid report results, the current month cannot be selected.
	To valid report results, the current month cannot be selected.
	This field is mandatory.
Service	You can use this drop-down field to select a Service.
	Possible values:
	I CLM
	I RTGS
	I CLM + RTGS
	This field is manufator.
	This field is mandatory.
Currency	You can use this drop-down field to select from all valid currencies in
	CLM/RTGS.
	This field is mandatory
	This field is mandatory.

Table 132 - TRN11 - Prompt description - Manual

TRN11 - Report description - prompt screen - Dynamic	
Field label	Description
Reference Month	Indicates the end-point of the date range for which the dynamic report should contain data.  Valid values:
	<ul><li>I Current Month</li><li>I Previous Month</li><li>This field is mandatory.</li></ul>



Number of Months (incl. Ref. Month)	Indicates the start-point of the date range for which the dynamic report should contain data.  The system will automatically calculate the start of the date range based upon the date at the time of execution.  This field is mandatory.
Service	You can use this drop-down field to select a Service.  Possible values:  I CLM I RTGS I CLM + RTGS  This field is mandatory.
Currency	You can use this drop-down field to select from all valid currencies in CLM/RTGS.  This field is mandatory.

Table 133 - TRN11 - Prompt description - Dynamic




Figure 366 - TRN11 output (1)






Figure 367 - TRN11 output (2)




Figure 368 - TRN11 output (3)






Figure 369 - TRN11 output (4)

TRN11 – Report description – output screen – table overall volume		
Field label	Description	
Only cash transfers are selected for this report according to T2 statistical framework.  One block for each month with two tables.		
Table "Cash transfers debited on accounts held by CB from Euro area". The tables are sorted by month and within each table by "Euro area".		
Columns "Euro area"	Each column contains one ISO country code. All EUR-countries are listed.  The tables are sorted by month and within each table by this column.	
Rows "Euro area"	Each row contains one ISO country code. All EUR-countries are listed.	
None	Every cell in the matrix is filled with the daily average volume of cash transfers, where the accounts held by the CB represented by the country code in each column were debited and where the accounts held by the CB represented by the country code in each row were credited.  Cells, where both the country code in the column header and the country code in the row header are the same are shaded light grey.	
Total	In the cells of this column, all values from the respective row are added up.	
Total Euro-area	In the cells of this row, all values from the respective columns are added up.	
Rows "EU/non-Euro area"	Each row contains one ISO country code. All EU-countries (non Euro-area) are listed.	



None	Every cell in the matrix is filled with the daily average volume of cash transfers, where the accounts held by the CB represented by the country code in each column were debited and where the accounts held by the CB represented by the country code in each row were credited.	
Column "Total"	In the cells of this column, all values from the respective row are added up.	
Row "Total EU/non-Euro area	In the cells of this row, all values from the respective columns are added up.	
Row over all columns "Total"	In the cells of this row, all values from "Total Euro area" and "Total EU area" of the respective columns are added up.	
Table " Cash transfers debited on accounts held by CB from EU (non-Euro) area"		
Columns "EU/non-Euro area"	Each row contains one ISO country code. All EU-countries (non Euro area) are listed	
Rows "Euro area"	Each row contains one ISO country code. All Euro-countries are listed.	
None	Every cell in the matrix is filled with the daily average volume of cash transfers, where the accounts held by the CB represented by the country code in each column were debited and where the accounts held by the CB represented by the country code in each row were credited.	
Column header "Total"	In the cells of this column, all values from the respective row are added up.	
Row header "Total Euro-area"	In the cells of this row, all values from the respective columns are added up.	
Rows "EU/non-Euro area"	Each row contains one ISO country code. All EU-countries (non Euro-area) are listed.	
None	Every cell in the matrix is filled with the daily average volume of cash transfers, where the accounts held by the CB represented by the country code in each column were debited and where the accounts held by the CB represented by the country code in each row were credited.  Cells, where both the country code in the column header and the country code	
	in the row header are the same are shaded light grey.	
Column "Total"	In the cells of this column, all values from the respective row are added up.	
Row "Total EU area"	In the cells of this row, all values from the respective columns are added up.	
Row over all columns "Total"	In the cells of this row, all values from "Total Euro area" and "Total EU area" of the respective columns are added up.	

Table 134 - TRN11 - Output description - Table overall volume



## TRN11 - Report description - output screen - table overall value

This table has the same structure as the previous table (Overall Volume) with the difference that here the daily average values are displayed.

Table 135 - TRN11 - Output description - Table overall value



# 6 T2S Predefined reports

## 6.1 T2S Cash account (SCT)

#### 6.1.1 SCT01 - Finalised matched instructions

#### **Context of Usage**

This report shows the cash activity for all finalised matched settlement instructions (SI) at CB, PB or T2S dedicated cash account level, during a selected period of time. The volume of finalised matched instructions per transaction type / sub-category together with the aggregated matched values and settled values are shown.

This report can be used by CB users.

#### **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> SCT - T2S Cash account >> SCT01



#### **Screenshot**




Figure 370 - SCT01 prompt screen



## **Field Description**

SCT01 – Finalised matched instructions – Prompt Screen		
Date From	You can select the date by clicking on the calendar.  This field is mandatory.	
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.	
Currency	You can use this drop-down field to select the currency.  This field is mandatory.	
Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.	

#### **Screenshot**




Figure 371 - SCT01 output screen

## **Field Description**

SCT01 – Finalised matched instructions – Output Screen		
Transaction type code	Shows the transaction type code of the settlement transaction.	
	Possible values are:	
	I DVP (delivery versus payment)	
	I DWP (delivery with payment)	
	I PFOD (payment free of delivery)	
Transaction sub-category	Shows the transaction sub-category of the settlement transaction.	



Possible values are:		
CATR (cash transfer)		
I STND (standard)		
Debit		
A count of all finalised matched SIs on the debit side during the selected date range, per transaction type code and sub-category.		
Sum of the matched settlement amounts of all finalised matched SIs on the debit side during the selected date range per transaction type code and sub-category.		
Sum of the settled settlement amounts of all finalised matched SIs on the debit side during the selected date range per transaction type code and sub-category.		
Credit		
A count of all finalised matched SIs on the credit side during the selected date range, per transaction type code and sub-category.		
Sum of the matched settlement amounts of all finalised matched SIs on the credit side during the selected date range per transaction type code and sub-category.		
Sum of the settled settlement amounts of all finalised matched SIs on the credit side during the selected date range per transaction type code and sub-category.		
Total (per transaction type code/settlement transaction sub-category)		
Sum of 'Volume of settlement instructions' over debit and credit.		
Sum of 'Matched amount over debit and credit.		
Sum of 'Settled amount over debit and credit.		
Total		
Sum for each column, summed over all transaction type / sub-category combinations.		

## 6.1.2 SCT02 – Detailed matched settlement instructions

## **Context of Usage**

This report shows all finalised settlement instructions (SIs) at CB or PB or T2S dedicated cash account level, during a chosen period of time.

The volume and values of settlement instructions are displayed per transaction type / sub-category / direction (debit or credit) and the settlement status.



This report can be used by CB users.

## **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> SCT - T2S Cash account >> SCT02






Figure 372 - SCT02 Prompt



SCT02 – De	tailed matched settlement instructions – Prompt screen
Date From	You can select the date by clicking on the calendar.  This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.
Currency	You can use this drop-down field to select the currency.  This field is mandatory.
Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
T2S DCA number	You can use this drop-down field to select one or several T2S DCA numbers. This field will show all related T2S DCAs, which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all T2S DCA numbers belonging to the default data scope of the user's party.  This field is optional.




Figure 373 - SCT02 output screen, tab 1






Figure 374 - SCT02 output screen, tab 2

SCT02 – Detailed matched settlement instructions – OUTPUT SCREEN – Tab 1  T2S DCA – Detailed finalised settlement instructions - volume		
Transaction type code	Shows the transaction type code of the settlement transaction.  Possible values are:  I DVP (delivery versus payment)  I DWP (delivery with payment)  I PFOD (payment free of delivery)	
Transaction sub-category	Shows the transaction sub-category of the settlement transaction.  Possible values are:  I CATR (cash transfer)  I STND (standard)	
	Debit	
Volume totally settled	A count of the number of totally settled SIs found on the debit side within the requested period, per transaction type and sub-category.	
Volume partially settled / partially cancelled	A count of the number of partially settled/partially cancelled SIs found on the debit side within the requested duration, per transaction type and sub-category.	
Volume totally cancelled	A count of the number of totally cancelled matched SIs found on the debit side within the requested duration, per transaction type and sub-category.	
Total	Sum of 'Volume totally settled', 'Volume partially settled / partially cancelled' and 'Volume totally cancelled' on the debit side, per transaction type and sub-category.	
Credit		
Volume totally settled	A count of the number of totally settled SIs found on the credit side within the requested duration, per transaction type and sub-category.	



Volume partially settled / partially cancelled	A count of the number of partially settled/partially cancelled SIs found on the credit side within the requested duration, per transaction type and sub-category.		
Volume totally cancelled	A count of the number of totally cancelled matched SIs found on the credit side within		
	the requested duration, per transaction type and sub-category.		
Total	Sum of 'Volume totally settled', 'Volume partially settled / partially cancelled' and		
	'Volume totally cancelled' on the credit side, per transaction type and sub-category.		
Total (pe	Total (per transaction type code/settlement transaction sub-category)		
Volume totally settled	Sum of 'Volume totally settled' over debit and credit.		
Volume partially settled / partially cancelled	Sum of 'Volume partially settled / partially cancelled' over debit and credit.		
Volume totally cancelled	Sum of 'Volume totally cancelled' over debit and credit.		
Total	Sum of 'Total' over debit and credit		
Total			
Total	Sum for each column, summed over all transaction type / sub-category combinations.		

SCT02 – Detailed matched settlement instructions – OUTPUT SCREEN – Tab 2  T2S DCA – Detailed finalised settlement instructions - amount		
Transaction type code	Shows the transaction type code of the settlement transaction.  Possible values are:  I DVP (delivery versus payment)  I DWP (delivery with payment)  I PFOD (payment free of delivery)	
Transaction sub-category	Shows the transaction sub-category of the settlement transaction.  Possible values are:  I CATR (cash transfer)  I STND (standard)	
Debit		
Matched amount	Sum over matched settlement amounts of all finalised SIs on the debit side within the requested duration, per transaction type and sub-category.	



Amount totally settled	Sum over settled settlement amounts of all finalised SIs on the debit side and totally settled within the requested duration, per transaction type and sub-category.	
Amount partially settled	Sum over settled settlement amounts of all finalised SIs on the debit side and partially settled within the requested duration, per transaction type and sub-category.	
Amount partially cancelled	Sum over all unsettled matched settlement amounts of all finalised SIS on the debit side and partially cancelled within the requested duration, per transaction type and subcategory.	
Amount totally cancelled	Sum of the matched settlement amounts of all finalised SIs on the debit side which were totally cancelled within the period 1 duration, per transaction type and sub-category.	
Cro	edit	
Matched amount	Sum over matched settlement amounts of all finalised SIs on the credit side within the requested duration, per transaction type and sub-category.	
Amount totally settled	Sum over settled settlement amounts of all finalised SIs on the credit side and totally settled within the requested duration, per transaction type and sub-category.	
Amount partially settled	Sum over settled settlement amounts of all finalised SIs on the credit side and partially settled within the requested duration, per transaction type and sub-category.	
Amount partially cancelled	Sum over all unsettled matched settlement amounts of all finalised SIS on the credit side and partially cancelled within the requested duration, per transaction type and subcategory.	
Amount totally cancelled	Sum of the matched settlement amounts of all finalised SIs on the credit side which were totally cancelled within the period 1 duration, per transaction type and sub-category.	
Total (per transaction type code/settlement transaction sub-category)		
Matched amount	Sum of 'Matched amount over debit and credit.	



Settled amount (totally + partially)	Sum of 'Amount totally settled' plus 'Amount partially settled' over debit and credit.	
Total		
Total	Sum for each column, summed over all transaction type / sub-category combinations.	

## 6.1.3 SCT03 – Follow up by time slot of settlement activity

#### **Context of Usage**

This report shows all finalised settlement instructions (SIs) per time slots of the settlement date in an array at CB, PB or T2S DCA level, during a chosen period of time.

The settlement instructions (SI) are displayed as aggregated volumes and values according to the transaction type code, the transaction sub-category, the T2S-DCA debit/credit code, the settlement status and T2S time slot

This report can be used by CB users.

#### Report Access

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> SCT - T2S Cash account >> SCT03



# SCT03 - T2S DCA - Follow-up by time slot of settlement activity




Figure 375 - SCT03 Prompt



SCT03 – Follow-up by time slot of settlement activity – Prompt screen	
Date From	You can select the date by clicking on the calendar.  This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.
Currency	You can use this drop-down field to select the currency.  This field is mandatory.
Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
T2S DCA number	You can use this drop-down field to select one or several T2S DCA numbers. This field will show all related T2S DCAs, which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all T2S DCA numbers belonging to the default data scope of the user's party.  This field is optional.




Figure 376 - SCT03 output screen, tab 1






Figure 377 - SCT03 output screen, tab 2

SCT03 – Follow-up by time slot of settlement activity – OUTPUT SCREEN – Tab 1		
T2S DCA - Follow-up by time slot of settlement activity - volume		
Transaction type code	Shows the transaction type code of the settlement transaction.	
	Possible values are:	
	I DVP (delivery versus payment)	
	I DWP (delivery with payment)	
	I PFOD (payment free of delivery)	
Transaction sub-category	Shows the transaction sub-category of the settlement transaction.	
	Possible values are:	
	I CATR (cash transfer)	
	I STND (standard)	
Settlement status	Shows the status of the settlement instruction.	
	Possible values are:	
	I Totally settled	
	Partially settled / partially cancelled	
	I Totally cancelled	
Volume of instructions - debit		



Total

Time slots (one line per time	Shows the aggregated volume of the SIs (debit side) for each designated time slot,	
slot):	within the transaction type code / transaction subcategory / settlement status	
	combination.	
I 1st NTS cycle		
Last NTS cycle		
RT1 before intraday DVP cut-off		
RT2 before EOD intraday credit reimbursement		
RT3 before EOD intraday FOP cut-off		
I RT4 after intraday FOP cut-		
Volume of instructions - credit		
Time slots (one line per time	Shows the aggregated volume of the SIs (credit side) for each designated time slot,	
slot):	within the transaction type code / transaction subcategory / settlement status	
I 1st NTS cycle	combination.	
Last NTS cycle		
RT1 before intraday DVP cut-off		
RT2 before EOD intraday credit reimbursement		
RT3 before EOD intraday FOP cut-off		
RT4 after intraday FOP cut-		

Total

Sum for each column, summed over all transaction type / sub-category combinations.



SCT03 – Follow-up by time slot of settlement activity – OUTPUT SCREEN – Tab 2  T2S DCA – Follow-up by time slot of settlement activity - amount	
Transaction type code	Shows the transaction type code of the settlement transaction.
	Possible values are:
	DVP (delivery versus payment)
	DWP (delivery with payment)
	PFOD (payment free of delivery)
Transaction sub-category	Shows the transaction sub-category of the settlement transaction.
	Possible values are:
	I CATR (cash transfer)
	I STND (standard)
Settlement status	Shows the status of the settlement instruction.
	Possible values are:
	I Totally settled
	I Partially settled
	Totally cancelled
	Partially cancelled
	Value of instructions - debit
Time slots (one line per time	Shows the aggregated amount of the SIs (debit side) for each designated time slot,
slot):  I 1st NTS cycle	within the transaction type code / transaction subcategory / settlement status combination.
I Last NTS cycle	
RT1 before intraday DVP	
cut-off	
RT2 before EOD intraday credit reimbursement	
RT3 before EOD intraday FOP cut-off	
RT4 after intraday FOP cut-	
Value of instructions - credit	



Time slots (one line per time slot):	Shows the aggregated amount of the SIs (credit side) for each designated time slot, within the transaction type code / transaction subcategory / settlement status combination.
1 1st NTS cycle	COMBINATION.
Last NTS cycle      RT1 before intraday DVP	
cut-off	
RT2 before EOD intraday credit reimbursement	
RT3 before EOD intraday FOP cut-off	
I RT4 after intraday FOP cut-	
off	
	Total
Total	Sum for each column, summed over all transaction type / sub-category combinations.

#### 6.1.4 SCT04 – Comparison of settlement activity between two time periods

#### **Context of Usage**

This report shows the settlement activity for two time periods at CB, PB or T2S dedicated cash account level, to allow its comparison between these two periods of time.

The settlement instructions (SI) are displayed as aggregated volumes and values according to the transaction type code, the transaction sub-category, the T2S-DCA debit/credit code and the settlement status.

This report can be used by CB users.

#### **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> SCT - T2S Cash account >> SCT04



# SCT04 - T2S DCA - Comparison of settlement activity between two time periods




Figure 378 - SCT04 Prompt



SCT04 – Comparison of settlement activity between two time periods – Prompt Screen		
Period 1 Date From	You can select the date by clicking on the calendar.  This field is mandatory.	
Period 1 Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.	
Period 2 Date From	You can select the date by clicking on the calendar.  This field is mandatory.	
Period 2 Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.	



Currency	You can use this drop-down field to select the currency.  This field is mandatory.
Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
T2S DCA number	You can use this drop-down field to select one or several T2S DCA numbers. This field will show all related T2S DCAs, which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all T2S DCA numbers belonging to the default data scope of the user's party.  This field is optional.




Figure 379 - SCT04 output screen

SCT04 – Comparison of settlement activity between two time periods – Output Screen		
	Period 1	
Transaction type code	Shows the transaction type code of the settlement transaction.	
	Possible values are:	
	I DVP (delivery versus payment)	
	I DWP (delivery with payment)	



	I PFOD (payment free of delivery)			
Transaction sub-category	Shows the transaction sub-category of the settlement transaction.			
	Possible values are:			
	CATR (cash transfer)			
	I STND (standard)			
	Debit			
Volume totally settled	A count of the number of totally settled SIs found on the debit side in the period 1 duration, per transaction type and sub-category.			
Volume partially settled/partially cancelled	A count of the number of partially settled/partially cancelled SIs found on the debit side in the period 1 duration, per transaction type and sub-category.			
Volume totally cancelled	A count of the number of totally cancelled matched SIs found on the debit side in the period 1 duration, per transaction type and sub-category.			
Amount totally settled	Sum of the settled settlement amounts of all finalised SIs that were debited and totally settled within the period 1 duration, per transaction type and sub-category.			
Amount partially settled	Sum of all partial settlement amounts of all finalised SIs that were debited and reached final status within the period 1 duration, per transaction type and subcategory.			
Amount partially cancelled	Sum of all unsettled settlement amounts of all finalised SIs that were debited and reached final status within the period 1 duration, per transaction type and subcategory.			
Amount totally cancelled	Sum of the settlement amounts of all finalised SIs on the debit side which were totally cancelled within the period 1 duration, per transaction type and sub-category.			
	Credit			
Volume totally settled	A count of the number of totally settled SIs found on the credit side in the period 1 duration, per transaction type and sub-category.			
Volume partially settled/partially cancelled	A count of the number of partially settled/partially cancelled SIs found on the credit side in the period 1 duration, per transaction type and sub-category.			
Volume totally cancelled	A count of the number of totally cancelled matched SIs found on the credit side in the period 1 duration, per transaction type and sub-category.			
Amount totally settled	Sum of the settled settlement amounts of all finalised SIs that were credited and totally settled within the period 1 duration, per transaction type and sub-category.			
Amount partially settled	Sum of all partial settlement amounts of all finalised SIs that were credited and reached final status within the period 1 duration, per transaction type and subcategory.			



Amount partially cancelled	Sum of all unsettled settlement amounts of all finalised SIs that were credited and reached final status within the period 1 duration, per transaction type and subcategory.
Amount totally cancelled	Sum of the settlement amounts of all finalised SIs on the credit side which were totally cancelled within the period 1 duration, per transaction type and sub-category.
	Total (Period 1 - final)
Total	Sum for each column, summed over all transaction type / sub-category combinations.
	Period 2
Transaction type code	Shows the transaction type code of the settlement transaction.
	Possible values are:
	DVP (delivery versus payment)
	I DWP (delivery with payment)
	PFOD (payment free of delivery)
Transaction sub-category	Shows the transaction sub-category of the settlement transaction.
	Possible values are:
	CATR (cash transfer)
	STND (standard)
	Debit
Volume totally settled	A count of the number of totally settled SIs found on the debit side in the period 2 duration, per transaction type and sub-category.
Volume partially settled/partially cancelled	A count of the number of partially settled/partially cancelled SIs found on the debit side in the period 2 duration, per transaction type and sub-category.
Volume totally cancelled	A count of the number of totally cancelled matched SIs found on the debit side in the period 2 duration, per transaction type and sub-category.
Amount totally settled	Sum of the settled settlement amounts of all finalised SIs that were debited and totally settled within the period 2 duration, per transaction type and sub-category.
Amount partially settled	Sum of all partial settlement amounts of all finalised SIs that were debited and reached final status within the period 2 duration, per transaction type and subcategory.
Amount partially cancelled	Sum of all unsettled settlement amounts of all finalised SIs that were debited and reached final status within the period 2 duration, per transaction type and subcategory.



Amount totally cancelled	Sum of the settlement amounts of all finalised SIs on the debit side which were totally cancelled within the period 2 duration, per transaction type and sub-category.				
	Credit				
Volume totally settled	A count of the number of totally settled SIs found on the credit side in the period 2 duration, per transaction type and sub-category.				
Volume partially settled/partially cancelled	A count of the number of partially settled/partially cancelled SIs found on the credit side in the period 2 duration, per transaction type and sub-category.				
Volume totally cancelled	A count of the number of totally cancelled matched SIs found on the credit side in the period 2 duration, per transaction type and sub-category.				
Amount totally settled	Sum of the settled settlement amounts of all finalised SIs that were credited and totally settled within the period 2 duration, per transaction type and sub-category.				
Amount partially settled	Sum of all partial settlement amounts of all finalised SIs that were credited and reached final status within the period 2 duration, per transaction type and subcategory.				
Amount partially cancelled	Sum of all unsettled settlement amounts of all finalised SIs that were credited and reached final status within the period 2 duration, per transaction type and subcategory.				
Amount totally cancelled	Sum of the settlement amounts of all finalised SIs on the credit side which were totally cancelled within the period 2 duration, per transaction type and sub-category.				
	Total (Period 2 - final)				
Total	Sum for each column, summed over all transaction type / sub-category combinations.				

#### 6.1.5 SCT05 – Follow-up by time slot of cash postings

#### **Context of Usage**

This report shows the cash postings at CB, PB or T2S dedicated cash account level, during a selected period of time. The cash postings activity of the specified T2S accounts are displayed as volume and amount for each time slot of the business day with a total per balance type.

This report can be used by CB users.

#### **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> SCT - T2S Cash account >> SCT05






Figure 380 - SCT05 Prompt screen



SCT05 – Foli	ow-up by time slot of cash postings – Prompt Screen
Date From	You can select the date by clicking on the calendar.  This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.
Currency	You can use this drop-down field to select the currency.  This field is mandatory.
Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
T2S DCA number	You can use this drop-down field to select one or several T2S DCA numbers. This field will show all related T2S DCAs, which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all T2S DCA numbers belonging to the default data scope of the user's party.  This field is optional.

t E	SCT05 + T2S DCA - Follow-up by time slot of cash postings													
them   Date from .	2023-02-08 Date to 200 Euro	04-04-00												
10 DCA - Follow	say by time stat of cash	postogs												
						Volume			Amount					
Balance type	Origin	Department	fat NTS oyele	Last NTS syste	RTS before intrades DVP cut-	#17 before EOD intraday credit reimbursement	RT3 before EDB introday FCP cutoff	RTA after introday FCP cut- off	ts: NT5 cycle	Last NTS cycle	RT1 before intradey DVP cut-	RT2 before EOD introday credit reienbursement	RF3 percer EDD introday FOP switch	RTE after intradity FOP cut-
	Liquidity transfers	Debit							0.00	0.00	0.00	0.60	5.0	
		Cradit		. 2	0				0.00	0.00	0.00	1.60	0.0	
		Tetal							0.00	0.00	0.00	0.00	8.0	
	Settlement	Dobit				1			0.00	0.00	0.00	0.00	0.0	
	Methodians	Credit			0				8.00	0.00	0.00	160	3.00	
Bincking		Total		1.9	0	1			0.00	0.00	0.00	6.00	9.0	
	Settlement	(Sebit	0.	15		105			0.00	278,780 15	620,840,29	1,095,954,114.40	8.00	
	restrictions	Credit	85	2	760				155,605,214.18	2,000.00	840 138,310 68	9.00	0.00	
		Total	- 30	17	540	800			150,605,224.10	272,760.10	942,000,014.00	1,000,009,114.40	5.00	0.00
	Dept		- 0	10	10	806			0.00	279,760,15	820,862.29	1,006,004 114,40	8.00	
	Credit		81	- 2	790				155.605.224.18	2,000.00	942 158,332 65	240	9.00	0.00
	CONTRACTOR OF THE PARTY.	Debit	0						0.00	0.00	0.00	0.00	9.00	0.00
	Liquidity transfers	Credit	. 0	. 0	0				0.00	0.00	0.00	0.00	0.00	
		Total	. 0		0			9	000	0.00	0.00	100	3.00	
	Settlement	Debit	0			1			0.00	0.09	0.00	0.60	9.00	0.00
	HS1/000015	Codt			0				0.00	0.00	0.00	0.00	9.00	0 0.00
Co 30 Blacking		Total			0				0.00	0.00	0.00	0.00	0.00	0.00
	Settlement	Decit	244		14	1.447			7,400,770,538,00	56.800 DB	107,723.00	37,004,354,114,60	8.00	0.00
	restrictions	Credit	1.496		277		0		28,704,424,313.00	35,300.00	8,700,708,002.00	0.00	0.00	0.00
		Tetal	1742	18	361	5.447	3		49,195,194,911.00	71,600.00	6,700,816,726,05	37.004,364.014.00	8.00	0.00
	Debit		244		84	1,447			7,400,770,518,00	35,600.00	107,723.00	27 004,204 114,00	8.01	0.00
	Credit		1,495		217				35,704,424,375,00	35,000,00	6,760,708,502.00	0.00	9.01	0.00
		Dept	1,027	444		36	798	20	210,789,618,18	2,945,263,71	95,315,651,795,14	36,738,992,67	1,622,118,105.00	8 10.146.00
	Liquidity transfers	Cradit	1,027	668	5,742	16	795	20	210,789,613.18	2.048.209.71	95,315,651,796,14	30,738,932,97	1,622,118,108.0	0 10,145.00
		Total	2.084	695	11,604	100	1,900	40	933,679,026,26	8.004.827.42	199,801,101,899,29	81,473,876.94	12442052118	0 20,240.00
	Settlement	Debit	90	-562	3,790		412		317,008.81	00.912,738.10	263,798,855.11	6.40	363,674.0	
	metrodisms	Credit	-80	362	3,700	1	413		317,050 61	00.812,738.58	760,790,955.11	0.60	350,674.0	0 0.00
Deliverable		Tetal	186	704	7,400		820		654,173.62	133,826,470 32	107.601,010.00	0.60	707,548.0	0.00
	Selflement	Debit	1,002	- 11	1,000				22,055,111,055,50	38,000.00	0,544,407,030.30	35.65	2.0	0.00
	rectioners	Credit	244	30	218	2014			7,400,770,016.00	072,011.50	1.790,200.02	26 (0),016 202.01	0.0	0.00
		Tetal	1,575	41	1,584	2,515	1		45,260,882,524.80	410,611.65	6.646.203.895.81	38.131.618.293.01	2.0	
	Debit		2.782	837	11,1±6	26	1,200	20	39,017,210,516,74	59,506,001.67	102.120 758,188.54	30.738.959.97	1,622,471,779.9	8 10.145.00
	Credit		1,584	080	9,710	2,726	1,200	20	7,817,877,127.04	70,238,613,43	98.481.144.010.77	28,132,385,172,90	1,822,471,779,00	6 10.146.00
	Liquidity transfers	Debit							0.00	0.00	0.00	0.00	0.0	0.00






Figure 381 - SCT05 output screen

SCT05	– Follow-up by time slot of cash postings – Output Screen			
Balance type	Shows the balance type for which the cash postings are displayed from the possible values:			
	I Earmarking			
	I Blocking			
	I CoSD blocking			
	I Deliverable			
	I Reservation			
	For origin = "Liquidity Transfer", only balance type = Deliverable" is possible.			
Origin	Shows the posting origin for which the cash postings are displayed from the possible values:			
	I Settlement instructions			
	I Settlement restrictions			
	l Liquidity transfers (only balance type "Deliverable")			
	I Total for all types			
Debit	The aggregation within origin of the cash postings on the debited side			
Credit	The aggregation within origin of the cash postings on the credited side			
Total (per balance type / origin)	The sums of 'Volume' and 'Amount' across 'Debit' and 'Credit' per column, within origin.			
Time slots:	The aggregation within debit/credit/total of all cash postings found for each designated			
I 1st NTS cycle	time-slot.			
I Last NTS cycle				
I RT1 before intraday DVP				
cut-off				



<ul> <li>RT2 before EOD intraday credit reimbursement</li> <li>RT3 before EOD intraday FOP cut-off</li> <li>RT4 after intraday FOP cut-off</li> </ul>	
Volume	The aggregated number of cash postings are displayed for each balance type, origin and debit/credit/total within each of the above time slots.
Amount	The aggregated amount of cash postings are displayed for each balance type, origin and debit/credit/total within each of the above time slots.
Total (per balance type):  I Total earmarking  I Total blocking  I Total COSD blocking  I Total deliverable  I Total reservation	The sums of 'Volume' and 'Amount' across 'Debit' and 'Credit' per column, over all origins within balance type.
Total (final)	The sums of 'Volume' and 'Amount' across 'Debit' and 'Credit' per column, over all balance types.

# 6.2 T2S Securities account (SST)

#### 6.2.1 SST01 - Finalised matched instructions

#### **Context of Usage**

This report shows volumes, values amounts and quantities for all finalised settlement instructions (SIs), at CSD or CSD participant or securities account level, during a selected period of time. The settlement instructions are filtered according the settlement types of the securities and the currency of the settlements that the user selects.

The report delivers the volume of matched settlement instructions finalised during the selected period whether settled, partially settled or cancelled, the total of <u>original instructed</u> quantity whether settled, partially settled or cancelled, the settled quantity, the matched <u>value-amount</u> and the settled <u>value-amount per ISIN</u>{CR-847}.

The results are displayed aggregated per transaction type code, transaction sub-category and securities movement type.


This report can be used by CSD users.



#### **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> SST - T2S Securities account >> SST01








Figure 382 - SST01 prompt screen(CR-847)

SST01 – Finalised matched instructions – Prompt Screen			
Date <u>Ff</u> rom	You can select the date by clicking on the calendar.  This field is mandatory.		
Date <b>∓</b> <u>t</u> o{ <b>CR-847</b> }	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.		
Currency	Currency in which the SIs are settled.  You can use this drop-down field to select the currency.  This field is mandatory.		



Settlement type	Shows the settlement type  Possible values:  DELI RECE  This field is mandatory (CR-847)
Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
Securities account number	You can use this drop-down field to select one or several securities account numbers. This field will show all related securities accounts which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all securities account numbers belonging to the default data scope of the user's party.  This field is optional.
ISIN	The report output contains only settlement instructions with the selected securities.  This field is optional.
Securities movement type	This selection specifies if the movement on a securities account results from a delivery or a receive instruction.  Possible values:  I DELI I RECE This field is optional.




Figure 383 - SST01 output screen (CR-847)



SST01 – Finalised matched instructions – Output Screen				
ISIN	Shows the data of the finalised matched instructions aggregated per ISIN			
DELI (only filled if movement type filter selected 'DELI' or all){CR-847}				
Transaction type code	Shows the settlement transaction type code set during the selected period duration of time from the possible values:  I DVP (delivery versus payment)  I DWP (delivery with payment)  I FOP (free of payment)  I PFOD (payment free of delivery)			
Settlement ∓transaction subcategory	Shows the subcategory of the settlement transaction from the possible values:  I ALOP, BPDF, BPIN, BPSU, COBS, COBR, COCP, CORT, CORU, EPDE, EPIS, REAL, RERV, REPO, RPDE, RPIN, RPSU, STND			
	<u>DELI</u> {CR-847}			
Volume of settlement instructions	Count of the number of finalised DELI settlement instructions within the given search criteria, per transaction type code and settlement transaction sub-category.			
Instructed quantity	Sum of instructed settlement quantities of the DELI settlement instructions, per transaction type code and sub-category			
Settled quantity	Sum of settled quantities of the DELI settlement instructions, per transaction type and sub-category			
Matched amount	Sum of matched settlement amounts of the DELI settlement instructions, per transaction type code and sub-category			
Settled amount	Sum of settled settlement amounts of the DELI settlement instructions, per transaction type code and sub-category			
Total	Sum for each column in 'DELI' body, summed over all transaction type / sub-category combinations.			
RE	RECE (only filled if movement type filter selected 'RECE' or all)			
Transaction type code	Shows the settlement transaction type code set during the selected period duration of time from the possible values:  I DVP (Delivery versus payment)  I DWP (Delivery with payment)  I FOP (free of payment)  I PFOD (payment free of delivery)			



Transaction sub-category	Shows the subcategory of the settlement transaction from the possible values:  I ALOP, BPDF, BPIN, BPSU, COBS, COBR, COCP, CORT, CORU, EPDE, EPIS, REAL, RERV, REPO, RPDE, RPIN, RPSU, STND{CR-847}
Volume of settlement instructions	Count of the number of finalised RECE settlement instructions within the given search criteria, per transaction type code and settlement transaction sub-category.
Instructed quantity	Sum of instructed settlement quantities of the RECE settlement instructions, per transaction type code and sub-category
Settled quantity	Sum of settled quantities of the RECE settlement instructions, per transaction type code and sub-category
Matched amount	Sum of matched settlement amounts of the RECE settlement instructions, per transaction type code and sub-category
Settled amount	Sum of settled settlement amounts of the RECE settlement instructions, per transaction type code and sub-category
Total	Sum for each column in 'RECE' body, summed over all transaction type / sub-category combinations.
Total <del>(alw</del>	ays filled and sums across all movement types selected in the filter)
Transaction type code	Shows the settlement transaction type code set during the selected period duration of time from the possible values:    DVP (delivery versus payment)
	I DWP (delivery with payment)  I FOP (free of payment)
Transaction sub-category	PFOD (payment free of delivery)  Shows the subcategory of the settlement transaction from the possible values:  I ALOP, BPDF, BPIN, BPSU, COBS, COBR, COCP, CORT, CORU, EPDE, EPIS, REAL, RERV, REPO, RPDE, RPIN, RPSU, STND{CR-847}
Volume of settlement instructions	The sum of 'Volume of settlement instructions' over DELI and RECE, per transaction type code and settlement transaction sub-category.
Instructed quantity	The sum of 'Instructed quantity' over DELI and RECE, per transaction type code and settlement transaction sub-category.
Settled quantity	The sum of 'Settled quantity' over DELI and RECE, per transaction type code and settlement transaction sub-category.



Matched amount	The sum of 'Matched amount' over DELI and RECE, per transaction type code and settlement transaction sub-category.
Settled amount	The sum of 'Settled amount' over DELI and RECE, per transaction type code and settlement transaction sub-category.
Total	Sum for each column in 'Total' body, summed over all transaction type / sub-category combinations.

#### 6.2.2 SST02 – Detailed finalised matched instructions

#### **Context of Usage**

This report shows detailed information on volume and quantities for all finalised settlement instructions (SIs), at CSD or CSD participant or securities account level, during a selected period of time. The settlement instructions are filtered according the settlement types of the securities that the user selects.

The volume, the instructed quantities and the settled quantities of settlement instructions are displayed <u>per ISIN</u> per settlement status{CR-847}.

The results are displayed aggregated per transaction type code, transaction sub-category and securities movement type and as totals.

This report can be used by CSD users.


#### **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> SST - T2S Securities account >> SST02



# SST02 - Securities account - Detailed finalised matched instructions - Prompt








Figure 384 - SST02 Prompt

SST02 – Detailed finalised matched instructions – Prompt screen	
Date Ffrom	You can select the date by clicking on the calendar.  This field is mandatory.
Date <mark>∓t</mark> o	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.
Settlement type	Shows the settlement type.  Possible values:  FAMT - Nominal  UNIT - Units  This field is mandatory
Currency	Currency in which the SIs are settled.  You can use this drop-down field to select the currency.



	This field is mandatory.{CR-847}
Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
Securities account number	You can use this drop-down field to select one or several securities account numbers. This field will show all related securities accounts which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all securities account numbers belonging to the default data scope of the user's party.  This field is optional.
ISIN	The report output contains only settlement instructions with the selected securities.  This field is optional.
Securities movement type	This selection specifies if the movement on a securities account results from a delivery or a receive instruction.  Possible values:  I DELI I RECE This field is optional.




Figure 385 - SST02 output screen, tab 1






Figure 386 - SST02 output screen, tab 2

SST02 – Detailed matched settlement instructions – OUTPUT SCREEN – Tab 1  Securities account – Detailed finalised instructions - volume	
<u>ISIN</u>	Shows the data of the detailed matched settlement instructions aggregated per ISIN(CR-847)
Transaction type code	Shows the settlement transaction type code set during the selected period duration of time from the possible values:  I DVP (delivery versus payment)  I DWP (delivery with payment)  I FOP (free of payment)  I PFOD (payment free of delivery)
Settlement tTransaction subcategory{CR-847}	Shows the subcategory of the settlement transaction from the possible values:  I ALOP, BPDF, BPIN, BPSU, COBS, COBR, COCP, CORT, CORU, EPDE, EPIS, REAL, RERV, REPO, RPDE, RPIN, RPSU, STND
DELI	
Volume totally settled	A count of the number of totally settled SIs with security movement type DELI, per transaction type and sub-category.
Volume partially settled / partially cancelled	A count of the number of partially settled/partially cancelled SIs with security movement type DELI, per transaction type and sub-category.
Volume totally cancelled	A count of the number of totally cancelled matched SIs with security movement type DELI, per transaction type and sub-category.



<u>Volume</u> ∓total{CR-847}	Sum of 'Volume totally settled', 'Volume partially settled / partially cancelled' and 'Volume totally cancelled' in the 'DELI' sub-table, per transaction type and subcategory.
	RECE
Volume totally settled	A count of the number of totally settled SIs found with security movement type RECE, per transaction type and sub-category.
Volume partially settled / partially cancelled	A count of the number of partially settled/partially cancelled SIs with security movement type DELI, per transaction type and sub-category.
Volume totally cancelled	A count of the number of totally cancelled matched SIs found with security movement type DELI, per transaction type and sub-category.
<u>Volume</u> ∓total{CR-847}	Sum of 'Volume totally settled', 'Volume partially settled / partially cancelled' and 'Volume totally cancelled' in the 'DELI' sub-table, per transaction type and subcategory.
	Total (across all movement types selected in the filter)
Volume totally settled	A count of the number of totally settled SIs found with security movement type RECE, per transaction type and sub-category.
Volume partially settled / partially cancelled	A count of the number of partially settled/partially cancelled SIs with security movement type RECE, per transaction type and sub-category.
Volume totally cancelled	A count of the number of totally cancelled matched SIs found with security movement type RECE, per transaction type and sub-category.
Volume total	Sum of 'Total' 'over 'DELI' and 'RECE' sub-tables, per transaction type and sub-category.
Total	
Volume ∓total{CR-847}	Sum for each column, summed over all transaction type / sub-category combinations.



20722 5	
SST02 – Detailed matched settlement instructions – OUTPUT SCREEN – Tab 2  Securities account – Detailed finalised instructions - quantity	
Transaction type code	Shows the settlement transaction type code set during the selected period duration of time from the possible values:
	I DVP (delivery versus payment)
	I DWP (delivery with payment)
	I FOP (free of payment)
	I PFOD (payment free of delivery)
Settlement t-Transaction sub-	Shows the subcategory of the settlement transaction from the possible values:
category{CR-847}	I ALOP, BPDF, BPIN, BPSU, COBS, COBR, COCP, CORT, CORU, EPDE, EPIS, REAL, RERV, REPO, RPDE, RPIN, RPSU, STND
DELI	
Instructed quantity	Sum of instructed settlement quantities of all finalised SIs with securities movement type DELI, per transaction type and sub-category.
Quantity totally settled	Sum of settled settlement quantities of all totally settled SIs with securities movement type DELI, per transaction type and sub-category.
Quantity partially settled	Sum of settled settlement quantities of all partially settled SIs with securities movement type DELI, per transaction type and sub-category.
Quantity partially cancelled	Sum of unsettled settlement quantities of all partially cancelled SIs with securities movement type DELI, per transaction type and sub-category.
Quantity totally cancelled	Sum of unsettled settlement quantities of all totally cancelled SIs with securities movement type DELI, per transaction type and sub-category.
	RECE
Instructed quantity	Sum of instructed settlement quantities of all finalised SIs with securities movement type RECE, per transaction type and sub-category.
Quantity totally settled	Sum of settled settlement quantities of all totally settled SIs with securities movement type RECE, per transaction type and sub-category.
Quantity partially settled	Sum of settled settlement quantities of all partially settled SIs with securities movement type RECE, per transaction type and sub-category.
Quantity partially cancelled	Sum of unsettled settlement quantities of all partially cancelled SIs with securities movement type RECE, per transaction type and sub-category.
Quantity totally cancelled	Sum of unsettled settlement quantities of all totally cancelled SIs with securities movement type RECE, per transaction type and sub-category.



T (1) (		
	Total (across all movement types selected in the filter)	
Instructed quantity	The sum of 'Instructed quantity' over 'DELI' and 'RECE', per transaction type and subcategory.	
Quantity settled (totally + partially)	The sum of 'Quantity totally settled' and 'Quantity partially settled' over 'DELI' and 'RECE', per transaction type and sub-category.	
partially)	NEOL, per transaction type and sub-category.	
Total		
<del>Total</del>	Sum for each column, summed over all transaction type / sub-category combinations.  {CR-847}	

## 6.2.3 SST03 - Follow-up by time slot of securities postings

#### **Context of Usage**

This report shows the securities postings at CSD, CSDP or securities account level, during a selected period of time. The securities postings activity of the specified securities accounts are displayed as volume and quantity of securities for each time slot of the business day with a total per balance type, aggregated per ISIN{CR-847}.

This report can be used by CSD users.

#### **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> SST - T2S Securities account >> SST03






Figure 387 - SST03 Prompt screen



SST03 - Follow	v-up by time slot of securities postings – Prompt Screen
Date From	You can select the date by clicking on the calendar.
	This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.
	For valid report results, the current day cannot be selected.
	This field is mandatory.
Currency	Currency in which the SIs are settled.
	You can use this drop-down field to select the currency.
	This field is mandatory.
Settlement type	Shows the settlement type.
	Possible values:
	I FAMT - Nominal
	I <u>UNIT - Units</u>
	This field is mandatory{CR-847}



Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
Securities account number	You can use this drop-down field to select one or several securities account numbers. This field will show all related securities accounts which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all securities account numbers belonging to the default data scope of the user's party.  This field is optional.
ISIN	The report output contains only settlement instructions with the selected securities.  This field is optional.

				5	S 103 - Sect	ırities account: F	follow-up by	time slot of	secui	rities p	ostings		IAC - Intern	14.56 al User Acceptance
ATFF801 - CSD-AT-Rang	e8 - AB	1 11 07												
Date from 2024 Settlement type FAM	TO-0 1 Date 10, 202-	-11-07												
rities account - Follow-	up by time slot of	ecurities postin	gs											
						Volume						Quantity		
Balance type	Origin	Debit/credit	1st NTS cycle	Last NTS cycle	RT1 before intraday DVP cut- off	RT2 before EOD intraday credit reimbursement	RT3 before EOD intraday FOP cutoff	RT4 after intraday FOP cut-off	1st NTS cycle	Last NTS cycle	RT1 before intraday DVP cut- off	RT2 before EOD intraday credit reimbursement	RT3 before EOD intraday FOP cutoff	RT4 after intrad
	Settlement	Debit	0	2	12	1	9	0	0	4,000	35,000	3,000	24,000	
	instructions	Credit	0	0	5	1	9	0	0	0	15,000	3,000	24,000	
		Total	0	2	17	2	18	0	0	4,000	50,000	6,000	48,000	
	Settlement	Debit	0	0	0	0	0	0	0	0	0	0	0	
armarking for auto- collateralisation	restrictions	Credit	0	0	0	0	0	0	0	0	0	0	0	
Consteraneauon		Total	0	.0	0	0	0	0	0	0	0	0	0	
	Det	it	0	2	12	1	9	0	0	4,000	35,000	3,000	24,000	
	Cres	fit	0	0	5	1	9	0	0	0	15,000	3,000	24,000	
	Total	ıl	0	2	17	2	18	0	0	4,000	50,000	6,000	48,000	
	Settlement	Debit	0	0	0	0	0	0	0	0	0	0	0	
	instructions	Credit	0	0	0	0		0	0	0	0	0	0	
		Total	0	0	0	0	0	0	0	0	0	0	. 0	
	Settlement	Debit	0	0	0	0		0	0	0	0	0	0	
Blocking	restrictions	Credit	0	0	0	0	0	0	0	0	0	0	0	
		Total	.0	0	0	0	0	0	0	0	0	0	0	
	Det		0	0	0	0	0	0	0	0		0	0	
	Crei		0	0	0	0	0	0	0	0	. 0	0	0	
		Debit	0	0	0	0	0	0	0	0	0	0	0	
	Settlement instructions	Credit	.0	0	0	0		0	0	0	0	0	0	
Ser		Total	.0	0	0	0	0	0	0	0	0	0	0	
		Debit	0	0	0	0	0	0	0	0	0	0	0	
	Settlement restrictions	Credit	0	0	0	0		0	0	0	0	0	0	
		Total	0	0	0	0	0	0	0	0	0	0	0	
	Deb		0	0	0	0		0	0	0	0	0	0	
	Cree		0	0	0	0	0	0	0		0	0	0	
	Total		0	0	0	0	0	0	0	0	0	0	0	



	Settlement	Debit	0	2	14	1	10	0	0	2,000	24,000	3,000	25,000	- 31
	instructions	Credit	0	4	21	1	10	0	0	6,000	44,000	3,000	25,000	(
		Total	0	6	35	2	20	0	0	8,000	68,000	6,000	50,000	0
	Settlement	Debit	0	0	0	0	0	0	0	0	0	0	0	0
Deliverable	restrictions	Credit	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	0	0	0	0	0	0	0	0	0
	Debit		0	2	14	1	10	0	0	2,000	24,000	3,000	25,000	0
	Credi	t	0	4	21	1	10	0	0	6,000	44,000	3,000	25,000	0
	Total		0	6	35	2	20	0	0	8,000	68,000	6,000	50,000	0
	Settlement	Debit	0	0	0	0	0	0	0	0	0	0	0	0
	instructions	Credit	0	0	.0	0	0	0	0	0	0	0	0	.0
		Total	0	0	0	0	0	0	0	0	0	0	0	0
	Settlement	Debit	0	0	0	8	0	0	0	0	0	0	0	0
Reservation	restrictions	Credit	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	0	0	0	0	0	0	0	0	0
	Debit		0	0	0	0	0	0	0	0	0	0	0	0
	Credi	t	0	0	0	0	0	0	0	0	0	0	0	0
	Total		0	0	0	0	0	0	0	0	0	0	0	0
	Settlement	Debit	0	0	0	0	0	0	0	0	0	0	0	0
	instructions	Credit	0	0	0	0	0	0	0	0	0	0	0	0
		Total	0	0	0	0	0	0	0	0	0	0	0	0
	Settlement	Debit	0	0	0	0	0	0	0	0	0	0	0	.0
Earmarking	restrictions	Credit	0	0	0	0	0	0	0	0	0	0	.0	0
		Total	0	0	0	0	0	0	0	0	0	0	0	0
	Debit		0	0	0	0	0	0	0	0	0	0	0	0
Credit	t	0	0	0	0	0	0	0	0	0	0	0	0	
	Total		0	0	0	0	0	0	0	0	0	0	0	0
		Debit	0	4	26	2	19	0	0	6,000	59,000	6,000	49,000	0
Total		Credit	0	4	26	2	19	0	0	6,000	59,000	6,000	49,000	0
		Total	0	8	52	4	38	0	0	12,000	118,000	12,000	98,000	0

Figure 388 - SST03 output screen (CR-847)

SST03 – Follow-up by time slot of cash postings – Output Screen				
<u>ISIN</u>	Shows the data of the follow-up by time slot of cash postings aggregated per ISIN			
Balance type	Shows the balance type for which the securities postings are displayed from the possible values:  I Earmarking for auto-collateralisation  I Blocking  I CoSD blocking  I Deliverable  I Reservation  I Earmarking for auto-collateralisation  I Reservation{CR-847}			
Origin	Shows the posting origin for which the securities postings are displayed from the possible values:  Settlement instructions Settlement restrictions Total for all types			
Debit/ Credit	The aggregation within origin of the securities postings on the debited/credited side			
<del>Credit</del>	The aggregation within origin of the securities postings on the credited side			
Total (per balance type / origin)	The sums of 'Volume' and 'Quantity' across 'Debit' and 'Credit' per column, within origin.			
<u>Volume</u>				



Time slots:	The aggregation within debit/credit/total of all securities postings found for each
I 1st NTS cycle	designated time-slot.
•	
I Last NTS cycle	
I RT1 before intraday DVP	
I RT2 before EOD intraday	
credit reimbursement	
I RT3 before EOD intraday  EOP cut-off	
I RT4 after intraday FOP cut-	
<del>off</del>	
1st NTS cycle	The aggregation within debit/credit/total of all securities postings found for each
	designated time-slot.
Last NTS cycle	The aggregation within debit/credit/total of all securities postings found for each
	designated time-slot.
RT1 before intraday DVP cut off	The aggregation within debit/credit/total of all securities postings found for each
	designated time-slot.
RT2 before EOD intraday credit	The aggregation within debit/credit/total of all securities postings found for each
reimbursement	designated time-slot.
RT3 before EOD intraday FOP	The aggregation within debit/credit/total of all securities postings found for each
cut-off	designated time-slot.
RT4 after intraday FOP cut-off	The aggregation within debit/credit/total of all securities postings found for each
	designated time-slot.
<del>Volume</del>	The aggregated number of securities postings are displayed for each balance type,
voidine	origin and debit/credit/total within each of the above time slots.



Quantity	The aggregated quantity of securities postings are displayed for each balance type, origin and debit/credit/total within each of the above time slots.
Total (per balance type):  I Total earmarking I Total blocking I Total COSD blocking I Total deliverable I Total earmarking for autocollateralisation I Total reservation	The sums of 'Volume' and 'Quantity' across 'Debit' and 'Credit' per column, over all origins within balance type.{CR-847}
Total (final)	The sums of 'Volume' and 'Quantity' across 'Debit' and 'Credit' per column, over all balance types.

# 6.3 T2S Instructions (INX)

## 6.3.1 INX01 – Individual settlement detailed report

#### **Context of Usage**

This report shows all finalised business settlement instructions (SI) corresponding to the selected T2S references.

The attributes shown in the output provide business details related to each of the selected settlement instructions and are represented by a button to select the Delivery or Receiver tab for the corresponding perspective. This simplifies the comparison between the instructions. displayed in a manner which allows easy comparison between these instructions. (CR-847)

This report can be used by CSD users.

#### **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> INX - T2S Instructions >> INX01




## INX01 - Individual settlement detailed report - Prompt

Carried State Control of the Control	36:		
T2S actor instruction reference:	930		
(1 mandatory, 2 and 3 optional)			
( I manualory, 2 and 5 optional)			

Figure 389 - INX01 prompt screen

#### **Field Description**

INX01 – Individual settlement detailed report – Prompt Screen							
T2S actor instruction reference	You can use this text box fields to search one or several T2S actor instruction references. This field will show all related references, which belong to the default data scope of the user's party.  One or several references can be entered sequentially but a maximum of 3 may not be exceeded. Otherwise, a respective error screen will be sown.  This first text box field is mandatory.						





ISIN	ATC8AT000018
Account owner BIC	PMBKATFF802
Securities account number	CSDPC8ATPB2002
T2S delivering party securities account number	CSDPC8ATPB2002
T2S receiving party securities account number	CSDPC8AT01001
Securities sub balance type	
Settlement type code	UNIT
Instructed settlement quantity	23
Settled settlement quantity	23
Totally settled settlement quantity	23
Partially settled settlement quantity	0
Partially cancelled settlement quantity	0
Totally cancelled settlement quantity	0
Securities party information	
Delivering depository BIC	CSDYATFF801
T2S delivering party BIC	PMBKATFF802
Delivering settlement party processing reference	
Client of delivering CSD participant BIC	
Client of delivering CSD participant Id	
Client of delivering CSD participant issuer	
Client of delivering CSD participant schema name	
Receiving depository BIC	CSDYATFF801
T2S receiving party BIC	CSDPATFF801
Receiving settlement party processing reference	
Client of receiving CSD participant BIC	
Client of receiving CSD participant Id	
Client of receiving CSD participant issuer	
Client of receiving CSD participant schema name	
Cash information	
Currency code	
Credit/debit code	
Debtor party BIC	
Creditor party BIC	
T2S dedicated cash account number	
Debtor T2S dedicated cash account number	
Creditor T2S dedicated cash account number	
Instructed settlement amount	0.00
Transaction instructed amount	0.00
Matched settlement amount	0.00
Settled amount	0.00
Totally settled settlement amount	0.00
Partially settled settlement amount	0.00
Partially cancelled settlement amount	0.00
Totally cancelled settlement amount	0.00



Trade information	
Trade date	2024-10-29
Original ordered amount	0.00
Original ordered currency	
Number of days accrued	1
CUM/EX indicator	
Deal price value type	
Deal price yielded	
Deal price value rate	0
Deal price value amount	0.00
Deal price value currency	
Foreign exchange unit currrency	
Foreign exchange quoted currrency	
Foreign exchange exchange rate	.0
Foreign exchange resulting amount	0.00
Foreign exchange resulting amount currency	
Place of trade MIC identifier	
Place of trade description	
Market type code	
Market type proprietary Id	
Market type schema name	
Market type issuer name	
Market client side code	
LCMM information	
LCMM approval status	APPR
LCMM sending party short name	CSD-AT-Range8 - AB
LCMM instructing party short name	CSD-AT-Range8 - AB
LCMM execution/final settlement date	2024-10-29 14:42:29.776
LCMM user login name	C8AT09129CSD
LCMM inbound LCMM message ld	2410280540971856
LCMM inbound LCMM message ref	1019090501
LCMM validation starting timestamp	2024-10-28 14:42:29.598
LCMM validation ending timestamp	2024-10-28 14:42:29.680
LCMM entry business date	2024-10-28
POOL instruction counter	
POOL settlement date	
POOL identification	.0

Figure 390 - INX01 output screen(CR-847)



Tota Bassipirati				
INX01 – Individual settlement detailed report – Output Screen  (These columns will be shown for every instruction selected in the prompt screen)				
DELI/RECE	By clicking on the button, the data of the individual settlement can be displayed for either the delivery or the receiver side. (CR-847)			
	Reference information			
T2S actor instruction reference	Shows the reference provided by the T2S actor			
Account servicer reference	Shows the reference provided by the T2S actor when the instruction is sent by an account servicer.			
Account owner reference	Shows the reference provided by the T2S actor when the instruction is sent by an account owner.			
Third party reference	Shows the reference provided by the T2S actor when the instruction is sent by a third party.			
Common reference	Reference provided by the instructing party when the settlement instruction is already – matched or in order to facilitate the matching within T2S.			
Repo reference	Shows the repo reference.			
	Status information			
Instruction overall final status	Shows the final status.			
	Possible values:			
	I "Totally settled"			
	I "Partially settled"			
	i "Totally cancelled"			
Match status	Shows if the settlement instruction is matched with a counterpart settlement instruction.			
	Possible values:			
	I NMAT (unmatched)			
	I MACH (matched)			
Settlement status	Shows the settlement status			
	Possible values:			
	I USET (unsettled)			
	I PSET (partially settled)			
	I SETT (fully settled)			
Cancellation status	Shows the cancellation status			



	Possible values:  I NCAN (not cancelled)  I CANC (cancelled)	
CoSD hold status	Shows the CoSD hold status if the settlement instruction fulfils at least one CoSD rule.  Possible values:  Released On hold	
CSD hold status	Shows the CSD hold status  Possible values:  Released  On hold	
Party hold status	Shows the party hold status  Possible values:  I Released  I On hold	
CSD validation hold status	Shows the CSD validation hold status  Possible values:  I Released  I On hold	
	Timeline information	
Entry date time	Shows the date when the settlement instruction entered the T2S system. Display format is: YYYY-MM-DD hh:mm: ss,sssss	
Intended settlement date	Shows the intended settlement date. Display format is: YYYY-MM-DD	
Actual settlement date	Shows the actual settlement date, if applicable. Display format is: YYYY-MM-DD	
Cancellation date	Shows the date when the settlement instruction was cancelled, if applicable. Display format is: YYYY-MM-DD	
Categorisation information		
Securities movement type code	Shows the direction of movement required by the settlement instruction.  Possible values:  I DELI (deliver)  I RECE (receive)	
Payment type code	Shows if cash settlement is also involved.	



	Possible values:
	I APMT (against payment)
	FREE (free of payment)
Transaction type code	Shows the transaction type code.
	Possible values:
	I DVP (delivery versus payment)
	I DWP (delivery with payment)
	I FOP (free of payment)
	I PFOD (payment freed of delivery)
Settlement transaction category	Shows the transaction category.
	Possible values:
	I COLA (collateral)
	CORE (collateral relocation)
	LQTR (liquidity transfer)
	I REAL (realignment)
	RSMG (restriction management)
	I RESU (restriction use)
	I RCOL (reverse collateral)
	I STND (standard)
	TCAT (technical cash transfer)
	COTF (conditional technical FOP)
Settlement transaction sub-	Shows the transaction sub-category.
category	Possible values:
	I CATR (cash transfer)
	COBS (CoSD blocking position – setup)
	I PLED (pledge)
	I REAL (realignment)
	I REPO (repo)
	I STND (standard)
	I SPLE (sub-pledge)
ISO transaction code	Shows the ISO transaction code.
	Possible values:



- I AUTO (auto-collateralisation)
- I BSBK (buy sell back)
- CLAI (market claim)
- CNCB (cenrl bank collateral operation)
- COLI (collateral in)
- I COLO (collateral out)
- CONV (depository receipt conversion)
- CORP (corporate action)
- FCTA (factor update)
- I INSP (movement of stock)
- I ISSU (depository receipt issue)
- I MKDW (markdown)
- I MKUP (markup)
- I NETT (netting)
- NSYN (non-syndicated)
- OWNE (external account transfer)
- OWNI (internal account transfer)
- I PAIR (pair-off)
- I PLAC (placement)
- I PORT (portfolio move)
- I REAL (realignment)
- I REDI (withdrawal)
- REDM (redemption)
- RELE (depository receipt release cancellation)
- I REPU (repo)
- RODE (return delivery without matching)
- I RPTO (reporting)
- RVPO (reverse repo)
- SBBK (sell buyback)
- I SBRE (borrowing reallocation)
- I SECB (securities borrowing)
- I SECL (securities lending)
- I SLRE (lending reallocation)



	<ul> <li>SUBS (subscription)</li> <li>SYND (syndicate underwriters)</li> <li>TBAC (TBA closing)</li> <li>TRAD (trade)</li> <li>TRPO (tri-party repo)</li> <li>TRVO (tri-party reverse repo)</li> <li>TURN (turnaround)</li> </ul>
Collateral instruction type	Shows the collateral instruction type, if applicable.  Possible values:  I CRDT (credit instruction)  I RMBT (reimbursement collateral instruction)
Collateral type	Shows the collateral type, if applicable.  Possible values:  I CLNT (client collateralisation)  I NCBC (NCB collateralisation)  Securities information
ISIN	Shows the ISIN.
Account owner BIC	Shows the BIC of the securities account owner as per the SI.
Securities account number  T2S delivering party securities account number	Shows the impacted securities account number as per the SI,  Shows the securities account number of the T2S delivering party.
T2S receiving party securities account number	Shows the securities account number of the T2S receiving party.
Securities sub balance type	Shows the securities sub balance type.
Settlement type	Shows the settlement type.  Possible values:  I FAMT (face amount)(nominal)(CR-847)  I UNIT (units)
Instructed settlement quantity	Shows the instructed settlement quantity.
Settled settlement quantity	Shows the settled settlement quantity.
Totally settled settlement quantity	Shows the settled quantity if the SI is fully settled.



Partially settled settlement quantity	Shows the settled quantity if the SI is only partially settled.		
Partially cancelled settlement quantity	Shows the remaining unsettled quantity if the SI is only partially settled		
Totally cancelled settlement quantity	Shows the unsettled quantity if the SI is completely cancelled.		
	Securities party information		
Delivering depository BIC	Shows the BIC of the delivering CSD		
T2S delivering party BIC	Shows the BIC of the T2S delivering party.		
Delivering settlement party processing reference	Shows the processing reference provided in the delivering settlement party information.		
Client of delivering CSD participant BIC	Shows the BIC of the delivering CSD participant's client.		
Client of delivering CSD participant Id	Shows the local identifier of the delivering CSD participant's client.		
Client of delivering CSD participant issuer	Shows the issuer of the local identifier of the delivering CSD participant's client.		
Client of delivering CSD participant schema name	Shows the schema name of the local identifier of the delivering CSD participant's client.		
Receiving depository BIC	Shows the BIC of the receiving CSD.		
T2S receiving party BIC	Shows the BIC of the T2S receiving party.		
Receiving settlement party processing reference	Shows the processing reference provided in the receiving settlement party information.		
Client of receiving CSD participant BIC	Shows the BIC of the receiving CSD participant's client.		
Client of receiving CSD participant Id	Shows the local identifier of the receiving CSD participant's client.		
Client of receiving CSD participant issuer	Shows the issuer of the local identifier of the receiving CSD participant's client.		
Client of receiving CSD participant schema name	Shows the schema name of the local identifier of the receiving CSD participant's client.		
Cash information			
(Please note, that this part will be empty for Settlement Instructions with transaction code = FOP)			



Currency code	Shows the currency code.		
Credit/debit code	Shows if the settlement instruction involves a debit or credit of cash.  Possible values:  CRDT (credit)  DBIT (debit)		
Debtor party BIC	Shows the BIC of the debtor party.		
Creditor party BIC	Shows the BIC of the creditor party.		
T2S dedicated cash account number	Shows the impacted T2S dedicated cash account number.		
Debtor T2S dedicated cash account number	Shows T2S dedicated cash account number being debited.		
Creditor T2S dedicated cash account number	Shows T2S dedicated cash account number being credited.		
Instructed settlement amount	Shows the instructed settlement amount.		
Transaction instructed amount	Shows the instructed amount as per the transaction.		
Matched settlement amount	This is the matched settlement amount for the matched transactions.		
Settled amount	Shows the settled amount.		
Totally settled settlement amount	Shows the settled amount if the SI is fully settled.		
Partially settled settlement amount	Shows the settled amount if the SI is only partially settled		
Partially cancelled settlement amount	Shows the unsettled amount if the SI is only partially settled.		
Totally cancelled settlement amount	Shows the unsettled amount if the SI is fully cancelled.		
Process information			
Cancellation requested	Shows if a cancellation has been requested on the settlement instruction.  Possible values:  I False  I True		
Externally matched	Shows if the settlement instruction was matched outside T2S.  Possible values:		



CoSD flag  Shows the CoSD flag if the settlement instruction belongs to a CoSD group.  Possible values:  I False I True  Partial settlement indicator  Shows the partial settlement indicator.  Possible values:  I NPAR (partial not allowed)  I PART (partial settlement quantity threshold allowed)  I PARQ (partial settlement quantity threshold allowed)  I PARQ (partial allowed)  Priority  Shows the priority.  Possible values:  I 0001 (reserved)  I 0002 (top)  I 0003 (high)  I 0004 (normal)  Allowed modification flag  Shows the allowed modification flag  Possible values:  I False  I True  Corporate action event identification  Opt-out settlement transaction  condition indicator  Shows the opt-out settlement transaction condition indicator.  Possible values:  I False  I True  External CSD flag  Shows whether the relevant depository is an external CSD.  Possible values:		
CoSD flag  Shows the CoSD flag if the settlement instruction belongs to a CoSD group.  Possible values:    False		I False
Possible values:  I False I True  Partial settlement indicator  Shows the partial settlement indicator.  Possible values:  I NPAR (partial not allowed)  I PART (partial settlement cash threshold allowed)  I PARC (partial settlement quantity threshold allowed)  I PARQ (partial allowed)  Priority  Shows the priority.  Possible values:  I 0001 (reserved)  I 0002 (top)  I 0003 (high)  I 0004 (normal)  Allowed modification flag  Possible values:  I False I True  Corporate action event identification  Opt-out settlement transaction condition indicator.  Possible values:  I False I True  External CSD flag  Shows whether the relevant depository is an external CSD.		I True
Partial settlement indicator  Shows the partial settlement indicator.  Possible values:  I NPAR (partial not allowed)  I PART (partial settlement cash threshold allowed)  I PARC (partial settlement quantity threshold allowed)  I PARQ (partial allowed)  Priority  Shows the priority.  Possible values:  I 0001 (reserved)  I 0002 (top)  I 0003 (high)  I 0004 (normal)  Allowed modification flag  Shows the allowed modification flag  Possible values:  I False  I True  Corporate action event identification  Opt-out settlement transaction condition indicator.  Possible values:  I False  I True  External CSD flag  Shows whether the relevant depository is an external CSD.	CoSD flag	Shows the CoSD flag if the settlement instruction belongs to a CoSD group.
Partial settlement indicator  Shows the partial settlement indicator.  Possible values:  I NPAR (partial not allowed)  I PART (partial settlement cash threshold allowed)  I PARC (partial settlement quantity threshold allowed)  I PARQ (partial allowed)  Priority  Shows the priority.  Possible values:  I 0001 (reserved)  I 0002 (top)  I 0003 (high)  I 0004 (normal)  Allowed modification flag  Possible values:  I False  I True  Corporate action event identification  Opt-out settlement transaction condition indicator.  Possible values:  I False  I True  External CSD flag  Shows whether the relevant depository is an external CSD.		Possible values:
Partial settlement indicator  Shows the partial settlement indicator.  Possible values:    NPAR (partial not allowed)   PART (partial settlement cash threshold allowed)   PARC (partial settlement quantity threshold allowed)   PARQ (partial allowed)  Priority  Shows the priority.  Possible values:   0001 (reserved)   0002 (top)   0003 (high)   0004 (normal)  Allowed modification flag  Possible values:   False   True  Corporate action event identification  Opt-out settlement transaction condition indicator  Possible values:   False   True  External CSD flag  Shows whether the relevant depository is an external CSD.		I False
Possible values:  I NPAR (partial not allowed)  I PART (partial settlement cash threshold allowed)  I PARQ (partial settlement quantity threshold allowed)  I PARQ (partial allowed)  Priority  Shows the priority.  Possible values:  I 0001 (reserved)  I 0002 (top)  I 0003 (high)  I 0004 (normal)  Allowed modification flag  Shows the allowed modification flag  Possible values:  I False  I True  Corporate action event identification  Opt-out settlement transaction  condition indicator  Shows the opt-out settlement transaction condition indicator.  Possible values:  I False  I True  External CSD flag  Shows whether the relevant depository is an external CSD.		I True
NPAR (partial not allowed)   PART (partial settlement cash threshold allowed)   PARC (partial settlement quantity threshold allowed)   PARQ (partial allowed)   PARQ (partial allowed)   PARQ (partial allowed)   PARQ (partial allowed)   Partial settlement quantity threshold allowed)   Partial settlement quantity threshold allowed)   Partial settlement quantity threshold allowed)   PARQ (partial allowed)   PARQ (partial settlement quantity threshold allowed)   PARQ (partial settlement)   PARQ (partial settlement quantity threshold allowed)   PARQ (partial settlement)   PARQ (partial settlemen	Partial settlement indicator	Shows the partial settlement indicator.
PART (partial settlement cash threshold allowed)   PARC (partial settlement quantity threshold allowed)   PARQ (partial allowed)   PARQ (partial allowed)   PARQ (partial allowed)   Parcial allowed (partial allowed)   Priority		Possible values:
PARC (partial settlement quantity threshold allowed)  Priority  Shows the priority.  Possible values:    0001 (reserved)   0002 (top)   0003 (high)   0004 (normal)  Allowed modification flag  Shows the allowed modification flag  Possible values:    False   True  Corporate action event identification  Opt-out settlement transaction condition indicator  Possible values:    False   True  External CSD flag  Shows whether the relevant depository is an external CSD.		I NPAR (partial not allowed)
Priority  Shows the priority.  Possible values:    0001 (reserved)   0002 (top)   0003 (high)   0004 (normal)  Allowed modification flag  Shows the allowed modification flag  Possible values:    False   True  Corporate action event identification identification  Opt-out settlement transaction condition indicator  Possible values:    False   True  External CSD flag  Shows whether the relevant depository is an external CSD.		PART (partial settlement cash threshold allowed)
Priority  Shows the priority.  Possible values:    0001 (reserved)   0002 (top)   0003 (high)   0004 (normal)  Allowed modification flag  Shows the allowed modification flag  Possible values:   False   True  Corporate action event identification  Opt-out settlement transaction condition indicator  Possible values:   False   True  Shows the opt-out settlement transaction condition indicator.  Possible values:   False   True  External CSD flag  Shows whether the relevant depository is an external CSD.		PARC (partial settlement quantity threshold allowed)
Possible values:    0001 (reserved)     0002 (top)     0003 (high)     0004 (normal)    Allowed modification flag    Shows the allowed modification flag    Possible values:    False     True    Corporate action event identification if the SI relates to a corporate action dentification    Opt-out settlement transaction condition indicator    Possible values:    False     True    External CSD flag    Shows whether the relevant depository is an external CSD.		I PARQ (partial allowed)
0001 (reserved)	Priority	Shows the priority.
I 0002 (top) I 0003 (high) I 0004 (normal)  Allowed modification flag  Shows the allowed modification flag  Possible values: I False I True  Corporate action event identification if the SI relates to a corporate action.  Opt-out settlement transaction  Condition indicator  Shows the opt-out settlement transaction condition indicator.  Possible values: I False I True  External CSD flag  Shows whether the relevant depository is an external CSD.		Possible values:
I 0003 (high) I 0004 (normal)  Allowed modification flag  Shows the allowed modification flag  Possible values: I False I True  Corporate action event identification if the SI relates to a corporate action.  Opt-out settlement transaction  Condition indicator  Shows the opt-out settlement transaction condition indicator.  Possible values: I False I True  External CSD flag  Shows whether the relevant depository is an external CSD.		I 0001 (reserved)
Allowed modification flag  Shows the allowed modification flag  Possible values:    False   True  Corporate action event identification if the SI relates to a corporate action.  Opt-out settlement transaction condition indicator  Opt-out settlement transaction condition indicator.  Possible values:    False   True  External CSD flag  Shows whether the relevant depository is an external CSD.		I 0002 (top)
Allowed modification flag  Shows the allowed modification flag  Possible values:  I False I True  Corporate action event identification if the SI relates to a corporate action.  Opt-out settlement transaction  Opt-out settlement transaction  Condition indicator  Shows the opt-out settlement transaction condition indicator.  Possible values:  I False I True  External CSD flag  Shows whether the relevant depository is an external CSD.		I 0003 (high)
Possible values:    False		I 0004 (normal)
False	Allowed modification flag	Shows the allowed modification flag
Corporate action event Shows the corporate action event identification if the SI relates to a corporate action.  Opt-out settlement transaction Condition indicator  Shows the opt-out settlement transaction condition indicator.  Possible values:    False   True  External CSD flag  Shows whether the relevant depository is an external CSD.		Possible values:
Corporate action event identification Shows the corporate action event identification if the SI relates to a corporate action.  Opt-out settlement transaction condition indicator  Possible values:    False   True  External CSD flag  Shows whether the relevant depository is an external CSD.		I False
Opt-out settlement transaction Condition indicator  Shows the opt-out settlement transaction condition indicator.  Possible values:  I False I True  External CSD flag  Shows whether the relevant depository is an external CSD.		I True
condition indicator  Possible values:  I False  I True  External CSD flag  Shows whether the relevant depository is an external CSD.		Shows the corporate action event identification if the SI relates to a corporate action.
Fossible values.  I False I True  External CSD flag  Shows whether the relevant depository is an external CSD.	Opt-out settlement transaction	Shows the opt-out settlement transaction condition indicator.
True  External CSD flag  Shows whether the relevant depository is an external CSD.	condition indicator	Possible values:
External CSD flag Shows whether the relevant depository is an external CSD.		I False
		I True
Possible values:	External CSD flag	Shows whether the relevant depository is an external CSD.
		Possible values:
False		False
True		True



Original/counterpart instruction	Shows whether it is the original instruction or the identifier of the counterpart's instructions.			
Link instruction counter	Shows the number of instructions linked to this settlement instruction.			
	Trade information			
Trade date	Shows the trade date of the settlement instruction. Display format is: YYYY-MM-DD			
Original ordered amount	Shows the original ordered amount in the original currency when a conversion from/into another currency has occurred.			
Original ordered currency	Shows the original ordered currency when a conversion from/into another currency has occurred.			
Number of days accrued	Shows the number of days for which interest has accrued.			
CUM/EX indicator	Shows whether the contract was traded cum or ex coupon			
	Possible values:			
	CUM (cum coupon)			
	I EX (ex coupon)			
Deal price value type	Shows the type of value in which the price of the traded financial instrument is expressed.			
	Possible values:			
	I DISC (discount)			
	I PREM (premium)			
	I PARV (par or face amount)			
Deal price yielded	Shows whether the price is expressed as a yield.			
	Possible values:			
	I False			
	I True			
Deal price value rate	Shows the deal price value expressed as a rate or percentage when not expressed as an amount.			
Deal price value amount	Shows the deal price value expressed as an amount when not expressed as a rate.			
Deal price value currency	Shows the deal price value currency when not expressed as a rate.			
Foreign exchange unit currrency	Shows the currency in which the rate of exchange is expressed in a currency exchange.			
Foreign exchange quoted currrency	Shows the currency into which the base currency is converted in a currency exchange.			



Foreign exchange exchange rate{CR-847}	Shows the factor for the currency exchange.			
Foreign exchange resulting amount	Shows the amount resulting from the currency exchange.			
Foreign exchange resulting amount currency	Shows the currency of the amount resulting from the currency exchange.			
Place of trade MIC identifier	Shows the market identifier code of the place of trade.			
Place of trade description	Shows the description of the place of trade.			
Market type code	Shows the market type code.			
Market type proprietary Id	Shows the proprietary id of the market type when not using the ISO market type code.			
Market type schema name	Shows the schema name associated with the proprietary id of the market type when not using the ISO market type code.			
Market type issuer name	Shows the issuer name associated with the proprietary id of the market type when not using the ISO market type code.			
Market client side code	Shows the market side code.  Possible values:  I CLNT (client side transaction)  I MAKT (market side transaction)			
	LCMM information			
LCMM approval status	Shows the LCMM approval status.  Possible values:  I APPR (approved (default value))  I AWAP (awaiting approval)  I REJT (rejected)  I RVKD (revoked)			
LCMM sending party short name	Shows the sending party short name			
LCMM instructing party short name	Shows the instructing party short name			
LCMM execution/final settlement date	Shows the business date when the SI is totally settled.  Displayed format is: YYYY-MM-DD.			
LCMM user login name	Shows the login name of the LCMM user.			



LCMM inbound LCMM message Id	Shows the foreign key of the LCMM inbound message id.				
LCMM inbound LCMM message ref	Shows the reference of the LCMM inbound message.				
LCMM validation starting timestamp	Shows the LCMM validation starting timestamp.  Display format is: YYYY-MM-DD hh:mm:ss,sssss				
LCMM validation ending timestamp	Shows the LCMM validation ending timestamp.				
	Displayed format is:  YYYY-MM-DD hh:mm:ss,sssss				
LCMM entry business date	Shows the LCMM entry business date.  Displayed format is: YYYY-MM-DD				
POOL instruction counter	Shows the number of instructions that make up a pool as identified on the settlement instruction.				
POOL settlement date	Shows the pool settlement date.  Displayed format is: YYYY-MM-DD				
POOL identification	Shows the reference identifying a pool as found on the settlement instruction.				

## 6.3.2 INX02 - Multi-criteria search of a set of settlement instructions

#### **Context of Usage**

This report shows a list of details for selected finalised business settlement instructions (SI), which it performs in two levels. In the first level, the report produces a list of SIs corresponding to user-supplied filter criteria. In the second level, the user may select one SI from the list and the detailed report provides a full list of attributes of the selected SI.

The attributes shown in the detailed report output provide business details related to the selected SI.

This report can be used by CSD users.

#### **Report Access**

This report can be reached in the following way:

I Content >> Team Content >> T2S >> Predefined Reports >> INX - T2S Instructions >> INX02






Figure 391 - INX02 pre-selection screen




INX02 - Multi-criteria search of a set of settlement instructions - Pre-selection screen			
Choose data object			
	(one of both objects has to be chosen)		
Party BIC	Provides fields for searching securities party BICs or cash party BICs in the next screen		
Account number	Provides fields for searching for securities account numbers or cash account numbers in the next screen		



Additional search criteria			
(both objects are optional)			
Quantity of securities	Provides fields for searching different quantity ranges in the next screen		
Amounts	Provides fields for searching different amount ranges in the next screen		








	✓ Case Insensitive		Select all Deselect a
	FAMT		
Settlement type:	UNIT		
	DKK		
Settlement currency code:	EUR		
	DELI		
Securities movement type code:	RECE		
	DVP		
	DWP		
Transaction type code:	FOP		
	PFOD		
	Prob		
		<b>A</b>	
	COLA		
Settlement transaction category:	CORE		
Settlement transaction category.	LQTR		
	REAL	▼	
	CATR	<u> </u>	
	COBS		
Settlement transaction sub-category:	PLED		
	REAL	•	
	APPR		
	AWAP		
LCMM approval status:	REJT		
	RVKD		
	USET		
	PSET		
Settlement status:	SETT		



Cancellation status:	NCAN CANC
Range criteria	From
Entry date:	Nov 12, 2024
Intended settlement date:	Nov 12, 2024
Instructed quantity:	
Settled quantity:	
Cancelled quantity:	
Cancel < Back	Next > Finish

Figure 392 - INX02 prompt screen - Party BIV(CR-847)







	Case inscrisitive
	FAMT
Settlement type:	UNIT
	DKK
Settlement currency code:	EUR
	DELI
Securities movement type code:	RECE
	The Control of the Co
	DVP
Transaction type code:	DWP
Transaction type code.	FOP
	PFOD
	COLA
	CORE
Settlement transaction category:	LQTR
	REAL ▼
	CATR
	COBS
Settlement transaction sub-category:	PLED
	REAL 🔻
	APPR
	AWAP
LCMM approval status:	REJT
	RVKD
	USET
	PSET
Settlement status:	SETT
	0211
	NOW
Cancellation status:	NCAN
	CANC





Figure 393 - INX02 prompt screen - Account Number (CR-847)

INX02 – Multi-criteria search of a set of settlement instructions – Prompt Screen	
	Displayed fields when selecting Party BIC(CR-847)
Securities party BIC	Filter to select which securities party BIC (CSDs, CSD participants or ECSDs) value/s should be included in the output.
Cash party BIC	Filter to select which cash party BIC (NCB or payment bank) value/s should be included in the output.
Dis	splayed fields when selecting Account number (CR-847)
Securities account number	Filter to select which securities account number value/s should be included in the output.
T2S DCA number	Multiple selection text field to enter T2S DCA number value/s that should be included in the output.
ISIN	Filter to select which ISIN value/s should be included in the output.
Settlement type	Filter to select which settlement type value/s should be included in the output. Possible values:  I NOML-FAMT - Nominal
	I UNIT - Units(CR-847)
Settlement currency code	The report output contains only settlement instructions with the selected settlement currency codes.
Securities movement type code	Filter to select which securities movement type code value/s should be included in the output. Possible values:  I DELI
	I RECE
Transaction type code	Filter to select which transaction type code value/s should be included in the output.  Possible values:



	I DVP
	I DWP
	I FOP
	I PFOD
Settlement transaction category	Filter to select which settlement transaction category value/s should be included in the output.
	Possible values:
	I COLA
	I CORE
	I LQTR
	I REAL
	I RSMG
	I RESU
	I RCOL
	I STND
	I TCAT
	I COTF
Settlement transaction sub-	Filter to select which settlement transaction sub-category value/s should be included in
category	the output.
	Possible values:
	I CATR
	I COBS
	I PLED
	I REAL
	I REPO
	I STND
	I SPLE
LCMM approval status	Filter to select which LCMM approval status value/s should be included in the output.
	Possible values:
	I APPR
	I AWAP
	I REJT
	I RVKD



Settlement status	Filter to select which settlement status value/s should be included in the output.  Possible values:  USET  PSET  SETT
Cancellation status	Filter to select which cancellation status value/s should be included in the output.  Possible values:  I NCAN  I CANC
Entry date from	Filter to select the inclusive date from which entry date value/s should be included in the output.  Must be used in conjunction with:  I entry date to
Entry date to	Filter to select the inclusive date up to which entry date value/s should be included in the output.  Must be used in conjunction with:  I entry date from
Intended settlement date from	Filter to select the inclusive date from which intended settlement date value/s should be included in the output.  Must be used in conjunction with:  I intended settlement date to
Intended settlement date to	Filter to select the inclusive date up to which intended settlement date value/s should be included in the output.  Must be used in conjunction with:  I intended settlement date from
The following criteria are onl	y shown in case that "Quantity of securities" was chosen as additional search criteria
Instructed quantity from	Filter to select the inclusive quantity from which instructed quantity value/s should be included in the output.



	Must be used in conjunction with:  I instructed quantity to
Instructed quantity to	Filter to select the inclusive quantity up to which instructed quantity value/s should be included in the output.
	Must be used in conjunction with:  I instructed quantity from
Settled quantity from	Filter to select the inclusive quantity from which settled quantity value/s should be included in the output.
	Must be used in conjunction with:  I settled quantity to
Settled quantity to	Filter to select the inclusive quantity up to which settled quantity value/s should be included in the output.
	Must be used in conjunction with:  I settled quantity from
Cancelled quantity from	Filter to select the inclusive quantity from which cancelled quantity value/s should be included in the output.
	Must be used in conjunction with:  I cancelled quantity to
Cancelled quantity to	Filter to select the inclusive quantity up to which cancelled quantity value/s should be included in the output.
	Must be used in conjunction with:  I cancelled quantity from
The following criteria are only shown in case that "Amounts" was chosen as additional search criteria	
Instructed amount from	Filter to select the inclusive amount from which instructed amount value/s should be included in the output.
	Must be used in conjunction with:
	I instructed amount to



Instructed amount to	Filter to select the inclusive amount up to which instructed amount value/s should be included in the output.
	Must be used in conjunction with:  I instructed amount from
Settled amount from	Filter to select the inclusive amount from which settled amount value/s should be included in the output.
	Must be used in conjunction with:  I settled amount to



Settled amount to	Filter to select the inclusive amount up to which settled amount value/s should be included in the output.
	Must be used in conjunction with:  Settled amount from
Cancelled amount from	Filter to select the inclusive amount from which cancelled amount value/s should be included in the output.
	Must be used in conjunction with:
	wast be asea in conjunction with.
	cancelled amount to
Cancelled amount to	Filter to select the inclusive amount up to which cancelled amount value/s should be included in the output.
	Must be used in conjunction with:
	I cancelled amount from




Figure 394 - INX02 list screen(CR-847)



INX02 – Multi-criteria search of a set of settlement instructions – List Screen		
Number of settlement instructions	Shows the number of settlement instructions found matching the criteria	
(For each instruction matching the sele	ection criteria, one line will be displayed)	
T2S actor instruction reference	Shows the reference provided by the T2S actor  The reference is built as a hyperlink which leads to the output details screen when clicked.	
Securities movement type code	Shows the direction of movement required by the settlement instruction.  Possible values:  I DELI (deliver)  I RECE (receive)	
Payment type code	Shows if cash settlement is also involved.  Possible values:  I APMT (against payment)  I FREE (free of payment)	
Intended settlement date	Shows the intended settlement date.	
Actual settlement date	Shows the actual settlement date.	
Cancellation date	Shows the date when the settlement instruction was cancelled. Display format is: YYYY-MM-DD	
Match status	Shows if the settlement instruction is matched with a counterpart settlement instruction.  Possible values:  NMAT (unmatched)  MACH (matched)	
Settlement status	Shows the settlement status  Possible values:  I USET (unsettled)  I PSET (partially settled)  I SETT (fully settled)	
Cancellation status	Shows the cancellation status	



ISIN <del>code</del> Settlement type	Possible values:  I NCAN (not cancelled)  I CANC (cancelled)  Shows the ISIN.  Shows the settlement type.  Possible values:  I NOMI FAMT (nominal)
Original-Instructed settlement quantity	I UNIT (units)  Shows the instructed original settlement quantity.{CR-847}
Settled settlement quantity	Shows the settled settlement quantity.
Currency code	Shows the currency code.
Credit/debit code	Shows if the settlement instruction involves a debit or credit of cash.  Possible values:  I CRDT (credit)  I DBIT (debit)
Instructed settlement amount	Shows the instructed settlement amount.
Matched settlement amount	Shows the matched amount as per the matching process
Settled settlement amount	Shows the settled settlement amount.
Transaction type code	Shows the transaction type code.  Possible values:  I DVP (delivery versus payment)  I DWP (delivery with payment)  I FOP (free of payment)  I PFOD (payment freed of delivery)
Settlement transaction category	Shows the transaction category.  Possible values:  I COLA (collateral)  I CORE (collateral relocation)  I LQTR (liquidity transfer)  I REAL (realignment)



	I RSMG (restriction management)
	I RESU (restriction use)
	I RCOL (reverse collateral)
	I STND (standard)
	I TCAT (technical cash transfer)
	I COTF (conditional technical FOP)
Settlement transaction sub-category	Shows the transaction sub-category.
	Possible values:
	I CATR (cash transfer)
	COBS (CoSD blocking position – setup)
	I PLED (pledge)
	I REAL (realignment)
	I REPO (repo)
	I STND (standard)
	I SPLE (sub-pledge)
ISO transaction code	Shows the ISO transaction code.
	Possible values:
	I AUTO (auto-collateralisation)
	I BSBK (buy sell back)
	I CLAI (market claim)
	I CNCB (cenrl bank collateral operation)
	I COLI (collateral in)
	I COLO (collateral out)
	I CONV (depository receipt conversion)
	I CORP (corporate action)
	FCTA (factor update)
	I INSP (movement of stock)
	I ISSU (depository receipt issue)
	I MKDW (markdown)
	I MKUP (markup)
	I NETT (netting)
	I NSYN (non-syndicated)



	I OWNE (external account transfer)
	I OWNI (internal account transfer)
	I PAIR (pair-off)
	I PLAC (placement)
	I PORT (portfolio move)
	I REAL (realignment)
	REDI (withdrawal)
	I REDM (redemption)
	RELE (depository receipt release cancellation)
	I REPU (repo)
	RODE (return delivery without matching)
	I RPTO (reporting)
	I RVPO (reverse repo)
	I SBBK (sell buyback)
	SBRE (borrowing reallocation)
	I SECB (securities borrowing)
	I SECL (securities lending)
	I SLRE (lending reallocation)
	I SUBS (subscription)
	I SYND (syndicate underwriters)
	I TBAC (TBA closing)
	I TRAD (trade)
	I TRPO (tri-party repo)
	I TRVO (tri-party reverse repo)
	I TURN (turnaround)
CSD BIC	Shows the BIC of the related CSD
CSD participant BIC	Shows the BIC of the T2S participant.
Securities account number	Shows the impacted securities account number as per the SI,



NCB BIC	Shows the parent party BIC of the payment bank (if applicable)
Payment bank BIC	Shows the BIC of the cash account owner (if applicable)
T2S DCA number	Shows the T2S cash account used for settlement (if applicable)



Status information	structions - details 2410021315270003
Multi-criteria search of a set of settlement inst  Reference information  T2S actor instruction reference  Status information	
Reference information T2S actor instruction reference Status information	
T2S actor instruction reference Status information	2410021315270003
Status information	2410021315270003
Match status	MACH
Settlement status	SETT
Cancellation status	NCAN
CoSD hold status	Released
CSD hold status	Released
CSD validation hold status	Released
Party hold status	Released
Timeline information	
Entry date time	2024-10-02 13:15:51.000
Intended settlement date	2024-10-03
Actual settlement date	2024-10-03
Cancellation date	
Categorisation information	
Securities movement type code	DELI
Payment type code	FREE
Transaction type code	FOP
Settlement transaction category	STND
	STND
ISO transaction code	TRAD
Securities information	
ISIN	ATC8AT000018
Securities account number	CSDPC8ATPB2002
Settlement type	UNIT
Instructed settlement quantity	23
Settled settlement quantity	23
	0
Securities party information	
	CSDYATFF801
CSD participant BIC PMBKATFF802	
External CSD BIC	
Cash information	
Currency code	
Credit/debit code	
T2S DCA number	
	0.00
	0.00
	0.00
	0.00



Cash party information	
NCB BIC	
Payment bank BIC	
Process information	
Priority	
Externally matched	True
Trade information	
Trade date	2024-10-03
LCCM information	
LCCM approval status	APPR

00060664 - Range8 CSD-AT

Figure 395 - INX02 details screen(CR-847)

INX02 – Multi-criteria search of a set of settlement instructions – Details Screen		
Reference information		
T2S actor instruction reference	Shows the reference provided by the T2S actor	
Status information		
Match status	Shows if the settlement instruction is matched with a counterpart settlement instruction.  Possible values:  I NMAT (unmatched)  I MACH (matched)	
Settlement status	Shows the settlement status  Possible values:  I USET (unsettled)  I PSET (partially settled)  I SETT (fully settled)	
Cancellation status	Shows the cancellation status	



	Possible values:  NCAN (not cancelled)  CANC (cancelled)	
CoSD hold status	Shows the CoSD hold status if the settlement instruction fulfils at least one CoSD rule.  Possible values:  Released On hold	
CSD hold status	Shows the CSD hold status  Possible values:  I Released  I On hold	
CSD validation hold status	Shows the CSD validation hold status  Possible values:  I Released  I On hold	
Party hold status	Shows the party hold status  Possible values:  I Released  I On hold	
	Timeline information	
Entry date	Shows the date when the settlement instruction entered the T2S system. Display format is: YYYY-MM-DD	
Intended settlement date	Shows the intended settlement date. Display format is: YYYY-MM-DD	
Actual settlement date	Shows the actual settlement date, if applicable. Display format is: YYYY-MM-DD	
Cancellation date	Shows the date when the settlement instruction was cancelled, if applicable. Display format is: YYYY-MM-DD	
Categorisation information		
Securities movement type code	Shows the direction of movement required by the settlement instruction.  Possible values:    DELI (deliver)    RECE (receive)	
Payment type code	Shows if cash settlement is also involved.	



	Possible values:
	I APMT (against payment)
	FREE (free of payment)
Transaction type code	Shows the transaction type code.
	Possible values:
	I DVP (delivery versus payment)
	DWP (delivery with payment)
	FOP (free of payment)
	I PFOD (payment freed of delivery)
Settlement transaction category	Shows the transaction category.
	Possible values:
	I COLA (collateral)
	CORE (collateral relocation)
	LQTR (liquidity transfer)
	I REAL (realignment)
	RSMG (restriction management)
	I RESU (restriction use)
	RCOL (reverse collateral)
	I STND (standard)
	TCAT (technical cash transfer)
	COTF (conditional technical FOP)
Settlement transaction sub-	Shows the transaction sub-category.
category	Possible values:
	CATR (cash transfer)
	COBS (CoSD blocking position – setup)
	I PLED (pledge)
	I REAL (realignment)
	I REPO (repo)
	STND (standard)
	SPLE (sub-pledge)
ISO transaction code	Shows the ISO transaction code.
	Possible values:



- I AUTO (auto-collateralisation)
- I BSBK (buy sell back)
- I CLAI (market claim)
- I CNCB (cenrl bank collateral operation)
- I COLI (collateral in)
- I COLO (collateral out)
- CONV (depository receipt conversion)
- I CORP (corporate action)
- FCTA (factor update)
- I INSP (movement of stock)
- I ISSU (depository receipt issue)
- MKDW (markdown)
- I MKUP (markup)
- NETT (netting)
- NSYN (non-syndicated)
- OWNE (external account transfer)
- OWNI (internal account transfer)
- I PAIR (pair-off)
- I PLAC (placement)
- I PORT (portfolio move)
- I REAL (realignment)
- I REDI (withdrawal)
- I REDM (redemption)
- RELE (depository receipt release cancellation)
- I REPU (repo)
- I RODE (return delivery without matching)
- I RPTO (reporting)
- RVPO (reverse repo)
- SBBK (sell buyback)
- I SBRE (borrowing reallocation)
- I SECB (securities borrowing)
- I SECL (securities lending)
- I SLRE (lending reallocation)



	I SUBS (subscription)
	I SYND (syndicate underwriters)
	I TBAC (TBA closing)
	I TRAD (trade)
	I TRPO (tri-party repo)
	I TRVO (tri-party reverse repo)
	I TURN (turnaround)
	Securities information
ISIN	Shows the ISIN.
Securities account number	Shows the impacted securities account number as per the SI,
Settlement type	Shows the settlement type.
	Possible values:
	I NOMI (nominal)
	I UNIT (units)
Original Instructed settlement quantity{CR-847}	Shows the original settlement quantity.
Settled settlement quantity	Shows the settled settlement quantity.
Cancelled settlement quantity	Shows the unsettled quantity if the SI is not completely settled.
	Securities party information
CSD BIC	Shows the BIC of the CSD
CSD participant BIC	Shows the BIC of the CSD participant.
External CSD BIC	Shows the BIC of the external CSD (ECSD)
	Cash information
(Please note, that th	is part will be empty for Settlement Instructions with transaction code = FOP)
Currency code	Shows the currency code.
Credit/debit code	Shows if the settlement instruction involves a debit or credit of cash.
	Possible values:
	I CRDT (credit)
	I DBIT (debit)
T2S dedicated cash account number	Shows the impacted T2S dedicated cash account number.



Instructed settlement amount Shows the instructed settlement amount.		
Matched settlement amount{CR-847}	Shows the matched amount as per the matching process	
Settled settlement amount	Shows the settled settlement amount.	
Cancelled settlement amount	Shows the cancelled amount if the SI is not completely settled.	
	Cash party information	
NCB BIC	Shows the BIC of the national central bank.	
Payment bank BIC	Shows the BIC of the payment bank.{CR-847}	
Process information		
Priority	Shows the priority.	
	Possible values:	
	I 0001 (reserved)	
	I 0002 (top)	
	I 0003 (high)	
	I 0004 (normal)	
Externally matched	Shows if the settlement instruction was matched outside T2S.	
	Possible values:	
	I False I True	
Trade information		



Trade date	Shows the trade date of the settlement instruction. Display format is: YYYY-MM-DD
	LCMM information
LCMM approval status	Shows the LCMM approval status.
	Possible values:
	I APPR (approved (default value))
	I AWAP (awaiting approval)
	I REJT (rejected)
	I RVKD (revoked)

### 6.3.3 INX03 – Individual restriction detailed report

#### **Context of Usage**

This report shows all finalised business settlement restrictions (SR) corresponding to the selected T2S references.

The attributes shown in the output provide business details related to each of the selected settlement restrictions and are displayed in a manner which allows easy comparison between these instructions.

This report can be used by CSD and CB users.

#### **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> INX - T2S Instructions >> INX03



Figure 396 - INX03 prompt screen



INX03 – Individual restriction detailed report – Prompt Screen	
T2S actor instruction reference	You can use this text box field to search one or several T2S actor instruction references. This field will show all related references, which belong to the default data scope of the user's party.  One or several references can be entered sequentially but a maximum of 3 may not be exceeded. Otherwise, a respective error screen will be shown.  This first text box field is mandatory.

# **Screenshot**



INX03 - Individual restrictions detailed report

Filters T2S actor instruction reference: 230405-ATPB2-1:

Reference information	
T2S actor instruction reference	230405-ATPB2-1
Account servicer reference	
Account owner reference	
Third party reference	
Status information	
Restriction overall final status	Totally settled
Settlement status	SETT
Cancellation status	NCAN
Timeline information	
Creation date	2023-04-06
Entry date time	2023-04-05 16:14:59.640
Intended settlement date	2023-04-06
Actual settlement date	2023-04-06
Cancellation date	
Categorisation information	
Movement type	SCTY
Collateral instruction type	
Balance from	AWAS
Balance to	RESA
Restriction processing type from	Deliverable
Restriction processing type to	Reservation
Securities information	
ISIN code	ATC8AT000018
Account owner BIC	PMBKATFF802
Securities account number	CSDPC8ATPB2001
Settlement type	UNIT
Settlement quantity	111
Settled settlement quantity	111
Totally settled settlement quantity	111
Partially settled settlement quantity	
Partially cancelled settlement quantity	
Totally cancelled settlement quantity	
Cash information	
Currency code	
T2S dedicated cash account number	
Settlement amount	
Settled settlement amount	
Totally settled settlement amount	
Partially settled settlement amount	
Partially cancelled settlement amount	
Totally cancelled settlement amount	



Process information	
CoSD blocking	F
Priority	
Corporate action event identification	
Collateral flag	
End of day restriction release	
Linked instructions counter	
LCMM information	
LCMM approval status	APPR
LCCM sending party short name	PB2-AT as CSDP-AT Range8 - AB
LCCM instructing party short name	PB2-AT as CSDP-AT Range8 - AB
LCMM execution/final settlement date	2023-04-06
LCMM user login name	
LCMM inbound LCMM message Id	2304050525874322
LCMM inbound LCMM message ref	900000001928982
LCMM validation starting timestamp	2023-04-05 16:14:59.509
LCMM validation ending timestamp	2023-04-05 16:14:59.635
LCMM entry business date	2023-04-05
POOL party short name	
POOL instruction counter	0
POOL settlement date	
POOL identification	0

Figure 397 - INX03 output screen

INX03 – Individual restriction detailed report – Output Screen		
(These columns will be shown for every instruction selected in the prompt screen)		
Reference information		
T2S actor instruction reference	Shows the reference provided by the T2S actor	
Account servicer reference	Shows the reference provided by the T2S actor when the restriction is sent by	
Account Servicer reference	an account servicer.	



Account owner reference	Shows the reference provided by the T2S actor when the restriction is sent by an account owner.
Third party reference	Shows the reference provided by the T2S actor when the restriction is sent by a third party.
	Status information
Restriction overall final status	Shows the final status.  Possible values:  I "Totally settled"  I "Partially settled"  I "Totally cancelled"
Settlement status	Shows the settlement status  Possible values:  USET (unsettled)  PSET (partially settled)  SETT (fully settled)
Cancellation status	Shows the cancellation status  Possible values:  I NCAN (not cancelled)  I CANC (cancelled)
	Timeline information
Creation date	Shows the date when the settlement restriction was created. Display format is: YYYY-MM-DD
Entry date time	Shows the date when the settlement restriction entered T2S. Display format is: YYYY-MM-DD hh:mm: ss,sssss
Intended settlement date	Shows the intended settlement date.  Display format is: YYYY-MM-DD
Actual settlement date	Shows the actual settlement date. Display format is: YYYY-MM-DD
Cancellation date	Shows the date when the settlement restriction was cancelled. Display format is: YYYY-MM-DD
Categorisation information	
Movement type	Shows the movement type of the settlement restriction.  Possible values:



	I CASH (restriction of cash)
	I SCTY (restriction of securities)
Collateral instruction type	Shows the collateral instruction type.
	Possible values:
	I CRDT (credit instruction)
	I RMBT (reimbursement collateral instruction)
Balance from	Shows the balance type from which securities or cas are moved
Balance to	Shows the balance type to which securities or cash are moved
Restriction processing type from	Shows the restriction processing type from which the cash/securities are debited/delivered.
	Possible values:
	I Rejection
	I CSD Validation Hold
	I Reservation
	I Blocking
	I Balance Type/Earmarking
	l Earmarking for Auto-collateralisation
	I Deliverable
	I Collateralised
	I CoSD Blocking
Restriction processing type to	Shows the restriction processing type to which the cash/securities are credited/received.
	Possible values:
	I Rejection
	I CSD Validation Hold
	I Reservation
	I Blocking
	I Balance Type/Earmarking
	l Earmarking for Auto-collateralisation
	I Deliverable
	I Collateralised
	I CoSD blocking



Securities information  (This part will only be filled in case of settlement restrictions on securities)	
ISIN	Shows the ISIN.
Account owner BIC	Shows the BIC of the securities account owner as per the SR.
Securities account number	Shows the impacted securities account number as per the SR.
Settlement type	Shows the settlement type.  Possible values:
	I FAMT (face amount) (nominal) (CR-847)  I UNIT (units)
Settlement quantity	Shows the entered settlement quantity.
Settled settlement quantity	Shows the settled settlement quantity.
Totally settled settlement quantity	Shows the settled quantity if the SR is fully settled.
Partially settled settlement quantity	Shows the settled quantity if the SR is only partially settled.
Partially cancelled settlement quantity	Shows the remaining unsettled quantity if the SR is only partially settled
Totally cancelled settlement quantity	Shows the unsettled quantity if the SR is completely cancelled.
	Cash information
(This part wil	I only be filled in case of settlement restrictions on cash)
Currency code	Shows the currency code.
T2S dedicated cash account number	Shows the impacted T2S dedicated cash account number.
Settlement amount	Shows the settlement amount.
Settled settlement amount	Shows the settled settlement amount.
Totally settled settlement amount	Shows the settled amount if the SR is fully settled.
Partially settled settlement amount	Shows the settled amount if the SR is only partially settled.
Partially cancelled settlement amount	Shows the remaining unsettled amount if the SR is only partially settled
Totally cancelled settlement amount	Shows the unsettled amount if the SR is completely cancelled.
	Process information
CoSD blocking	Process information  Shows whether the restriction relates to a CoSD blocking.
CoSD blocking	
CoSD blocking	Shows whether the restriction relates to a CoSD blocking.



Priority	Shows the priority.
	Possible values:
	I 0001 (reserved)
	I 0002 (top)
	I 0003 (high)
	I 0004 (normal)
Corporate action event identification	Shows the corporate action event identification if the SR relates to a corporate action.
Collateral flag	Shows whether the restriction relates to collateral.
	Possible values:
	I False
	I True
Linked instructions counter	Shows the number of instructions linked to this settlement restriction.
	LCMM information
LCMM approval status	Shows the LCMM approval status.
	Possible values:
	I APPR (approved (default value))
	I AWAP (awaiting approval)
	I REJT (rejected)
	I RVKD (revoked)
LCMM sending party short name	Shows the sending party short name
LCMM instructing party short name	Shows the instructing party short name
LCMM execution/final settlement date	Shows the business date when the SR is totally settled.
	Displayed format is : YYYY-MM-DD.
LCMM user login name	Shows the login name of the LCMM user.
LCMM inbound LCMM message Id	Shows the foreign key of the LCMM inbound message id.
LCMM inbound LCMM message ref	Shows the reference of the LCMM inbound message.
LCMM validation starting timestamp	Shows the LCMM validation starting timestamp.
	Display format is: YYYY-MM-DD hh:mm:ss,sssss
LCMM validation ending timestamp	Shows the LCMM validation ending timestamp.
	Displayed format is:



	YYYY-MM-DD hh:mm:ss,sssss
LCMM entry business date	Shows the LCMM entry business date.
	Displayed format is: YYYY-MM-DD
POOL party short name	Shows the short name of the party
POOL instruction counter	Shows the number of instructions that make up a pool as identified on the settlement restriction.
POOL settlement date	Shows the pool settlement date.  Displayed format is: YYYY-MM-DD
POOL identification	Shows the reference identifying a pool as found on the settlement instruction.

#### 6.3.4 INX04 – Multi-criteria search of a set of settlement restrictions

#### **Context of Usage**

This report shows a list of details for selected finalised business settlement restrictions (SR), which it performs on two levels. In the first level, the report produces a list of SRs corresponding to user-supplied filter criteria. In the second level, the user may select one SR from the list and the detailed report provides a full list of attributes for the selected SR.

The attributes shown in the detailed report output provide business details related to the selected SR.

This report can be used by CB and CSD users.

### **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> INX - T2S Instructions >> INX04



Figure 398 - INX04 pre-selection screen 1 (CSD User login)






Figure 399 - INX04 - pre selection screen 1 (CB User login) (CR-847)

INX04 – Multi-criteria search of a set of settlement restrictions – Pre-selection screen		
Choose data object		
	(one of both objects has to be chosen)	
Party BIC	Provides fields for searching securities party BICs or cash party BICs in the next screen	
Account number	Provides fields for searching for securities account numbers or cash account numbers in the next screen	



Additional search criteria	
(both objects are optional)	
Quantity of securities	Provides fields for searching different quantity ranges in the next screen
Amounts	Provides fields for searching different amount ranges in the next screen




Figure 400 - INX04 prompt screen 2 (CSD User login) - Party BIC (CR-847)






Figure 401 - INX04 prompt screen 2 (CSD User login) - Account number (CR-847)






Figure 402 - INX04 - prompt screen 2 (CB User login) - Party BIC (CR-847)






Figure 403 - INX04 - prompt screen 2 (CB User login) - Account number (CR-847)

INX04 – Multi-criteria search of a set of settlement restrictions – Prompt Screen		
Displayed fields when selecting Party BIC (CR-847)		
Securities party BIC	Filter to select which securities party BIC (CSDs, CSD participants or ECSDs) value/s should be included in the output.	



Cash party BIC	Filter to select which cash party BIC (NCB or payment bank) value/s should be included in the output.
<u>Displaye</u>	ed fields when selecting Account number (CR-847)
Securities account number	Filter to select which securities account number value/s should be included in the output.
T2S DCA number	Multiple selection text field to enter T2S DCA number that should be included in the output.
Settlement status	Filter to select which settlement status value/s should be included in the output.  Possible values:  USET  PSET  SETT
Cancellation status	Filter to select which cancellation status value/s should be included in the output.  Possible values:  I NCAN  I CANC
Entry date from	Filter to select the inclusive date from which entry date value/s should be included in the output.  Must be used in conjunction with:  I entry date to
Entry date to	Filter to select the inclusive date up to which entry date value/s should be included in the output.  Must be used in conjunction with:  I entry date from
Intended settlement date from	Filter to select the inclusive date from which intended settlement date value/s should be included in the output.  Must be used in conjunction with:
	I intended settlement date to



Intended actives and the	
Intended settlement date to	Filter to select the inclusive date up to which intended settlement date value/s should be included in the output.
	Chould be included in the edipate
	Must be used in conjunction with:
	intended settlement date from
The fellowing with a second	
The following criteria are only	shown in case that "Quantity of securities" was chosen as additional search criteria
Instructed quantity from	Filter to select the inclusive quantity from which instructed quantity value/s
	should be included in the output.
	Must be used in conjunction with:
	I instructed quantity to
Instructed quantity to	Filter to select the inclusive quantity up to which instructed quantity value/s
	should be included in the output.
	Must be used in conjunction with:
	I instructed quantity from
Settled quantity from	Filter to select the inclusive quantity from which settled quantity value/s should
	be included in the output.
	March by a consider a continuous state with a
	Must be used in conjunction with:
	settled quantity to
Settled quantity to	Filter to select the inclusive quantity up to which settled quantity value/s should
	be included in the output.
	Must be used in conjunction with:
	settled quantity from
Cancelled quantity from	Filter to select the inclusive quantity from which cancelled quantity value/s
	should be included in the output.
	Must be used in conjunction with:
	Must be used in conjunction with:
	cancelled quantity to
Cancelled quantity to	Filter to select the inclusive quantity up to which cancelled quantity value/s
	should be included in the output.



	Must be used in conjunction with:
	I cancelled quantity from
The following criteria are only	shown in case that "Amounts" was chosen as additional search criteria
Instructed amount from	Filter to select the inclusive amount from which instructed amount value/s should be included in the output.
	Must be used in conjunction with:  I instructed amount to
Instructed amount to	Filter to select the inclusive amount up to which instructed amount value/s should be included in the output.
	Must be used in conjunction with:  I instructed amount from
Settled amount from	Filter to select the inclusive amount from which settled amount value/s should be included in the output.
	Must be used in conjunction with:
	I settled amount to



Settled amount to	Filter to select the inclusive amount up to which settled amount value/s should be included in the output.
	Must be used in conjunction with:
	I settled amount from
Cancelled amount from	Filter to select the inclusive amount from which cancelled amount value/s should be included in the output.
	Must be used in conjunction with:  cancelled amount to
Cancelled amount to	Filter to select the inclusive amount up to which cancelled amount value/s should be included in the output.
	Must be used in conjunction with:  I cancelled amount from




Figure 404 - INX04 list screen (CR-847)

INX04 – Multi-criteria search of a set of settlement restrictions – List Screen		
Number of settlement restrictions	Shows the number of settlement restrictions found matching the criteria	
(For each restriction matching the selection criteria, one line will be displayed)		
T2S actor instruction reference	Shows the reference provided by the T2S actor	
	The reference is built as a hyperlink which leads to the output details screen	
	when clicked.	
Intended settlement date	Shows the intended settlement date.	
	Display format is: YYYY-MM-DD	



Actual settlement date	Shows the actual settlement date.
Settlement status	Shows the settlement status
	Possible values:
	I USET (unsettled)
	I PSET (partially settled)
	I SETT (fully settled)
Cancellation status	Shows the cancellation status
	Possible values:
	I NCAN (not cancelled)
	I CANC (cancelled)
ISIN code	Shows the ISIN
Instructed quantity	Shows the entered settlement quantity.
Settled quantity	Shows the settled settlement quantity.
Currency	Shows the currency code
Instructed Original amount (CR-847)	Shows the settlement amount.
Settled amount	Shows the settled settlement amount.
Transaction type code	Shows the transaction type of the settlement restriction.
	Possible values:
	I SRCA (settlement restriction on cash)
	I SRSE (settlement restriction on securities)
CSD BIC	Shows the BIC of the CSD
Account owner BIC	Shows the BIC of the securities account owner as per the SR.
Securities account number	Shows the impacted securities account number as per the SR.



NCB BIC	Shows the parent party BIC of the payment bank (if applicable)
Payment bank BIC	Shows the BIC of the payment bank (if applicable)
T2S dedicated cash account number	Shows the impacted T2S dedicated cash account number.




Figure 405 - INX04 details screen - Party BIC(CR-847)

INX04 – Multi-criteria search of a set of settlement restrictions – Details Screen		
Reference information		
T2S actor instruction reference	Shows the reference provided by the T2S actor	
Status information		
Settlement status	Shows the settlement status	
	Possible values:	
	I USET (unsettled)	
	I PSET (partially settled)	
	I SETT (fully settled)	



Cancellation status	Shows the cancellation status		
	Possible values:		
	I NCAN (not cancelled)		
	I CANC (cancelled)		
	Timeline information		
Entry date time	Shows the date when the settlement instruction entered the T2S system.  Display format is: YYYY-MM-DD hh:mm:ss,sssss		
Intended settlement date	Shows the intended settlement date. Display format is: YYYY-MM-DD		
Actual settlement date	Shows the actual settlement date, if applicable. Display format is: YYYY-MM-DD		
Cancellation date	Shows the date when the settlement instruction was cancelled, if applicable.  Display format is: YYYY-MM-DD		
	Categorisation information		
Movement type	Shows the movement type of the settlement restriction.		
	Possible values:		
	I CASH (restriction on cash)		
	I SCTY (restriction on securities)		
Restriction processing type from	Shows the restriction processing type from which the cash/securities are debited/delivered.		
	Possible values:		
	I Rejection		
	I CSD Validation Hold		
	I Reservation		
	I Blocking		
	I Balance Type/Earmarking		
	l Earmarking for Auto-collateralisation		
	I Deliverable		
	I Collateralised		
	I CoSD Blocking		
Restriction processing type to	Shows the restriction processing type to which the cash/securities are		
	credited/received.		
	Possible values:		
	I Rejection		



	I CSD Validation Hold	
	Reservation	
	I Blocking	
	Balance Type/Earmarking	
	Earmarking for Auto-collateralisation	
	l Deliverable	
	I Collateralised	
	I CoSD blocking	
Transaction type code	Shows the transaction type of the settlement restriction.	
	Possible values:	
	SRCA (settlement restriction on cash)	
	SRSE (settlement restriction on securities)	
Securities information		
(Please note, the	hat this part will only be filled for restrictions on securities)	
ISIN	Shows the ISIN.	
Securities account number	Shows the impacted securities account number as per the SI,	
Settlement type	Shows the settlement type.	
	Possible values:	
	FAMT (face amount) (nominal) (CR-847)	
	I UNIT (units)	
Instructed quantity	Shows the instructed settlement quantity.	
Settled quantity	Shows the settled settlement quantity.	
Cancelled quantity	Shows the unsettled quantity if the SI is not completely settled.	
Securities party information{CR-847}		
CSD BIC	Shows the BIC of the CSD	
CSD participant BIC	Shows the BIC of the CSD participant.	
External CSD BIC	Shows the BIC of the external CSD (ECSD)	
Cash information		
(Please note, that this part will only be filled for restrictions on cash)		
Currency code	Shows the currency code.	
T2S dedicated cash account number	Shows the impacted T2S dedicated cash account number.	



Instructed amount	Shows the instructed settlement amount.	
Settled amount	Shows the settled settlement amount.	
Cancelled amount	Shows the cancelled amount if the SR did not reach full settlement.	
NCB BIC	Shows the parent party BIC of the payment bank (if applicable)	
Payment bank BIC	Shows the BIC of the payment bank	
	Process information	
CoSD blocking	Shows whether the restriction relates to a CoSD blocking.  Possible values:  I False  I True	
Priority	Shows the priority.  Possible values:  I 0001 (reserved)  I 0002 (top)  I 0003 (high)  I 0004 (normal)	
LCMM information		
LCMM approval status	Shows the LCMM approval status.  Possible values:  I APPR (approved (default value))  I AWAP (awaiting approval)  I REJT (rejected)  I RVKD (revoked)	

# 6.3.5 INX05 – Liquidity transfers

## **Context of Usage**

This report shows the cash activity for all finalised liquidity transfers (LT) at CB, PB or T2S dedicated cash account level, during a selected period of time. The volume of finalised liquidity transfers per transaction category / transaction sub-category / underlying transfer type, together with the aggregated instructed and actual settled values, are shown.

This report can be used by CB users.




### **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> INX - T2S Instructions >> INX05







# INX05 prompt screen

INX05 – Liquidity transfers – Prompt Screen		
Date From	You can select the date by clicking on the calendar.	
	This field is mandatory.	
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.	
	This field is mandatory.	



Currency	You can use this drop-down field to select the currency.  This field is mandatory.
Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
T2S DCA number	You can use this drop-down field to select one or several T2S DCA numbers. This field will show all related T2S DCAs, which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all T2S DCA numbers belonging to the default data scope of the user's party.  This field is optional.




Figure 406 - INX05 output screen



INX05 – Liquidity transfers – Output Screen	
Inbound liquidity transfers	
Transaction category	Shows the transaction category of the liquidity transfer.  Possible values are:  LQTR  TCAT
Transaction sub-category	Shows the transaction sub-category of the liquidity transfer.  Possible values are:  LOTR  LTAC  ALOP  CARL  MPOR
Underlying transfer type	Shows the underlying transfer type of the liquidity transfer.  Possible values are:  Standing Predefined Immediate
Totally settled	A count of all finalised inbound LTs which have been totally settled, per transaction category / transaction sub-category / underlying transaction type.
Partially settled	A count of all finalised inbound LTs which have been only partially settled, per transaction category / transaction sub-category / underlying transaction type.
Totally cancelled	A count of all finalised inbound LTs which have been totally cancelled (ie. no settlement at all), per transaction category / transaction sub-category / underlying transaction type.
Value of transfers	Sum of the instructed transfer amounts of all finalised inbound LTs, per transaction category / transaction sub-category / underlying transaction type.



Value actually transferred	Sum of the actual settled amounts of all finalised outbound LTs, per transaction category / transaction sub-category / underlying transaction type.
	Outbound liquidity transfers
Transaction category	Shows the transaction category of the liquidity transfer.  Possible values are:  LQTR  TCAT  STND
Transaction sub-category	Shows the transaction sub-category of the liquidity transfer.  Possible values are:  I EDLT  I LQTR  I LTAC  I ALOP  I CARL  I MPOR  I STND
Underlying transfer type	Shows the underlying transfer type of the liquidity transfer.  Possible values are:  Standing Predefined Immediate
Totally settled	A count of all finalised outbound LTs which have been totally settled, per transaction category / transaction sub-category / underlying transaction type.
Partially settled	A count of all finalised outbound LTs which have been only partially settled, per transaction category / transaction subcategory / underlying transaction type.
Totally cancelled	A count of all finalised outbound LTs which have been totally cancelled (ie. no settlement at all), per transaction category / transaction sub-category / underlying transaction type.



Value of transfers	Sum of the original instructed transfer amounts of all finalised outbound LTs, per transaction category / transaction sub-category / underlying transaction type.
Value actually transferred	Sum of the actual settled amounts of all finalised outbound LTs, per transaction category / transaction sub-category / underlying transaction type.
	Internal liquidity transfers
Transaction category	Shows the transaction category of the liquidity transfer.  Possible values are:  I LQTR  I TCAT
Transaction sub-category	Shows the transaction sub-category of the liquidity transfer.  Possible values are:  I EDLT  I LQTR  I LTAC  I ALOP  I CARL  I MPOR
Underlying transfer type	Shows the underlying transfer type of the liquidity transfer.  Possible values are:  Standing Predefined Immediate
Totally settled	A count of all finalised internal LTs which have been totally settled, per transaction category / transaction sub-category / underlying transaction type.
Partially settled	A count of all finalised internal LTs which have been only partially settled, per transaction category / transaction sub-category / underlying transaction type.
Totally cancelled	A count of all finalised internal LTs which have been totally cancelled (ie. no settlement at all), per transaction category / transaction sub-category / underlying transaction type.



Value of transfers	Sum of the original instructed transfer amounts of all finalised internal LTs, per transaction category / transaction sub-category / underlying transaction type.
Value actually transferred	Sum of the actual settled amounts of all finalised internal LTs, per transaction category / transaction sub-category / underlying transaction type.
	Total
Transaction category	Shows the transaction category of the liquidity transfer.  Possible values are:  LQTR TCAT STND
Transaction sub-category	Shows the transaction sub-category of the liquidity transfer.  Possible values are:  I EDLT  I LQTR  I LTAC  I ALOP  I CARL  I MPOR  I STND
Underlying transfer type	Shows the underlying transfer type of the liquidity transfer.  Possible values are:  Standing Predefined Immediate
Totally settled	Sum of all totally settled measures across all transfer types, per transaction category / transaction sub-category / underlying transaction type.
Partially settled	Sum of all partially settled measures across all transfer types, per transaction category / transaction sub-category / underlying transaction type.



Totally cancelled	Sum of all totally cancelled measures across all transfer types, per transaction category / transaction sub-category / underlying transaction type.
Value of transfers	Sum of all value of transfers measures across all transfer types, per transaction category / transaction sub-category / underlying transaction type.
Value actually transferred	Sum of all value actually transferred measures across all transfer types, per transaction category / transaction sub-category / underlying transaction type.

#### 6.3.6 INX06 – Multi-criteria search of a set of business cancellations

#### **Context of Usage**

This report shows a list of details for selected business cancellation instructions (CI), which it performs on two levels. In the first level, the report produces a list of CIs corresponding to user-supplied filter criteria. In the second level, the user may select one CI from the list and the detailed report provides a full list of attributes for the selected CI.

The attributes shown in the detailed report output provide business details related to the selected CI.

This report can be used by CB and CSD users.

#### **Report Access**

This report can be reached in the following way:

I Content >> Team Content >> T2S >> Predefined Reports >> INX - T2S Instructions >> INX06





Figure 407 - INX06 pre-selection screen



INX06 – Multi-criteria search of a set of business cancellations – Pre-selection screen	
Choose data object	
	(one of both objects has to be chosen)
Party BIC	Provides fields for searching securities party BICs or cash party BICs in the next screen
Account number	Provides fields for searching for securities account numbers or cash account numbers in the next screen



Additional search criteria	
(both objects are optional)	
Quantity of securities	Provides fields for searching different quantity ranges in the next screen
Amounts	Provides fields for searching different amount ranges in the next screen








Figure 408 - INX06 prompt screen 2 - Party BIC (CR-847)




Figure 409 - INX06 prompt screen- 2 (CSD User login) - Account Number(CR-847)






Figure 410 - INX06 prompt screen- 2 (CB User login) - Account Number (CR-847)

INX06 – Multi-criteria se	earch of a set of business cancellations – Prompt Screen
Displayed fields when selecting Party BIC(CR-847)	
Securities party BIC	Filter to select which securities party BIC (CSDs, CSD
	participants or ECSDs) value/s should be included in the output.
Cash party BIC	Filter to select which cash party BIC (NCB or payment bank) value/s should be included in the output.
Displayed fields when selecting Account Number(CR-847)	
Securities account number	Filter to select which securities account number value/s should be included in the output.



T2S DCA number	Multiple selection text field to enter T2S DCA number value/s that should be included in the output.
Referenced instruction type	Filter to select which referenced instruction types should be included in the output.
	Possible values:
	I STIN (Settlement instruction)
	I STRN (Settlement restriction)
Approval status	Filter to select which approval status value/s should be included in the output.
	Possible values:
	I APPR (Approved)
	I AWAP (Awaiting approval)
	I REJT (Rejected)
	I RVKD (Revoked)
Execution status	Filter to select which execution status value/s should be included in the output.
	Possible values:
	I EXCD (Executed)
	I NEXD (Not executed)
Entry date from	Filter to select the inclusive date from which entry date value/s
	should be included in the output.
	Must be used in conjunction with:
	I entry date to
Entry date to	Filter to select the inclusive date up to which entry date value/s should be included in the output.
	Must be used in conjunction with:
	I entry date from
The following criteria are only shown in case that "Quantity of securities" was chosen as additional search criteria	
Instructed settlement quantity	Filter to select the inclusive quantity from which instructed
from	settlement quantity value/s should be included in the output.



	Must be used in conjunction with:	
	I instructed settlement quantity to	
Instructed settlement quantity to	Filter to select the inclusive quantity up to which instructed settlement quantity value/s should be included in the output.	
	Must be used in conjunction with:	
	I instructed settlement quantity from	
The following criteria are only	The following criteria are only shown in case that "Amounts" was chosen as additional search	
	criteria	
Instructed settlement amount	Filter to select the inclusive amount from which instructed	
from	settlement amount value/s should be included in the output.	
	Must be used in conjunction with:	
	instructed settlement amount to	
Instructed settlement amount to	Filter to select the inclusive amount up to which instructed	
	settlement amount value/s should be included in the output.	
	Must be used in conjunction with:	
	I instructed settlement amount from	



Figure 411 - INX06 list screen (CR-847)

INX06 – Multi-criteria search of a set of business cancellations – List Screen		
Number of business cancellation	Shows the number of cancellation instructions found matching the criteria	
(For each cancellation matching the selection criteria, one line will be displayed)		



Underlying T2S instruction reference	Shows the T2S reference of the settlement instruction or settlement restriction.
Entry date time	Shows the date and time the cancellation instruction entered T2S.  Displayed format is: YYYY-MM-DD hh:mm:ss
	The value displayed in the report differs from the view in the T2S GUI. This is a technical entry timestamp and it takes place between Entry (according to the GUI) and Execution (according to the GUI).
LCMM approval status	Shows the LCMM approval status.
	Possible values:
	APPR (approved (default value))
	AWAP (awaiting approval)
	I REJT (rejected)
	RVKD (revoked)
Execution status	Shows the execution status of the cancellation instruction.
	Possible values:
	I EXCD (executed)
	I NEXD (not executed)
Instructed settlement quantity	Shows the instructed quantity of the securities of the underlying instruction in units or face amount.
Instructed settlement amount	Shows the instructed amount of the underlying instruction in the instruction's currency.
Referenced instruction type	Shows the type of the referenced instruction:
	Possible values:
	STIN (settlement instruction)
	STRN (settlement restriction)
CSD <u>BIC</u> <del>Id</del>	Shows the BIC of the CSD
CSD participant BIC Id{CR-847}	Shows the BIC of the CSD participant
Securities account number	Shows the securities account number of the underlying instruction.
NCB BIC	Shows the parent party BIC of the payment bank (if applicable)
Payment bank BIC	Shows the BIC of the payment bank (if applicable)



T2S dedicated cash account	Shows the T2S dedicated cash account number of the underlying
number	instruction.
Securities account number	Shows the impacted securities account number as per the SR.
NCB BIC	Shows the parent party BIC of the payment bank (if applicable)
Payment bank BIC	Shows the BIC of the payment bank (if applicable)




Figure 412 - INX06 details screen (CR-847)

INX06 - Multi-criteria search of a set of business cancellations - Details Screen		
Reference information		
Underlying T2S instruction reference	Shows the T2S reference of the settlement instruction or the settlement restriction.	
Status information		
Execution status	Shows the execution status of the cancellation instruction.  Possible values:  I EXCD (executed)  I NEXD (not executed)	
Match status	Shows the matching status of the cancellation instruction.	



	Possible values:
	I MACH (matched)
	I NMAT (unmatched)
Cancellation status	Shows the cancellation status of the cancellation instruction.
	Possible values:
	I DEND (denied)
	I NDEN (not denied)
	Timeline information
Entry date time	Shows the date and time the cancellation instruction entered T2S.
	Displayed format is: YYYY-MM-DD hh:mm:ss
	The value displayed in the report differs from the view in the T2S GUI. This is a
	technical entry timestamp and it takes place between Entry (according to the GUI) and Execution (according to the GUI).
Execution date time	Shows the execution date time of the cancellation instruction. (CR-847)
	Displayed format is: YYYY-MM-DD
	Categorisation information
Cancellation instruction type	Shows the type of cancellation.
	Possible values:
	PTYC (party cancellation)
	CSDC (CSD cancellation)
	I COSD (CoSD cancellation)
Referenced instruction type	Shows the type of the referenced instruction:
	Possible values:
	I STIN (settlement instruction)
	I STRN (settlement restriction)
	Securities information
(Please note, that this par	t will not be filled for cancellations for settlement restrictions on cash)
ISIN	Shows the ISIN.
Securities account number	Shows the securities account number of the underlying instruction.
Securities account number  Settlement type code	Shows the securities account number of the underlying instruction.  Shows the settlement type.



	I UNIT (units)		
Instructed settlement quantity	Shows the instructed quantity of the securities of the underlying instruction in units or face amount.		
CSD BIC	Shows the BIC of the CSD		
CSD participant BIC	Shows the BIC of the CSD participant		
External CSD BIC	Shows the BIC of the external CSD		
	Cash information		
(Please note, that this part will not be filled for cancellations for restrictions on securities or for cancellations for settlement instructions "FOP")			
Currency code	Shows the currency code.		
T2S dedicated cash account number	Shows the T2S dedicated cash account number of the underlying instruction.		
Instructed settlement amount	Shows the instructed amount of the underlying instruction in the instruction's currency.		
NCB BIC	Shows the BIC of the NCB		
Payment bank BIC	Shows the BIC of the payment bank		
Process information			
Reason code reference	Shows the reason code reference of the cancellation instruction.		



Externally matched	Shows if the instruction is already matched or not when it enters T2S.  Possible values:  True (already matched outside T2S)  False (unmatched)
	LCMM information
LCMM approval status	Shows the LCMM approval status.  Possible values:  I APPR (approved (default value))  I AWAP (awaiting approval)  I REJT (rejected)  I RVKD (revoked)

# 6.3.7 INX07 – Multi-criteria search of a set of amendment instructions

#### **Context of Usage**

This report shows a list of details for selected amendment instructions (AI), which it performs on two levels. In the first level, the report produces a list of AIs corresponding to user-supplied filter criteria. In the second level, the user may select one AI from the list and the detailed report provides a full list of attributes for the selected AI

The attributes shown in the detailed report output provide business details related to the selected AI.

This report can be used by CB and CSD users.

# **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> INX - T2S Instructions >> INX07






Figure 413 - INX07 pre-selection screen

INX07 - Multi-criteria search of a set of amendment instructions - Pre-selection screen	
Choose data object	
	(one of both objects has to be chosen)
Party BIC	Provides fields for searching securities party BICs or cash party BICs in the next screen
Account number	Provides fields for searching for securities account numbers or cash account numbers in the next screen



Additional search criteria	
	(both objects are optional)
Quantites	Provides fields for searching different quantity ranges in the next screen
Amounts	Provides fields for searching different amount ranges in the next screen










Figure 414 - INX07 prompt screen 2 - Party BIC(CR-847)






Figure 415 - INX07 prompt screen 2- (CSD User login)- Account number(CR-847)






Figure 416 - INX07 prompt screen 2- (CB User login)- Account number(CR-847)



INX07 – Multi-criteria search of a set of amendment instructions – Prompt Screen	
<u>Displ</u>	ayed fields when selecting Party BIC(CR-847)
Securities party BIC	Filter to select which securities party BIC (CSDs, CSD participants or ECSDs) value/s should be included in the output.
Cash party BIC	Filter to select which cash party BIC (NCB or payment bank) value/s should be included in the output.
<u>Displaye</u>	d fields when selecting Account number (CR-847)
Securities account number	Filter to select which securities account number value/s should be included in the output.
T2S DCA number	Multiple selection text field to enter T2S DCA number value/s that should be included in the output.
Referenced instruction type	Filter to select which referenced instruction types should be included in the output.  Possible values:  I STIN (Settlement instruction)  I STRN (Settlement restriction)
Partial settlement indicator	Filter to select which partial settlement indicator value/s should be included in the output.  Possible values:  I NPAR  I PART  I PARC  I PARQ
Priority	Filter to select which priority value/s should be included in the output.  Possible values:  I 0001  I 0003  I 0004
Approval status	Filter to select which approval status value/s should be included in the output.  Possible values:  I APPR I AWAP



	I REJT
	I RVKD
Execution status	Filter to select which execution status value/s should be included in the output.  Possible values:  I EXCD  I NEXD
Entry date time from	Filter to select the inclusive date from which entry date value/s should be included in the output.
	Must be used in conjunction with:  I entry date time to
Entry date time to	Filter to select the inclusive date up to which entry date value/s should be included in the output.
	Must be used in conjunction with:  I entry date time from
The following criteria are only show	n in case that "Quantity of securities" was chosen as additional search criteria
Instructed settlement quantity from	Filter to select the inclusive quantity from which instructed settlement quantity value/s should be included in the output.
	Must be used in conjunction with:  I instructed settlement quantity to
Instructed settlement quantity to	Filter to select the inclusive quantity up to which instructed settlement quantity value/s should be included in the output.
	Must be used in conjunction with:  I instructed settlement quantity from



The following criteria are only shown in case that "Amounts" was chosen as additional search criteria	
Instructed settlement amount from	Filter to select the inclusive amount from which instructed settlement amount value/s should be included in the output.
	Must be used in conjunction with:  I instructed settlement amount to
Instructed settlement amount to	Filter to select the inclusive amount up to which instructed settlement amount value/s should be included in the output.
	Must be used in conjunction with:  I instructed settlement amount from




Figure 417 - INX07 list screen (CR-847)

INX07 - Multi-criteria search of a set of amendment instructions - List Screen	
Number of amendment instructions	Shows the number of amendment instructions found matching the criteria
(For each amendment ins	truction matching the selection criteria, one line will be displayed)
Underlying T2S instruction reference	Shows the underlying T2S reference of the settlement instruction or settlement restriction.
Entry date time	Shows the date and time the amendment instruction entered T2S.  Displayed format is: YYYY-MM-DD hh:mm:ss:µsµsµsµsµsµs
Approval status	Shows the matching status of the amendment instruction.  Possible values:
	I APPR (Approved)  I AWAP (Awaiting approval)



	I REJT (Rejected)
	I RVKD (Revoked)
Execution status	Shows the execution status of the amendment instruction.
	Possible values:
	I EXCD (executed)
	I NEXD (not executed)
Instructed settlement quantity	Shows the instructed quantity of securities of the underlying instruction in units or face amount.
Instructed settlement amount	Shows the instructed amount of the underlying instruction in the instruction's currency.
Referenced instruction type	Shows the type of instruction of the referenced instruction:
	Possible values:
	I STIN (settlement instruction)
	I STRN (settlement restriction)
Partial settlement indicator	Shows if the amendment instruction allows partial settlement and indicates the threshold type.
	Possible values:
	I NPAR (partial not allowed
	I PART (partial allowed
	I PARC (partial settlement cash threshold allowed)
	I PARQ (partial settlement quantity threshold allowed)
Priority	Shows the priority of the amendment instruction from the possible values:
,	I 0001 (Reserved)
	I 0002 (Top)
	I 0003 (High)
	I 0004 (Normal)
Securities party BIC	Shows the BIC of the securities account owner.
Coounties party DIO	Chomo the Die of the securities account OWHEL.



Securities account number	Shows the securities account number of the underlying instruction.
Cash party BIC	Shows the BIC of the cash account owner.
T2S dedicated cash account number	Shows the T2S dedicated cash account number of the underlying instruction.




Figure 418 - INX07 details screen (CR-847)

INX07 – Multi-criteria search of a set of amendment instructions – Details Screen		
Reference information		
Underlying T2S instruction reference	Shows the T2S reference of the settlement instruction or the settlement restriction.	
Status information		
Execution status	Shows the execution status of the amendment instruction.  Possible values:  LEXCD (executed)	



	I NEXD (not executed)	
Approval status	Shows the matching status of the amendment instruction.	
	Possible values:	
	I APPR (Approved)	
	I AWAP (Awaiting approval)	
	I REJT (Rejected)	
	I RVKD (Revoked)	
Cancellation status	Shows the cancellation status of the amendment instruction.	
	Possible values:	
	I DEND (denied)	
	I NDEN (not denied)	
Timeline information		
Entry date time	Shows the date and time the amendment instruction entered T2S.	
	Displayed format is: YYYY-MM-DD hh:mm:ss,sssss	
Execution date time	Shows the execution date time of the amendment instruction. (CR-847)	
	Displayed format is: YYYY-MM-DD	
	Categorisation information	
Referenced instruction type	Shows the type of the referenced instruction:	
	Possible values:	
	I STIN (settlement instruction)	
	I STRN (settlement restriction)	
Securities information		
(Please note, that this par	rt will not be filled for cancellations for settlement restrictions on cash)	
ISIN	Shows the ISIN.	
Securities account number	Shows the securities account number of the underlying instruction.	
Settlement type code	Shows the settlement type.	
	Possible values:	
	I FAMT (face amout) (nominal) (CR-847)	
	I UNIT (units)	
Instructed settlement quantity	Shows the instructed quantity of the securities of the underlying instruction in	
	units or face amount.	



CSD BIC	Shows the BIC of the CSD
CSD participant BIC	Shows the BIC of the CSD participant
External CSD BIC	Shows the BIC of the external CSD
	Cash information
(Please note, that this part will not	be filled for cancellations for restrictions on securities or for cancellations for settlement instructions "FOP")
Currency code	Shows the currency code.
T2S dedicated cash account number	Shows the T2S dedicated cash account number of the underlying instruction.
Instructed settlement amount	Shows the instructed amount of the underlying instruction in the instruction's currency.
NCB BIC	Shows the BIC of the NCB
Payment bank BIC	Shows the BIC of the payment bank
	Process information
Priority	Shows the priority of the amendment instruction from the possible values:
	l 0001 (Reserved)
	I 0002 (Top)
	I 0003 (High)
	I 0004 (Normal)
Partial settlement indicator	Shows if the amendment instruction allows partial settlement and indicates the threshold type.
	Possible values:
	I NPAR (partial not allowed
	I PART (partial allowed
	PARC (partial settlement cash threshold allowed)
	PARQ (partial settlement quantity threshold allowed)

# 6.3.8 INX08 - Multi-criteria search of a set of hold and release instructions

# **Context of Usage**

This report shows a list of details for selected hold and release instructions (HR), which it performs on two levels. In the first level, the report produces a list of HRIs corresponding to user-supplied filter criteria. In the



second level, the user may select one HR from the list and the detailed report provides a full list of attributes for the selected HR.

The attributes shown in the detailed report output provide business details related to the selected HR.

This report can be used by CSD users.

# **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> INX - T2S Instructions >> INX08






Figure 419 - INX08 prompt screen

INX08 – Multi-criteria search of a set of hold and release instructions – Prompt Screen	
Securities party BIC	Filter to select which securities party BIC (CSDs, CSD participants or ECSDs) value/s should be included in the output.
	This field is mandatory.
Approval status	Filter to select which approval status value/s should be included in the output.
	I APPR



	I AWAP
	I REJT
	I RVKD
Hold status type	Filter to select which hold status type value/s should be included in the output.
	Possible values
	I PTYH - Party hold
	I CSDH – CSD hold
	l CVAL CSD validation hold
	I CDEL – CoSD hold



Hold indicator	Filter to select which hold status type value/s should be included in the output.  Possible values  I T – On hold  I F - Released
Entry date time from	Filter to select the inclusive date from which entry date value/s should be included in the output.  Must be used in conjunction with:  I Entry date time to
Entry date time to	Filter to select the inclusive date up to which entry date value/s should be included in the output.  Must be used in conjunction with:  I Entry date time from




Figure 420 - INX08 list screen



INX08 – Multi-criteria search of a set of hold and release instructions – List Screen	
Number of hold and release instructions	Count of the number of hold and release instructions resulting from the filter screen.
(For each hold/release ins	truction matching the selection criteria, one line will be displayed)
Underlying T2S instruction reference	Shows the reference of the underlying T2S instruction (settlement instruction or settlement restriction)
Entry date time	Shows the date and time the hold or release instruction entered T2S.  Displayed format is: YYYY-MM-DD hh:mm:ss
Approval status	Shows the matching status of the hold or release instruction.  Possible values:  I APPR (Approved)  I AWAP (Awaiting approval)  I REJT (Rejected)  I RVKD (Revoked)
Hold status type	Shows the hold status for the instructions.  Possible values:  I CoSD hold  I Party hold  I CSD hold  I CSD validation hold



Hold indicator	Shows the CSD hold status.  Possible values:  I Yes (when the instruction intends to hold an instruction)
	No (when the instruction intends to release an instruction)
ISIN	Shows the unique identification of the securities from a business point of view.
Securities party BIC	Shows the BIC of the owner of the securities account.



INX08 – Multi-criteria search of a set of hold and release instructions - details

Multi-criteria search of a set of hold and release instructions - detail

Reference information	
Underlying T2S instruction reference	2307070528383612
Status information	
Execution status	EXCD
Approval status	APPR
Cancellation status	NDEN
Timeline information	
Entry date time	2023-07-07 15:41:25.897
Execution date time	2023-07-07 15:41:26.004
Securities information	
ISIN	
Securities account number	
CSD BIC	CSDBHUHCXXX
CSD participant BIC	
External CSD BIC	
Process information	
Hold status type	CDEL
Hold indicator	T
CoSD rule	200028460
Cash information	
Instructing party	CSDBHUHCXXX
Sending party	TCSOTCS0XXX
User ID	T2S SU

B

Figure 421 - INX08 details screen

INX08 – Multi-criteria search of a set of hold and release instructions – Details Screen		
Reference information		
Underlying T2S instruction reference	Shows the T2S reference of the settlement instruction or the settlement restriction.	
Status information		
Execution status	Shows the execution status of the hold or release instruction.  Possible values:  I EXCD (executed)  I NEXD (not executed)	
Approval status	Shows the matching status of the hold or release instruction.	



	Possible values:
	I APPR (Approved)
	I AWAP (Awaiting approval)
	I REJT (Rejected)
	I RVKD (Revoked)
Cancellation status	Shows the cancellation status of the hold or release instruction.
	Possible values:
	I DEND (denied)
	I NDEN (not denied)
	Timeline information
Entry date time	Shows the date and time the hold or release instruction entered T2S.
	Displayed format is: YYYY-MM-DD hh:mm:ss
Execution date time	Shows the date and time of the execution of the hold/release instruction.
	Displayed format is: YYYY-MM-DD and hh:mm:ss.
	Securities information
ISIN	Shows the ISIN.
Securities account number	Shows the securities account number of the underlying instruction.
CSD BIC	Shows the BIC of the CSD
CSD participant BIC	Shows the BIC of the CSD participant
External CSD BIC	Shows the BIC of the external CSD
	Process Information
Hold status type	Shows the hold status for the instructions.
	Possible values:
	I CoSD hold
	I Party hold
	I CSD hold
	I CSD validation hold
Hold indicator	Shows the CSD hold status.
	Possible values:
	On hold (when the instruction intends to hold an instruction)
	Released (when the instruction intends to release an instruction)



CoSD rule	Shows the T2S reference for the CoSD rule.
	Communication information
	Communication information
Instructing party	Shows the T2S reference of the party that instructs the LCMM instruction.
Sending party	Shows the T2S reference of the party that sent the LCMM instruction.
User Id	Shows the T2S reference of the user.
Inbound LCMM message reference	Shows the incoming message reference assigned by the T2S actor.

# 6.3.9 INX09 - Multi-criteria search of a set of liquidity transfers

#### **Context of Usage**

This report shows a list of details for selected finalised liquidity transfers (LT), which it performs on two levels. In the first level, the report produces a list of LTs corresponding to user-supplied filter criteria. In the second level, the user may select one LT from the list and the detailed report provides a full list of attributes for selected LT.

The attributes shown in the detailed report output provide business details related to the selected LT.


This report can be used by CB users.

#### **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> INX - T2S Instructions >> INX09







	IBLT	
Transfer type:	OTLT	
	INLT	
	Select all Deselect all	
	SLTO	
Underlying transfer type:	PLTO	
onderlying dansier type:	ILTO	
	Select all Deselect all	
	LQTR	
Settlement transaction category:	TCAT	
	Select all Deselect all	
	LQTR	
	LTAC	
	EDLT	
Settlement transaction sub-category:	MPOR	
	CARL	
	ALOP	
	Select all Deselect all	
	DKK	
Currency code:	EUR	
	Select all Deselect all	
	APPR - Approved	
	AWAP - Awaiting approval	
Approval status:	REJE - Rejected	
	REVO - Revoked	
	Select all Deselect all	
	SNXE - Not executed	
	SUNS - Unsettled	
Settlement status:	SPAS - Partially settled	
	SSET - Settled	
	Select all Deselect all	
Range criteria	From	То
Settlement date:	Jun 1, 2023	Sep 18, 2023
Transfer amount:		
Settled amount:		

Figure 422 - INX09 prompt screen



<u> </u>		
INX09 - Multi-criteria search of a set of liquidity transfers - Prompt Screen		
Cash party BIC	Filter to select which cash party BIC value/s should be included in the output.	
	This field is mandatory	
Debited account number	Filter to select which T2S DCA number value/s should be included in the output.	
Credited account number	Filter to select which T2S DCA number value/s should be included in the output.	
Transfer type	Filter to select which transfer types should be included in the output.	
	Possible values:	
	I IBLT	
	I OTLT	
	I INLT	
Underlying transfer type	Filter to select which underlying transfer types should be included in the output.	
	Possible values:	
	I SLTO	
	I PLTO	
	I ILTO	
Settlement transaction category	Filter to select which settlement transaction categories should be included in the	
	output.	
	Possible values:	
	I LQTR	
	I TCAT	
Settlement transaction sub-category	Filter to select which settlement transaction sub-categories should be included	
	in the output.	
	Possible values:	
	I LQTR	
	I LTAC	
	I EDLT	
	I MPOR	
	I CARL	
	I ALOP	
Currency code	The report output contains only settlement instructions with the selected	
	settlement currency codes.	



Approval status	Filter to select which approval status value/s should be included in the output.  Possible values:  I APPR (Approved)  I AWAP (Awaiting approval)  I REJE (Rejected)  I REVO (Revoked)
Settlement status	Filter to select which settlement status value/s should be included in the output.  Possible values:  I SNXE  I SUNS  I SPAS  I SSET
Settlement date from	Filter to select the inclusive date from which settlement date value/s should be included in the output.  Must be used in conjunction with:  settlement date to
Settlement date to	Filter to select the inclusive date up to which settlement date value/s should be included in the output.  Must be used in conjunction with:  settlement date from
Transfer amount from	Filter to select the inclusive amount from which transfer amount value/s should be included in the output.  Must be used in conjunction with:  Transfer amount to Currency code



Transfer amount to	Filter to select the inclusive amount up to which transfer amount value/s should be included in the output.
	Must be used in conjunction with:
	I Transfer amount from
	I Currency code
Settled amount from	Filter to select the inclusive amount from which actual amount value/s should be included in the output.
	Must be used in conjunction with:
	I Settled amount to
	I Currency code
Settled amount to	Filter to select the inclusive amount up to which actual amount value/s should be included in the output.
	Must be used in conjunction with:
	I Settled amount from
	I Currency code




Figure 423 - INX09 list screen



INX09 – Multi-criteria search of a set of liquidity transfers – List Screen		
Number of liquidity transfers	Count of the number of settlement instructions resulting from the filter screen.	
(For each liquidity tran	sfer matching the selection criteria, one line will be displayed)	
Liquidity transfer instructor reference	Shows the instructor reference of the liquidity transfer.	
End-to-End ID	Shows the End-to-End ID provided by the originator of the liquidity transfer order.	
Entry timestamp	Shows the date and the time the liquidity transfer entered or was generated in T2S.  Displayed format: YYYY-MM-DD hh:mm:ss,sssss	
Settlement timestamp	Shows the date and the time of the attempted settlement in T2S.  Displayed format: YYYY-MM-DD hh:mm:ss,sssss	
Approval status	Shows approval status of the liquidity transfer.  Possible values:  I APPR (Approved)  I AWAP (Awaiting approval)  I REJE (Rejected)  I REVO (Revoked)	
Settlement status	Shows the settlement status of the liquidity transfer.  Possible values:  I SNXE (Not executed)  I SUNS (=Unsettled)  I SPAS (=Partially settled)  I SSET (=Settled)	
Currency code	Shows the settlement currency of the liquidity transfer.	
Transfer amount	Shows the amount to be credited or debited by the liquidity transfer.	
Settled amount	Shows the amount actually settled by the liquidity transfer.	
Transfer type	Shows the direction of the transferred liquidity.  Possible values:  I IBLT (inbound liquidity transfer)  I OTLT (outbound liquidity transfer)  I INLT (internal liquidity transfer order)	



Underlying transfer type	Shows the type of the transferred liquidity.  Possible values:  I SLTO (standing liquidity transfer order)  I PLTO (predefined liquidity transfer order)
Settlement transaction category	I ILTO (immediate liquidity transfer order)  Shows the settlement transaction category of the liquidity transfer.
,	Possible values:  I LQTR (liquidity transfer)  I TCAT (technical cash transfer)
Settlement transaction sub-category	Shows the settlement transaction sub-category of the liquidity transfer.  Possible values:  LQTR (liquidity transfer)  LTAC (Liquidity transfer all cash)  EDLT (EoD liquidity transfer)  MPOR (monetary policy operation cash rebalancing)  CARL (corporate action cash rebalancing)  ALOP (auto-collateralisation liquidity optimization)
Debited party BIC	Shows the BIC of the payment bank which owns the debited account.



Debited account number	Shows the account number from which the liquidity is sent.
Credited party BIC	Shows the BIC of the payment bank which owns the credited account.
Credited account number	Shows the account identification or number to where the liquidity is sent.



TARGETE-SECURITIES

NCBKATFF801 - NCB-AT-Range8-AB

INX09 – Multi-criteria search of a set of liquidity transfers

Multi-criteria search of a set of liquidity transfers - details





Figure 424 - INX09 details screen



INX09 – Multi-criteria search of a set of liquidity transfers – Details Screen		
Reference information		
Liquidity transfer instructor reference	Shows the instructor reference of the liquidity transfer.	
End-to-End-ID	Shows the reference of a settlement instruction to which the liquidity transfer is linked.	
	Status information	
Approval status	Shows approval status of the liquidity transfer.	
	Possible values:	
	I APPR (Approved)	
	I AWAP (Awaiting approval)	
	REJE (Rejected)	
	I REVO (Revoked)	
Settlement status	Shows the settlement status of the liquidity transfer.	
	Possible values:	
	SNXE (Not executed)	
	I SUNS (=Unsettled)	
	I SPAS (=Partially settled)	
	I SSET (=Settled)	
RTGS status	Shows the RTGS status of the liquidity transfer.	
	Possible values:	
	RNXE (Not executed)	
	RNAP (Not applicable)	
	I RREJ (RTGS rejection)	
	I RCON (RTGS confirmation)	
	RBOK (RTGS rebooking)	
Timeline information		
Entry timestamp	Shows the date and the time the liquidity transfer entered or was generated in T2S.	
	Displayed format: YYYY-MM-DD hh:mm:ss,sssss	
Settlement timestamp	Shows the date and the time of the attempted settlement in T2S.	
	Displayed format: YYYY-MM-DD hh:mm:ss,sssss	



Securities information		
Transfer type	Shows the direction of the transferred liquidity.	
	Possible values:	
	I IBLT (inbound liquidity transfer)	
	OTLT (outbound liquidity transfer)	
	I INLT (internal liquidity transfer order)	
Underlying transfer type	Shows the type of the transferred liquidity.	
	Possible values:	
	SLTO (standing liquidity transfer order)	
	PLTO (predefined liquidity transfer order)	
	I ILTO (immediate liquidity transfer order)	
Settlement transaction category	Shows the settlement transaction category of the liquidity transfer.	
	Possible values:	
	I LQTR (liquidity transfer)	
	I TCAT (technical cash transfer)	
Settlement transaction sub-category	Shows the settlement transaction sub-category of the liquidity transfer.	
	Possible values:	
	LQTR (liquidity transfer)	
	LTAC (Liquidity transfer all cash)	
	I EDLT (EoD liquidity transfer)	
	I MPOR (monetary policy operation cash rebalancing)	
	I CARL (corporate action cash rebalancing)	
	ALOP (auto-collateralisation liquidity optimization)	
Cash information		
Currency code	Shows the settlement currency of the liquidity transfer.	
Transfer amount	Shows the amount to be credited or debited by the liquidity transfer.	
Settled amount	Shows the amount actually settled by the liquidity transfer.	
Value date	Shows the date at which the liquidity transfer becomes effective.	
	Displayed format is: YYYY-MM-DD	
Cash parties		
Debited account number	Shows the account number from which the liquidity is sent.	



Debited party BIC	Shows the BIC of the payment bank which owns the debited account.	
Credited account number	Shows the account identification or number to where the liquidity is sent.	
Credited party BIC	Shows the BIC of the payment bank which owns the credited account.	
NCB BIC	BIC of the NCB	
Process information		
Partial settlement flag	Shows if partial execution was possible or not.	
	Possible values:	
	F (false – partial not allowed)	
	T (true – partial settlement allowed)	

# 6.4 T2S Restrictions (RES)

### 6.4.1 RES01 – Detailed cash restrictions

### **Context of Usage**

This report shows volumes and values for all finalised cash restrictions at CB, PB or T2S DCA level, during a selected period of time. The restrictions are filtered according the currency that the user selects.

The report delivers the volume and value of cash restrictions finalised during the selected period whether settled or partially settled. The results are displayed aggregated per transaction sub-category, within origin, restriction type and function. Totals are presented at origin level, but also cross-totalled by function.

This report can be used by CB users.

### Report Access

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> RES - T2S Restrictions >> RES01






Figure 425 - RES01 prompt screen



RES01 – Detailed cash restrictions – Prompt Screen	
Date From	You can select the date by clicking on the calendar.
	This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.
	For valid report results, the current day cannot be selected.
	This field is mandatory.



Currency	You can use this drop-down field to select the currency.  This field is mandatory.
Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
T2S DCA number	You can use this drop-down field to select one or several T2S DCA numbers. This field will show all related T2S DCAs, which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all T2S DCA numbers belonging to the default data scope of the user's party.  This field is optional.



**RES01 - Detailed cash restrictions** 

Filters Date from: 2021-11-27 Date to: 2023-11-27 Currency: EUR

#### Detailed cash restrictions

Origin	Restriction type	Function	Settlement transaction sub-category	Volume of restrictions	Original value	Settled value
Business	Blocking	Decrease	BPDE	10	15,764.92	15,764.92
		Setup / increase	BPSU	1,857	1,633,508,159.23	1,633,508,134.23
			BPIN	24	21,936.00	21,936.00
	Reservation	Decrease	RPDE	159	153,980.20	86,580.20
		Setup / increase	RPSU	2,202	51,918,273.42	1,801,730.40
			RPIN	22	2,270,292.00	2,270,292.00
			Total Business cash restrictions	4,274	1,687,888,405.77	1,637,704,437.75
Technical	COSD Blocking	Decrease	COCP	271	1,800,201,904.00	1,800,201,904.00
		Setup / increase	COBR	879	10,601,322,842.00	10,601,322,842.00
			COBS	803	5,801,304,536.00	5,801,304,536.00
End	End of day	Decrease	CORU	217	570,290.00	570,290.00
			EDRR	3,467	13,332,589,422.69	13,332,589,422.69
		Total Technical cash restrictions	5,637	31,535,988,994.69	31,535,988,994.69	
Usage	Use	Use	RESU	521	9,873,933.92	9,873,933.92
			Total Usage cash restrictions	521	9,873,933.92	9,873,933.92
				5,620	32,380,258,774.42	32,380,212,829.42
			Total cash restrictions	5,620	32,380,258,774.42	32,380,212,829.42
Total setup / increase				5,787	18,090,346,038.65	18,040,229,470.63
Total decrease				4,124	15,133,531,361.81	15,133,463,961.81
	Total use				9,873,933.92	9,873,933.92
			Total	16,052	65,614,010,108.80	65,563,780,195.78

Figure 426 - RES01 output screen



RES01 – Detailed cash restrictions – Output Screen					
Origin	Describes a group of transaction sub-categories. Groups are:  I Business I Technical I Usage				
Restriction type	Describes a restriction type within an origin. Restriction types are:    Business				
Function	Describes a function within a restriction type. Functions are:  Setup / increase Decrease Use (for Use restriction type only)				
Transaction sub-category	The transaction sub-category of the restrictions for which the aggregations are performed. Values used, as per their origin and restriction type:    Business				



	I Use I CORT, RESU			
	1 CORT, RESO			
Volume of restrictions	Count of the number of cash restrictions found per sub-category.			
Instructed value	Sum over instructed values of the cash restrictions per sub-category			
Settled value	Sum over settled values (totally or partially settled) per and sub-category			
Revoked	A count of all finalised inbound LTs which were revoked after settlement, per transaction category / transaction sub-category / underlying transaction type.			
Value of transfers	Sum of the original instructed transfer amounts of all finalised inbound LTs, per transaction category / transaction sub-category / underlying transaction type.			
Value actually transferred	Sum of the actual settled amounts of all finalised inbound LTs, per transaction category / transaction sub-category / underlying transaction type.			
	Totals (per origin)			
Total business cash restrictions	Sums for 'Volume of restrictions', 'Instructed value' and 'Settled value' columns, within the origin 'Business'.			
Total technical cash restrictions	Sums for 'Volume of restrictions', 'Instructed value' and 'Settled value' columns, within the origin 'Technical'.			
Total usage cash restrictions	Sums for 'Volume of restrictions', 'Instructed value' and 'Settled value' columns, within the origin 'Usage'.			
Totals (per function)				
Total setup / increase	Sums for 'Volume of restrictions', 'Instructed value' and 'Settled value' columns, to include all lines with the function 'Setup / increase'.			
Total decrease	Sums for 'Volume of restrictions', 'Instructed value' and 'Settled value' columns, to include all lines with the function 'Decrease'.			



Total use	Sums for 'Volume of restrictions', 'Instructed value' and 'Settled value' columns, to include all lines with the function 'Use'.
	Total (overall)
Total	Sums for 'Volume of restrictions', 'Instructed value' and 'Settled value' columns, over all 'Totals (per function)'.

### 6.4.2 RES02 – Detailed securities restrictions

## **Context of Usage**

This report shows volumes and quantities for all finalised securities restrictions at CSD, CSDP, ECSD or securities account level, during a selected period of time. The restrictions are filtered according the settlement types of the securities that the user selects.

The report delivers the volume of securities restrictions finalised during the selected period whether settled or partially settled. The results are displayed aggregated per transaction sub-category, within origin, restriction type and function. Totals are presented at origin level, but also cross-totalled by function.

This report can be used by CSD users.

## **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> RES - T2S Restrictions >> RES02








Figure 427 - RES02 prompt screen



RES02 – Detailed securities restrictions – Prompt Screen				
Date <b>F</b> from	You can select the date by clicking on the calendar.  This field is mandatory.			
Date ∓ <u>t</u> o	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.			
Settlement type	This selection specifies the quantity type of the settlement for the security, stated in the restriction transaction.  Possible values:    UnitFAMT- Nominal   NominalUNIT- Units{CR-847}  This field is mandatory			



Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
Securities account number	You can use this drop-down field to select one or several securities account numbers. This field will show all related securities accounts which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all securities account numbers belonging to the default data scope of the user's party. This field is optional.
ISIN	The report output contains only settlement instructions with the selected securities.  This field is optional.




Figure 428 - RES02 output screen

RES02 – Detailed securities restrictions – Output Screen				
Origin	Describes a group of transaction sub-categories. Groups are:    Business   Technical   Usage			
Restriction type	Describes a restriction type within an origin. Restriction types are:  I Business I Blocking			



	I Earmarking I Reservation
	I Technical
	I Collateralisation (COLA)
	I COSD blocking
	I End of day
	Reverse Collateralisation (RCOL)
	I Usage
	I Use
Function	Describes a function within a restriction type. Functions are:
	I Decrease
	I Setup / increase
	Use (for Use restriction type only)
Transaction sub-category	The transaction sub-category of the restrictions for which the aggregations are performed. Values used, as per their origin and restriction type:
	I Business
	I Blocking
	I BPDE, BPIN, BPSU
	I Earmarking
	I EPDE, EPIS
	I Reservation
	I RPDE, RPIN, RPSU
	I Technical
	I Collateralisation (COLA)
	I SPLE (COLA)
	I COSD blocking
	I COBS, COCP
	I End of day
	I CORU
	Reverse Collateralisation (RCOL)
	I SPLE(RCOL)
	I Usage
	I Use



	I CORT, RESU			
Volume of restrictions	Count of the number of securities restrictions found per sub-category.			
Instructed quantity	Sum over instructed quantities of the securities restrictions per sub-category			
Settled quantity	Sum over settled quantities (totally or partially settled) per and sub-category			
	Totals (per origin)			
Total business securities restrictions	Sums for 'Volume of restrictions', 'Instructed quantity' and 'Settled quantity' columns, within the origin 'Business'.			
Total technical securities restrictions	Sums for 'Volume of restrictions', 'Instructed quantity' and 'Settled quantity' columns, within the origin 'Technical'.			
Total usage securities restrictions	Sums for 'Volume of restrictions', 'Instructed quantity' and 'Settled quantity' columns, within the origin 'Usage'.			
Totals (per function)				
Total setup / increase  Sums for 'Volume of restrictions', 'Instructed quantity' and 'Settled quantity' columns, to include all lines with the function 'Setup / increase'.				
Total decrease	Sums for 'Volume of restrictions', 'Instructed quantity' and 'Settled quantity' columns, to include all lines with the function 'Decrease'.			
Total use	Sums for 'Volume of restrictions', 'Instructed quantity' and 'Settled quantity' columns, to include all lines with the function 'Use'.			
Total (overall)				
Total	Sums for 'Volume of restrictions', 'Instructed quantity' and 'Settled quantity' columns, over all 'Totals (per function)'.			

# 6.5 T2S Credit line (CMB)

# 6.5.1 CMB01 – Journaling of limit utilisations of primary CMB

# **Context of Usage**

This report shows primary CMB limit utilisation journal activity at CB, T2S CB-DCA or primary CMB level during a selected period of time. The accounts are filtered according the currency that the user selects. Primary CMBs are those set by a CB for a payment bank.

The journal activity is displayed as a table of volumes and utilisation values according to the credit/debit indicator.



This report can be used by CB users.

# **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> CMB - T2S Credit line >> CMB01






Figure 429 - CMB01 prompt screen



CMB01 – Journaling of limit utilisations of primary CMB – Prompt Screen				
Date From	You can select the date by clicking on the calendar.			
	This field is mandatory.			
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.			
	For valid report results, the current day cannot be selected.			
	This field is mandatory.			



Currency	You can use this drop-down field to select the currency.  This field is mandatory.
Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
T2S DCA number	You can use this drop-down field to select one or several T2S DCA numbers. This field will show all related T2S DCAs, which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all T2S DCA numbers belonging to the default data scope of the user's party.  This field is optional.



# CMB01 - Journaling of limit utilisations of primary CMB

Filters Date from: 2022-09-26 Date to: 2023-09-26 Currency: EUR

Journaling of limit utilisations of primary CMB

	*** Invalid STT_TRN_CREA_BY (0) ***		Debit		Credit		Total	
CMB technical identifier	Volume of utalisations	Value used of utilisation	Volume of utalisations	Value used of utilisation	Volume of utalisations	Value used of utilisation	Volume of utilisations	Value used of utilisation
8615	1	0.00					1	0.00
8633	1	0.00					1	0.00
8638	1	0.00					1	0.00
8640	1	0.00					1	0.00
8645	1	0.00					1	0.00
8646	1	0.00					1	0.00
8652	1	0.00					1	0.00
8653	1	0.00					1	0.00
8658			1	15.00			1	15.00
8671	1	0.00					1	0.00
8673	1	0.00					1	0.00
8674	1	0.00					1	0.00
8698	1	0.00					1	0.00
8701	1	0.00					1	0.00
8708	1	0.00					1	0.00
8736	1	0.00					1	0.00
8737	1	0.00					1	0.00
8747	1	0.00					1	0.00
8760	1	0.00					1	0.00

Figure 430 - CMB01 output screen

CMB01 – Journaling of limit utilisations of primary CMB – Output Screen	
The following information is repeated for every CMB matching the selection criteria	
CMB technical identifier	The T2S internal identifier of a CMB
Autocollateralisation limit utilisation : Credit	
Volume of utilisations	Count of the number of credit side utilisations found per CMB technical identifier



Value used of utilisation	Sum over utilised values of credit side utilisations found per CMB technical identifier
A	utocollateralisation limit utilisation : Debit
Volume of utilisations	Count of the number of debit side utilisations found per CMB technical identifier
Value used of utilisation	Sum over utilised values of debit side utilisations found per CMB technical identifier
Total (per CMB technical identifier)	
Volume of utilisations	Sum of 'Volume of utilisations' over credit and debit per CMB technical identifier
Value used of utilisation	Sum of 'Value used of utilisations' over credit and debit per CMB technical identifier
Total (overall)	
Total	Sums of all volumes and values for each column, over all CMB technical identifiers.

# 6.6 T2S Collateral instructions (COL)

6.6.1 COL01 - Follow-up by time slot of settled collateralisation instructions

### **Context of Usage**

This report shows the finalised settled collateralisation instructions at CSD, CSDP, external CSD or securities account level, during a selected period of time. The volume and value of the collateralisation instructions are shown for each time slot of the business day with a total per transaction category (Collateral, Reverse collateral, Relocation) and transaction sub-category (Repo, Pledge, Sub-pledge).


This report can be used by CSD users.

## **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> COL - T2S Collateral instructions >> COL01










Figure 431 - COL01 prompt screen (CR-847)

COL01 – Follow-up by time slot of settled collateralisation instructions – Prompt Screen	
Date Ffrom	You can select the date by clicking on the calendar.
	This field is mandatory.
Date <del>T</del> to{ <b>CR-847</b> }	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.



	For valid report results, the current day cannot be selected.  This field is mandatory.
Currency	Currency in which the amount of the collateral instructions must be denominated.  This field is mandatory
Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
Securities account number	You can use this drop-down field to select one or several securities account numbers. This field will show all related securities accounts which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all securities account numbers belonging to the default data scope of the user's party.  This field is optional.
ISIN	The report output contains only settlement instructions with the selected securities.  This field is optional.




Figure 432 - COL01 output screen



COL01 – Follow-up by til	me slot of settled collateralisation instructions – Output Screen
Transaction category	Shows the transaction category for which the collateralisation instructions are displayed from the possible values:  I COLA (Collateral)  I RCOL(Reverse collateral)  I CORE (Relocation)
Transaction sub-category	Shows the transaction sub-category for which the collateralisation instructions are displayed from the possible values:  I REPO (Repo)  I PLED (Pledge)  I SPLE (Sub-pledge)  For Transaction category "CORE" only the transaction sub-category "REPO" is available.
	Volume
Time slots (one column per time slot):  I 1st NTS cycle  I Last NTS cycle  I RT1 before intraday DVP cut-off  I RT2 before EOD intraday credit reimbursement  I RT3 before EOD intraday FOP cut-off  I RT4 after intraday FOP cut-off	The aggregated number of finalised settled collateralisation instructions are displayed for each of the time slots within transaction category and sub-category combination.
Volume (Total)	Sum of 'Volume' information over all time-slots within transaction sub-category.
	Value Amount
Time slots (one column per time slot):  1 1st NTS cycle  1 Last NTS cycle  1 RT1 before intraday DVP cut-off  1 RT2 before EOD intraday credit reimbursement	The aggregated amount of finalised settled collateralisation instructions are displayed for each of the above time slots within transaction category and subcategory combination.



<ul><li>RT3 before EOD intraday FOP cut-off</li><li>RT4 after intraday FOP cut-offValue</li></ul>	
Value (Total)	Sum of 'Value' information over all time-slots within transaction sub-category.
	Totals
Total (per transaction category)	Sums of each 'Volume' and 'Value' column over all transaction sub-categories within transaction category.
Total (overall)	Sums of each 'Volume' and 'Value' column over all transaction categories.

# 6.7 Technical instructions (RAL)

# 6.7.1 RAL01 – Detailed realignment and other technical instructions

# **Context of Usage**

This report shows detailed information on volume and quantities for all realignment and other technical settlement instructions (SIs) at CSD, CSDP/ECSD or securities account level, during a selected period of time. The settlement instructions are filtered according the settlement types of the securities that the user selects.

The volumes and quantities (original and the settled) are aggregated <u>per ISIN</u> per transaction type code, transaction category and transaction sub-category; and displayed by securities movement type and settlement status.{CR-847}

This report can be used by CSD users.

### **Report Access**

This report can be reached in the following way:

Content >> Team Content >> T2S >> Predefined Reports >> RAL - T2S Technical instructions >> RAL01






Figure 433 - RAL01 Prompt screen



RAL01 – Detailed realignment and other technical instructions – Prompt screen	
Date From	You can select the date by clicking on the calendar.
	This field is mandatory.
Date To	You can select the end date of the period, for which the report should contain the data by clicking on the calendar.  For valid report results, the current day cannot be selected.  This field is mandatory.
Settlement type	This selection specifies the quantity type of the settlement for the security, stated in the instruction.  Possible values:    UnitFAMT - Nominal     Nominal UNIT - Units{CR-847}  This field is mandatory.



Party BIC	You can use this drop-down field to select one or several party BIC. This field will show all related BICs, which belong to the default data scope of the user's party.  This field is optional.
Securities account number	You can use this drop-down field to select one or several securities account numbers. This field will show all related securities accounts which belong to default data scope of the user's party and which belong to the parties selected in field "Party BIC". If no Party BICs are selected, this field shows all securities account numbers belonging to the default data scope of the user's party.  This field is optional.
Securities ISIN{CR-847}	The report output contains only settlement instructions with the selected securities.  This field is optional.




Figure 434 - RAL01 output screen, tab 1 - volume(CR-847)




Figure 435 - RAL01 output screen, tab 2 - quantity(CR-847)



RAL01 – Detailed realignmen	t and other technical instructions – OUTPUT SCREEN Tab 1 - volume
Transaction type code	Shows the settlement transaction type code set during the selected period duration of time from the possible values:  DVP (delivery versus payment)  DWP (delivery with payment)  FOP (free of payment)  PFOD (payment free of delivery)
Settlement tTransaction category	Shows the category of the settlement transaction from the possible values:  I REAL (realignment)  I COTF (conditional technical FOP)
Settlement tTransaction sub-category	Shows the subcategory of the settlement transaction from the possible values:  I REAL (realignment)  I PLED (pledge)  I REPO (repurchase order)  I COBS (CoSD blocking position setup)  I STND (standard)
	<del>DELI</del> DELI(CR-847)
Volume totally settled	A count of the number of totally settled SIs with security movement type DELI, per transaction type / transaction category and sub-category.
Volume partially settled / partially cancelled	A count of the number of partially settled/partially cancelled SIs with security movement type DELI, per transaction type / transaction category and subcategory.
Volume totally cancelled	A count of the number of totally cancelled matched SIs with security movement type DELI, per transaction type / transaction category and sub-category.
<del>Volume</del> T <u>t</u> otal	Sum of 'Volume totally settled', 'Volume partially settled / partially cancelled' and 'Volume totally cancelled' with security movement type DELI, per transaction type / transaction category and sub-category.
	RECERECE (CR-847)
Volume totally settled	A count of the number of totally settled SIs with security movement type RECE, per transaction type / transaction category and sub-category.



Volume partially settled / partially cancelled	A count of the number of partially settled/partially cancelled SIs with security movement type RECE, per transaction type / transaction category and subcategory.
Volume totally cancelled	A count of the number of totally cancelled matched SIs with security movement type RECE, per transaction type / transaction category and sub-category.
<u>Volume</u> .∓ <u>t</u> otal	Sum of 'Volume totally settled', 'Volume partially settled / partially cancelled' and 'Volume totally cancelled' with security movement type RECE, per transaction type / transaction category and sub-category.
Total-across movement types (pe	er transaction type / transaction category / transaction sub-category){CR-847}
Volume totally settled	Sum of 'Volume totally settled' over all DELI and RECE security movement types, per transaction type / transaction category and sub-category.
Volume partially settled / partially cancelled	Sum of 'Volume partially settled / partially cancelled' over all DELI and RECE security movement types, per transaction type / transaction category and subcategory.
Volume totally cancelled	Sum of 'Volume totally cancelled' over all DELI and RECE security movement types, per transaction type / transaction category and sub-category.
<u>Volume</u> ∓ <u>t</u> Total	Sum of the 'Total' over all DELI and RECE security movement types, per transaction type / transaction category and sub-category.
<del>Total</del>	
<del>Total</del>	Sum of the volumes over all transaction type codes, for each column of the report as above.{CR-847}

RAL01 – Detailed realignment and other technical instructions – OUTPUT SCREEN Tab 2 - quantity	
Transaction type code	Shows the settlement transaction type code set during the selected period duration of time from the possible values:  I DVP (delivery versus payment)  I DWP (delivery with payment)  I FOP (free of payment)
	PFOD (payment free of delivery)
Settlement tTransaction category	Shows the category of the settlement transaction from the possible values:  I REAL (realignment)  I COTF (conditional technical FOP)



Settlement tTransaction subcategory{CR-847}	Shows the subcategory of the settlement transaction from the possible values:  REAL (realignment)  PLED (pledge)  REPO (repurchase order)  COBS (CoSD blocking position setup)  STND (standard)
	DELI
Instructed quantity	Sum of instructed settlement quantity of all totally and partially settled SIs with securities movement type DELI, per transaction type / transaction category and sub-category.
Quantity totally settled	Sum of settled settlement quantity of all totally settled SIs with securities movement type DELI, per transaction type / transaction category and subcategory.
Quantity partially settled	Sum of settled settlement quantity of all partially settled SIs with securities movement type DELI, per transaction type / transaction category and subcategory.
Quantity partially cancelled	Sum of unsettled amount of all partially settled SIs with securities movement type DELI, per transaction type / transaction category and sub-category.
Quantity totally cancelled	Sum of unsettled amount of all totally cancelled SIs with securities movement type DELI, per transaction type / transaction category and sub-category.
Quantity total	Sum of 'Quantity totally settled', 'Quantity partially settled / partially cancelled' and 'Quantity totally cancelled' with security movement type DELI, per transaction type / transaction category and sub-category.{CR-847}
	RECE
Instructed quantity	Sum of instructed settlement quantity of all totally and partially settled SIs with securities movement type RECE, per transaction type / transaction category and sub-category.
Quantity totally settled	Sum of settled settlement quantity of all totally settled SIs with securities movement type RECE, per transaction type / transaction category and subcategory.
Quantity partially settled	Sum of settled settlement quantity of all partially settled SIs with securities movement type RECE, per transaction type / transaction category and subcategory.
Quantity partially cancelled	Sum of unsettled amount of all partially settled SIs with securities movement type RECE, per transaction type / transaction category and sub-category.



Quantity totally cancelled	Sum of unsettled amount of all totally cancelled SIs with securities movement type RECE, per transaction type / transaction category and sub-category.
Quantity total	Sum of 'Quantity totally settled', 'Quantity partially settled / partially cancelled' and 'Quantity totally cancelled' with security movement type RECE, per
	transaction type / transaction category and sub-category.
Total across movement type	s (per transaction type / transaction category / transaction sub-category)
Original Instructed quantity	Sum of 'Original quantity' for 'DELI' and 'RECE' per transaction type / transaction category and sub-category.
Quantity settled (totally settled + partially settled)	Sum of 'Quantity totally settled' plus 'Quantity Partially settled' for 'DELI' and 'RECE' per transaction type / transaction category and sub-category.
	<del>Total</del>
Volume Ttotal	Sum of the quantities over all transaction type codes, for each column of the report as above. {CR-847}



# 7 Understanding user rights and access rights (advanced users)

Every user is linked to one party in CRDM and member of one role and group in DWH.

In order to identify to which group, role you belong and the capabilities assigned to you follow the steps:

- Personal menu > My preferences > Personal > Advanced > Groups and roles > View details
- Personal menu > My preferences > Personal > Advanced > My capabilities > View details




Figure 436 - Groups and roles and capabilities

Based on the above attributes a two level security is defined in the DWH:

- I Functional security
- Data security

### 7.1 Functional security

The functional security is defined as what a user is able to access and do in the DWH, which means access to content and product features.

#### **User Groups and Roles**

In CRDM two privileges for the usage of DWH are available: Data Warehouse Normal User and Data Warehouse Advanced User. Each of these privileges is linked to one role/group in DWH. Ther roles/groups define the DWH capabilities, assigned to user.



User groups	Can be assigned to party type	DWH Role	Description
Normal	Central Bank Payment Bank Ancillary System	Consumers	Members can read, execute and schedule public content, such as predefined reports.
Advanced	Central Bank	Authors	Members have the same access permissions as Consumers. They can also schedule a report and create user defined reports or adapt predefined reports.

Table 136 - Functional security - User Groups and Roles

**Note:** Roles "Everyone" and "All Authenticated Users" are system roles, which are assigned to all users who are allowed to access the DWH.

The party types CB, Pb and AS define the access to the DWH content.

All users of these three party types have access to the "Team content" folder. It contains the following subfolders, visible to the users according to the group they belong to:

- CB shared folder (only visible to CB users), containing following sub-folders:
  - CB XX shared folder (XX is the country code of the CB)
    - Contains reports shared among all users of the same CB
  - Central Banks shared folder
    - Contains reports shared among all CBs
- Data packages (visible to all users)

Packages are model subsets or the whole model that ensure users are provided with data appropriate for the reporting they need to do, and that the data is structured in ways that make sense from a business perspective. A model serves as an insulating layer between DWH users and the database.

Contains data used for running or developing reports – it is read-only.

Predefined Reports (visible to all users)

Contains all predefined reports grouped in sub-folders in the hierarchy of chapter <u>Predefined reports</u> [ $\triangleright$  151]. Only those predefined reports are visible to the user, which are accessible to his user group (according to his party type). See chapter <u>Predefined reports</u> [ $\triangleright$  151] for details.

Users are not allowed to create or delete entries in the "Team content", "CB shared", "Data packages" and "Predefined Reports" folder.

The users according to their party type (CB, PB, AS) have access to different reports in the Predefined Reports folder. For example in the folder 'TRN - Transaction Reports' under Team content – Predefined Reports,



#### A Central Bank user can see the following reports:




Figure 437 - Functional security - Central Bank user

A Payment Bank user can see the following reports:




Figure 438 - Functional security - Payment bank user



An Ancillary System user can see the following reports:




Figure 439 - Functional security - Ancillary System user

### 7.2 Data security

Users are accessing data through predefined reports or reports they develop themselves (only advanced users).

In both cases, a report is related to one Data package, which describes the database in business terms allowing advanced users to easily develop reports.

The package also dictates the access to the data according to user-id, which is related to one party and the relevant cash accounts.

The general rules followed are:

- PB and AS users are allowed to see granular and aggregated data provided by predefined reports and related to their party / cash accounts. They are also able to see data of Cash Accounts that do not belong to them, e.g. as Co-manager, or Account Monitoring group leader.
- CB users are allowed to see granular and aggregated data related to their party / cash accounts along with the data that parties within their system entity are able to see. Additionally, they are also able to see aggregated system-wide data.



## 8 Creating reports (just advanced users)

Create a report by clicking the "**Open menu**" icon ( ) on the left side of the Global application bar and then clicking on "New" and "Report". When you create a report, you are actually creating a report specification. The report specification defines the queries and prompts that are used to retrieve data and the layouts and styles used to present the data. For simplicity, the report specification is named by the same name as the report.




Figure 440 - Creating reports - Welcome page - Open menu - New - Report

To adapt predefined reports, navigate to the report click on "**Action menu**" and select "**Edit report**". The report will be displayed in the edit view. All report adaptions can be executed in the same way as how to create a new report from scratch.






Figure 441 - Creating reports - Predefined Reports - Edit report

### 8.1 The user interface

This chapter gives an overview in the creation of a new report.

This is the first screen when creating a new report.




Figure 442 - The user interface- Creating a report







Reporting icon	Description
Report > Pages > [ Page1	Navigation menu
<u>ੇ</u> ਖ	Data source
Select a source Select a data source to use with your report.  Select a source +	Data items  The first Symbol is only visible if you did not select a source.  Than you can select the source you need from the team content.
8	Toolbox
Save As  Convert to Template  Convert to Active Report	Save as  Convert to Template  Convert to Active Report
Edit	Toggle between editing the report and viewing the report. <b>Tip:</b> These two states are referred to as edit mode and view mode.
↔	Undo last action you made to the report
c	Redo the last change you made to the report











	an image of each product. Unlock the list to insert the image object inside a list column.
Page design  Page design  Page preview  Page structure	Switch between page design, page preview, or page structure view.
Page design ✓ :  © Properties  Open report from clipboard  Copy report to clipboard  Clear parameter values  Visual aids  Q Find  Validate report  Validate options  Auto correct  Layout component cache  Manage conditional styles  Show generated SQL/MDX  Add shared set report  Manage shared set references  Manage shared set references  Show specification  Options	When you click on the "More" icon ( ) the following options are available to choose:    Open report from clipboard   Copy report to clipboard   Visual aids   Find   Validate report   Validate options   Auto correct   Layout component cache   Manage conditional styles   Show generated SQL/MDX   Add shared set report   Manage Shared Set Reports   Manage Shared Set References   Show specification   Options
Copy report to clipboard	You can copy a report specification to the clipboard so you can open it from the clipboard later.



Open report from clipboard	You can open a report specification that was previously copied to the clipboard. This is useful for importing an XML report specification from outside the DWH environment.
Visual aids	Visual aids include options to help you when you are designing reports in the layout.
Q Find	You can quickly locate specific objects in a report by using "Find".
✓ Validate report	Validate your report to ensure that it contains no errors.
Validate options	If you require more details from the validation process.
Auto correct	If you encounter validation errors and want to identify incorrect objects in your report
Layout component cache	In the layout component cache you can see which template (report) is used. In case there is a change in the template (report) you can see where the source of the change is.
Manage conditional styles	You can view, modify, or delete the conditional styles that are applied to your report. You can also define a new conditional style.
Show generated SQL/MDX	View the SQL or MDX for the entire report.
M Show specification	A report specification is an XML file that you can view.
Options	Please see Chapter "Options in Reporting" for detailed information.
≈ Properties	Toggle between showing and hiding the Properties pane for the active object. The properties that are displayed are different, depending on the object.

Table 137 - The user interface - Report icons and functions

DWH - Reporting has three views in which you can author reports: Page design view, Page preview view, and Page structure view.






Figure 443 - The user interface - Page Preview

You choose a report authoring view by selecting one of them on the application bar. Different options are available in each view, so you often need to use all views. For example, you must use the "**Page design**" and "**Page structure**" views to remove sections in relational reporting.

Page design view:

The default view in DWH - Reporting. In this view, you can see what your report will look like after you run it.




Figure 444 - The user interface - Page design view

Page preview view:



Shows you the current report page with live data. In this view, you can edit the report, such as inserting data items into empty data containers.

When you are authoring an DWH Active Report, the "Page preview" view shows you live data as you format the report.




Figure 445 - The user interface - Page structure preview

Here it looks the same as the design view, but you cannot add objects (plus symbol) here.

Page structure view:

Displays an overview of all of the report objects in your report in a tree structure, which is organized by page.




Figure 446 - The user interface - Page structure view



Create a report [ 650] details the process of report creation further by providing a step-by-step guidance.

#### 8.1.1 On-demand toolbar

The on-demand toolbar (formerly known as the report object toolbar) contains the actions you can perform on an object.

You can disable the on-demand toolbar.

The following list shows the actions that are available from the on-demand toolbar. The actions that appear depend on the type of object that is active on the canvas:

#### Pin and Unpin



Figure 447 - On-demand toolbar - Pin and Unpin

When the on-demand toolbar is pinned, it stays at the upper left corner of the canvas, regardless of which object is active.



When it is unpinned, it floats near the object that is active.



You can also control the display of the on-demand toolbar by setting the "Show on demand toolbar on right-click" option






Figure 448 - On-demand toolbar - More icon

Click the "More" icon ( ).






Figure 449 - On-demand toolbar - More icon - Options

When the "Show on demand toolbar on right-click" check box is selected, the on-demand toolbar displays when you right-click an object. When cleared, the on-demand toolbar displays when you click an object. If the on-demand toolbar is pinned, it appears at the top left corner of the canvas, regardless of the setting of the "Show on demand toolbar on right-click" option.



Cut, copy, paste, or delete an object

Click the "Filters" icon to add, edit, or delete filters or add filter text to the visualization


### "Swap rows and columns" (


In a table, switch the row and columns around

You can only swap columns and rows in a crosstab or in a Visualization from the Visualization gallery window "Charts"










Apply a custom or default style



Edit the font for an object

# "Border" ( )

Apply a border. You can choose the style, width, and colour.

# "Background colour" ( ^\_\_\_\_\_\_)

Apply a background colour

# "Horizontal alignment" ( ( )

Change the horizontal alignment


# "Vertical alignment" (

Change the vertical alignment

# "Style current selection" (

Create and apply a custom style to the selected object





Select a different layout for the report



Insert a table

"Select ancestor" (

Select the layout component that is the ancestor of our current selection.




Figure 450 - On-demand toolbar - Select ancestor

### 

Other actions that vary, depending on the type of object that is active. For example, for a visualization, you can change the headers and footers. For a table, you can apply a table style. For a table cell, you can build a prompt page.

#### 8.1.2 Sources tab

The "**Sources**" tab (———) contains items from the package selected for the report, such as data items and calculations. When you drag an item to the canvas, the visualization recommender chooses a visualization to represent the data. If you do not like the visualization, you can change it.



Search through the sources by typing a value in the "**Find**" field ( ). As you type, the items that match your search string appear in the tab.

All the items in the "**Sources**" tab (———) have an icon that describes the item purpose.

000	Package
H	Namespace
	Folder
٨.	Dimension
罴	Hierarchy
Ж	Level
	Member
<b>=</b>	Query Subject
abc	Character
L	Measure
#	Integer
0	Date / Time

Figure 451 - Sources tab - Sources items

#### 8.1.3 Data items tab

The "Data Items" tab ( ) shows the queries in the report.



#### 8.1.4 Toolbox bar




Figure 452 - Toolbox bar

The "**Toolbox**" tab (\_\_\_\_\_\_) contains various objects that you can add to a report, such as visualizations, text, layout objects, and prompts. You can also add advanced objects such as custom controls and hyperlinks. Depending on the type of object, you can drag it from the Toolbox to the canvas or double-click it to open a window in which you define values for the object. When the object is placed on the canvas, its properties are displayed in the "**Properties Pane**".






Figure 453 - Toolbox bar - Properties Pane

Search through the objects by typing a value in the "**Find**" field ( ). As you type, the items that match your search string appear in the tab.

Toolbox items are organized into groups. Click ( ) to show all of the items available in each group or ( ) to collapse the groups. Click ( ) to toggle between a list view or a tree view of the items in the groups.



#### 8.1.5 Report overview pane




Figure 454 - Report overview pane

Click Report in the navigation drop-down to see the following information:

- 1. A description of the report
- 2. Data sources used in the report
- 3. The parameters used in the report
- 4. Number of report objects
- 5. Number of page objects

Click "Validate report" ( ) to validate the report specification.






Figure 455 - Report overview pane - Validate report

#### 8.1.6 Pages pane

Click on "Pages" ( ) to view or create new report pages and prompt pages, and to create and modify classes. You can insert a page, a set of pages, or a reference to a report from the pages pane.





Figure 456 - Pages pane



#### 8.1.7 Queries pane



Click a specific query to add a calculation, detail or summary filter, or a set expression.




Figure 457 - Queries pane

#### 8.1.8 Classes pane

Click on "Classes" ( ) to define a style. For example, you can define a style for the title of an axis. You can then apply the style to all axis titles in the report.






Figure 458 - Classes pane

#### 8.1.9 Variables pane

Click on "Variables" ( Variables ) to add a variable that has values in a different language, values as strings, and values in Boolean.




Figure 459 - Variables pane

#### 8.1.10 Filters pane

The Filters pane is ( ) available when the user runs the report in HTML. It displays all filters that are created by the report consumer on the report output. When you click a filter in this pane, all data containers that use the selected filter are automatically highlighted in the report. When a data container is selected, the



filter pane is updated instantly to display only filters that are applied to the selected data container. You can edit or delete the filter directly in the pane.

You can resize the filter pane, and pin or unpin the pane depending on the screen resolution. Report authors can also make an authored filter visible to report consumers so that they can interact with it in this pane.

The pane cannot be used to create or view low-level filter expressions that are manually created in the expression editor. By default, interactive filtering is disabled for filters that were created in earlier versions of the DWH software.

This feature is not available for active reports.

#### 8.1.11 Properties pane

The properties pane lists the properties that you can set for an object in a report or for the entire report. The properties that are displayed vary depending on the type of object. When you specify a value for a property, press "Enter", click another property, or save the report to ensure that the value is saved. Click on (
Properties

) to show or hide the properties pane.

At the "Report" level, you can set the following properties:






Figure 460 - Properties pane - Report level

#### **Burst options**

Specifies the data item on which to burst reports. Specify recipients.

Bursting a report is running a report and sending the report to recipients, dividing the results according to which results they have access.

By clicking on the right side of the "Burst options" property, the following window pops out






Figure 461 - Properties pane - Report level - Burst options (2)

By clicking on the right side, or dragging the marble to the right of the checkbox ( ) at the left of "Make report available for bursting" the user is presented with the bursting properties:

Burst Groups: in the Query box you can select the query that contains the data item on which to burst

Label: you can select the data item with which to label each burst report.

By clicking on the edit button ( ), you can drag from the "**Data items**" the data item on which to burst to the Groups folder and then click on "**OK**".

Under **Burst Recipient**, in the **Query** box, you can select the query that contains the data item to be used as the distribution list.

In the **Data Item** box, you can select the data item that contains the recipients.

In the **Type** box, choose the method to burst the report:

Directory entries: you can distribute reports to folders that recipients can access in the Cognos Analytics portal.



#### Run with full interactivity

Enable users to change the report

By default, reports that are created are set to run with full interactivity

#### <u>Style</u>

Apply local and global styles from another report

#### Language

Specifies the language package

#### Name

Name of the report, specified when you save it

#### Report styles

Specifies the product classes used to format objects. You can select between 1.x, 8.x, 10.x, 11.x, 11.4 and 11.5.

#### Page break for interactive HTML

For reports with multiple data containers, specifies whether to render the default number of rows of each data container on each page.

#### View pages as tabs

In HTML output, specifies whether to show each report page in its own tab, and the location where the tabs appear in the browser.

#### Paginate saved HTML output

Specifies whether to create multiple pages or one scrollable page.

#### Use 1.x CSV export

Not applicable.

#### **Group repeating cells - export to Excel**

When you produce reports in Excel format, you can choose to group repeating cells into a single merged cell.



#### PDF page setup

Sets PDF page options

#### **Conditional layouts**

Add layouts to a report based on conditions

#### **Data formats**

Specifies the default data format properties for each type of data

#### Package-based drill-through source

Enable or disable the report to be used as the source during a package drill-through. This property can also be set in the drill through definitions property.

#### **Dynamic filtering**

When the report is a drill-through target, specifies whether to apply more filtering when names from the context in the source report match names of items in the target report. This property can also be set in the drill through definitions property.

For other types of objects, like containers, you can set conditional styles, queries, pagination, margins, colour and background, font and text, and many other properties.

### 8.2 Report Layout, queries and objects

All reports have two components: a layout component that defines the report appearance and a query component that defines report data. Understanding these components will help you design effective reports.

#### 8.2.1 Layout

A layout is a set of pages that defines the appearance and formatting of a report. When you design the layout of a report, you:

- I present the data in a meaningful way by using lists, crosstabs, charts, and maps
- add formatting, such as borders, colour, images, and page numbers
- specify how the data flows from one page to the next

When you create a report, consider the following structural elements:

Define the page structure.



Determine what goes into the page header, body, and footer. The page header contains information that appears at the top of each page. The page body contains information that starts on the first instance of the page. If there is too much data to fit on a single page, it continues across all instances of the page. The page footer contains information that appears at the bottom of each page.

- I Identify horizontal bands of information.
  - Look for natural bands of information running across the page. Each of these bands typically translates into a block.
- I Identify vertical bands of information.
  - In each horizontal band of information, look for bands that run up and down the page. Each of these bands typically translates into table cells.
- I Decide which data frames to use to lay out the data.
  - Choose a list, crosstab, chart, repeater, or text frame.
- I Set properties at the highest level item possible.
  - By setting properties at the highest level, you set them once instead of setting them for each child object. For example, if you want all text items in a report to appear in a specific font, set the font for the page.
  - When setting properties for an object, click the "**Select ancestor**" icon ( ) in the Properties pane title bar to see the different levels available.
- I Use padding and margins to create white space.
  - Do not use fixed object sizing unless it is absolutely necessary. When you specify that an object has a fixed size, your layout becomes less flexible.

#### 8.2.1.1 The Function of the page structure view

When you add objects to a report, you usually work in the layout. An alternative view of the report is avail-able. To view the report in a different way, select at the right of the top Page design and then click "**Page structure**".






Figure 462 - The user interface - Report Layout, queries and objects - Layout - Page structure

Use the page structure view to view the entire contents of a report page in a tree structure. Using a tree structure is useful for locating the objects in a page and troubleshooting problems with nested objects.






Figure 463 - The Function of the page structure view

#### Use the "Page structure" view:

- I To quickly move objects from one area of a page to another. If you have a complex layout, it may be difficult to select, cut, and paste objects in the layout view. Objects are easier to locate in the "Page structure" view.
- When you want to modify object properties, you can navigate to the layout or in the "Page structure" view.

  To switch back to the report layout, select "Page design" at the right of the top.




#### 8.2.1.2 Pages

Pages are containers for the layout objects that you use to build a report. A page is made up of the following mandatory and optional components:

- I page header (optional)
- page body (mandatory)
- page footer (optional)

When you run a report, the amount of data queried often exceeds one page. As a result, a page will repeat until all the data is shown. You have control over how data flows from one page to the next. For example, here are alternative representations of a report that contains a chart and a lengthy list.



1. The chart appears on its own page. The list begins on the next page and fills subsequent pages until all rows appear.




Figure 464 - Report Layout, queries and objects - Pages

It is necessarily to create two pages for this approach.





Figure 465 - Report Layout, queries and objects - Pages - First page




Figure 466 - Report Layout, queries and objects - Pages - Second page

2. The chart and the first few rows of the list appear on the first page. The rest of the data in the list appears on the subsequent pages.






Figure 467 - Report Layout, queries and objects - Pages - Chart and first rows of the table on the first page

# 8.2.1.3 Guided Report Layout

Guided report layout helps you to create a report layout more quickly and dynamically by simplifying the process of adding objects to the canvas.

Here are some of the features of guided report layout:

- Visual indicators that show you where an object is going to be placed before you drop it on to the canvas.
- I When you drag a measure on to the canvas, you get a summarized text item with a descriptive la-bel and formatting.
- When you drag a column that is not a measure on to the canvas, you get a list with a descriptive title.
- You can place objects on the left, in the middle, right, top, or bottom of a container with one gesture.
- Tables use percentage sizing which ensures that different screen resolutions are supported.
- I You can resize an object by dragging one of its grippers.
- I You cannot drop a crosstab space object on to the canvas.



Guided report layout is enabled by default for the benefit of users that are new to report authoring. If you prefer not to use guided report layout, you can disable it.




Figure 468 - Guided Report Layout - More icon - Options - Report

- 2. Clear the Enable guided report layout check box.
- 3. Click OK.

The "**Apply**" button is present in every pop up window next to the "**OK**" button. It serves as a preview. When the user wants to make any change and see the outcome step by step, can click the "**Apply**" button to see the effect the change has made to the result and when the result is the expected, click on "**OK**" button.

# 8.2.1.4 Specify the font for a report

You can specify the font for text in a report.

### **Procedure**

Click the object.

To specify the default font for the report, click the page.

Do one of the following:



From the report object toolbar, click the "Font" icon and then specify the font properties.



In the Properties pane, double-click the "Font" property and specify the font properties.

To specify the colour of the text, from the report object toolbar, click the "**Font**" icon, and then click Foreground colour. Alternatively, you can specify the colour of the text by clicking the Foreground colour property for the object.




Figure 469 - Specify the font for a report - Font icon - Foreground Color

Type a list of fonts in the Family box if you are not sure whether a specific font is installed on a user's computer. For example, if you type Times New Roman, Arial, monospace, The Reportstudio checks to see if Times New Roman is installed. If it is not, Reporting checks for Arial. If Arial is not installed, the mono-space font used by the computer is used.

If you clicked "**Default**" for any of the font properties, the default value for the property is used. Default values are stored in a style sheet that is used across all DWH tools. You can modify default values by modifying classes.



#### 8.2.2 Queries

Queries determine what data items appear in the report. Sometimes you want detailed rows of data, which you obtain by using a simple SELECT statement. Other times you must calculate totals or averages using summary functions and grouped columns or must apply filters to show only the data you want.

DWH - Reporting automatically creates the queries you need as you build reports. However, you can modify these queries or create your own custom queries to get the results you want.

The Queries are depending on the templates and the package you have selected when you are creating a report. Here is an Example how the query looks if you selected "**Eurosystem2**" in the templates of the report.




Figure 470 - Queries - Query example of Eurosystem2 template

# 8.2.3 Report objects

You build reports by adding objects and manipulating them to obtain the results you want. To understand how to work with objects in DWH - Reporting, you must be familiar with the following concepts:

#### Objects as containers

Objects, such as tables, blocks, and any report frame, are containers in which you can insert other objects. For example, you can insert a list in one cell of a table and a chart in another.

You can also nest objects to create a sophisticated layout. For example, you can insert a map and a list in a cell of table.






Figure 471 - Report objects - Insert map and list in a cell of table

### Locking and unlocking objects

To manipulate the contents of some objects, you must first unlock the object. For example, you have a list that contains the column "**Product Name**". You want to insert a graphic inside the "**Product Name**" column to show an image of each product. Unlock the list to insert the image object inside a list column.

To unlock a report, click the "**Lock**" icon ( ) in the application bar. All layout objects in a report are unlocked. Note that this setting is not saved with the report.

# **Hierarchy of objects**

In DWH - Reporting, objects are organized hierarchically. For example, a list contains list columns, and each list column contains a text item, which is the name of the inserted data item.

The hierarchy of objects is useful to remember when you apply formatting because formatting is applied to the child objects of the object. For example, you can specify that all list column titles in a list have red as the background colour. The formatting is automatically applied to any new columns you add to the list be-cause the formatting is applied to the list and is therefore applied to the objects in the list. If you apply for-matting to a specific object, it will override the same formatting specified for the parent object.

### **Searching**

You can quickly locate specific objects in a report by using "Find":



		Find what:	
ı	Click "Find what"	( Any objects ) and choose the type of obje	ect to find.
		Options	
		Text:	
ı	In the " <b>Options</b> " (		-) box, specify the search criteria.

For example, if you want to find the objects that reference a specific data item, you must specify the query that contains the data item and the data item name.




Figure 472 - Report objects - Find - Find objects in the query



I To search for objects that are hidden in the report, in the "View" box (
select the Show hidden objects check box.

Find All

Click "Find All" (

Or "Find Next" (

Results: ). The first object that meets the find Next (

Show hidden objects (

Show hidden objects (

Next (

Next (

Results: ). The first object that meets the find Next (

Show hidden objects (

Next (

In some cases, such as searching for a data item that is used to define a conditional style, the Report Studio cannot directly select the object in the report. Instead, Reporting selects the object that uses the object for which you are searching.

# 8.2.3.1 Mostly Used Objects

You add layout objects to a page when you create a report. Below are objects that you will use often when building reports in DWH - Reporting:

### l List

Add a list to show data in rows and columns.






Figure 473 - Report objects - Mostly Used Objects - Data container - List

### Crosstab

Add a crosstab to show data in a grid with dimensions along the rows and columns and measures in the cells or intersection points. (see list)

- Chart or Visualization (see list)
- **Map**

(see list)

### Repeater

Add a repeater to show each instance of a certain column or data item in a separate frame. (see List)

l Text






Figure 474 - Report objects - Mostly Used Objects - Textual

### **Block**

Add a block to hold text or other information. Blocks are often used to lay out horizontal bands of information.




Figure 475 - Report objects - Mostly Used Objects - Layout



(See Block)

# 8.2.3.2 Copy object formatting

You can quickly copy the formatting of items in your report, such as fonts, colours, borders, and number formats, and apply that formatting to other items.

- I Click an item that has the formatting to copy.
- Do one of the following:
  - To copy all the formatting applied to the item, from the object toolbar, click the "Pick up style" icon (
     ), by clicking on the down arrow to the right, click the item to format, and then click the "Apply style" icon (
  - To copy only one of the formatting styles, click the down arrow to the right of the pick-up style button and click the style to copy. Then click the item to format and click the "Apply style" button ().
- If you want to make changes to a style that you copied, click the "Pick-up style options" button (

  ) and click "Edit dropper style" (

  ).

In the Style dialog box, specify basic and advanced style characteristics.

# 8.2.3.3 Add borders to a formatting object

You can add borders to objects in a report such as a column, a header, or a footer or to the whole report.

You can also add borders using the report object toolbar by clicking the "Border" icon (  $^{\boxplus}$  ).






Figure 476 - Report objects - Add borders to a formatting object

Alternatively click on the object to which to add a border.

To quickly select the parent of an object, click the object, and then click the "**Select ancestor**" icon select

() in the title bar of the Properties pane.

V BOX

In the Properties pane, double-click the "Border" property (Border ) and select values in the Colour, Style, and Width boxes.

Specifying a width using % as the unit of measure is not supported when producing reports in PDF.



Apply the selected values to the top, bottom left side or all sides of the object by clicking the preview appropriate button in the "Preview" section (

# 8.3 Relational and Dimensional Reporting

You can create reports in DWH - Reporting using either a relational reporting style or a dimensional reporting style.

The Reporting tools and query language are the same for both styles. However, it is important to choose a reporting style to ensure that you are making the most of your data and to avoid mixing dimensional and relational concepts.

### 8.3.1 How to choose a reporting style

When authoring a report, first choose your preferred reporting style for working with data: relational or dimensional. You can choose a reporting style from your viewpoint:

- If you think about your data as tables and columns, you have a relational viewpoint and should use a relational reporting style.
- If you think about your data as a number of dimensions intersecting at cells, you have a dimensional viewpoint and should use a dimensional reporting style.

# 8.3.2 Relational reporting style

The relational reporting style consists of lists. You focus the data with filters and summarize with header and footer summaries.



If your data is dimensional, then dimensions appear in the "Source" tab (———), and you can still use a relational reporting style, but instead of query items (columns) and query subjects (tables), you use measures, levels, and level properties.

Here is an example of relational style reporting with dimensional data.



Figure 477 - Relational reporting style - Dimensional data

# 8.3.3 Dimensional reporting style

The dimensional reporting style consists of measures and members from different hierarchies arranged in a crosstab with cell values at the intersections. You focus the data with set expressions that navigate from specific members in the hierarchy and summarize with set summaries.

Here is an example of dimensional style reporting with dimensional data.




Figure 478 - Dimensional reporting style - Dimensional data (2)

# 8.3.4 Insert a Query Calculation

When working with dimensional data, insert a query calculation into your report to add a new row or column with values that are based on a calculation. For example, you create a query calculation named Euros that converts dollars to euros by multiplying an existing dollar measure by a conversion rate. Euros can then be displayed to end users in a separate row or column.

In the Report studio you can create the following types of calculations:



Create calculated members or calculated measures where the expression is a member or a tuple-based (as opposed to property-based) value expression. For example, [2013] - [2012] is a calculated member and [Revenue] - [Planned Revenue] is a calculated measure.

Use set expressions to create calculated sets of members. For example, children ([2012]) is a set expression that displays the child members of 2012.

You must base each set expression on a hierarchy and the set expression must contain only members from this hierarchy.

Create value expressions when you want to insert a string, number, date, or interval value.

#### **Procedure**




Figure 479 - Insert a Query Calculation







Figure 480 - Insert a Query Calculation - Specify Query Calculation

Click the type of calculation you want to create and if required, select the hierarchy that contains the data that is the focus of your calculation.



For example, if you are calculating the difference between 2012 revenue and 2011 revenue, you could name your expression 2012 - 2011 Revenue.

- In the Available Components pane, define the calculation:
  - 1. Specify how you want to view the available data items in your data package by clicking the "View" button





I

2. To add data items that are not shown in the report, on the "**Source**" tab (———), double-click the data items.




Figure 481 - Insert a Query Calculation - Specify Query Calculation - Data items

- 3. To add data items that are in the report but not necessarily in the model, such as calculations, on the "Data items" tab ( ), double-click the data items.
- 4. To add data items from a specific query, on the "Queries" tab ( ), double-click data items. The items you will see are the items you already placed in your report.
- 5. To add functions, summaries, and operators, on the "**Functions**" tab (———), double-click elements.
- 6. To add a value that is derived from a parameter, on the "**Parameters**" tab (———), double-click a parameter. The items you will see are the parameters you already set in the report.

Parameters define prompts, drill-through reports, and master detail relationships.

You can also type the calculation directly in the "Expression Definition" ( Expression Definition: ) box.

When typing date values, ensure that the date format is correct for your database type.

To copy and paste expression components in the Expression Definition pane, you can use the "Copy" button copy icon and the "Paste" button paste icon



Click the "Validate" button ( ).

Any validation errors appear on the Errors tab of the Information pane.

To copy and paste expression components in the "Expression Definition" pane, you can use the "Copy" button ( ) and the "Paste" button ( ).

#### 8.3.4.1 Functions for data items

When you insert a calculation there are a lot of functions you can do with the data. Try to use the functions that are appropriate for the selected data type. For example a percentage function only makes sense for decimal number data in contrast to the date or a text. Double-click the function to add it to the data item. When you click only one time on the function you can see the information in the information box what the function is for, an Example of the function, the Result and the correct Syntax you have to use.

#### Operators:




Figure 482 - Insert a Query Calculation - Operators

In the operator functions you can add the general mathematical functions like plus, minus, for all, or a combination of it like for all 'data item' < 15 and > 18.

You can also find the functions "like" and "contains" that can be helpful when searching within data.



The "**like**" function can be used when searching a string within a string. Here, the percent sign (%) represents zero, one or multiple characters, and the underscore sign (\_) represents any character. You can find the "**like**" function under "**Operators**" folder in "**Functions**" tab.




Figure 483 - Insert a Query Calculation - Operators - Function tab



# In the following example we are searching for any Party that contains the string "Ban" in its name:

CASE
WHEN [(en-zw) Invoice Data Info].[(en-zw) Party Charged Name CRDM].[(en-zw) Party Short Name] like '%Ban%'
THEN 1
ELSE 0
END

Figure 484 - Insert a Query Calculation - Searching the string

### That is the result:

	Party (Short)	Flag
Ærø	Ærø Pensionsbank America First Savings & Loans	
Amer		
Aphro	odite's Mutual	0
Apollon Bank		1
Ares	Bank	1
Årø L	and Pandebrev	0
Arten	nis Bank	1
Ather	na National Bank	1
Ausla	indskassenverein i.L.	0
Bågø	Credit	0
Banc	a de Bondi	1
Banc	o de Isthmus	1
Banc	o di San Giorgio	1
Banc	o Português de Negócios	1
Bank	of Korea	1
Bank	of New England	1
Bank	haus Goldscheider	1
Bank	haus Medici	1
Bank	i Kiribati	1
Bank	ia	1

Figure 485 - Insert a Query Calculation - Searching the string - Results

In the next example the use of underscore sign (\_) twice in the function like '%Ban\_\_' returns Parties that have the string "Ban" followed by exactly two characters:



CASE
WHEN [(en-zw) Parties - Cash Accounts - Other Info].[(en-zw) Parties].[(en-zw) Party (Short)] like '%Ban\_\_%'
THEN 1
ELSE 0
END|

# Figure 486 - Insert a Query Calculation - Searching the string (2)

### That would be the result:

	Party (Short)	Flag
Ærø	Pensionsbank	0
Ame	rica First Savings & Loans	0
Aphr	rodite's Mutual	0
Apol	Ion Bank	0
Ares	Bank	0
Årø	Land Pandebrev	0
Arte	mis Bank	0
Athe	na National Bank	0
Ausl	andskassenverein i.L.	0
Båg	o Credit	0
Band	ca de Bondi	1
Band	co de Isthmus	1
Band	co di San Giorgio	1
Band	co Português de Negócios	1
Bank	k of Korea	1
Bank	k of New England	1
Bank	khaus Goldscheider	1
Bank	khaus Medici	1
Bank	ki Kiribati	1
Bank	kia	1

Figure 487 - Insert a Query Calculation - Searching the string - Results (2)

You can find tips about this function in the "Tips" tab in the expression definition window:






Figure 488 - Insert a Query Calculation - Data item expression - Tips tab - Information

The "contain" function, can also be found under "Operators" folder in "Functions" tab:





Figure 489 - Insert a Query Calculation - Operators

This function determines if a string exists in a string, but in a different context than the "**like**" function. In the following example we are looking for any Party that has the string "**Ban**" in its name:



CASE
WHEN [(en-zw) Parties - Cash Accounts - Other Info].[(en-zw) Parties].[(en-zw) Party (Short)] contains 'Ban'
THEN 1
ELSE 0
END

Figure 490 - Insert a Query Calculation - Searching the string - Different context than the "like" function

That would be the result:

Party (Short)	Flag
Ærø Pensionsbank	0
America First Savings & Loans	0
Aphrodite's Mutual	0
Apollon Bank	1
Ares Bank	1
Årø Land Pandebrev	0
Artemis Bank	1
Athena National Bank	1
Auslandskassenverein i.L.	0
Bågø Credit	0
Banca de Bondi	1
Banco de Isthmus	1
Banco di San Giorgio	1
Banco Português de Negócios	1
Bank of Korea	1
Bank of New England	1
Bankhaus Goldscheider	1
Bankhaus Medici	1
Banki Kiribati	1
Bankia	1

Figure 491 - Insert a Query Calculation - Searching the string - Different context than the "like" function - Results

The "**contain**" function could be useful when you wish to search for a string that could have the character "%" or "\_", by also using the term "**literal**"






Figure 492 - Insert a Query Calculation - Data item expression - Tips tab - Information - Literal

You can find tips about this function in the "Tips" tab of the expression window




Figure 493 - Insert a Query Calculation - Data item expression - Tips tab - Information - Literal (2)



# **Summarize Functions:**



Figure 494 - Insert a Query Calculation - Summarize Functions

The summarize function are very useful when you have a large amount of decimal data. It will help you to show the data that is more important to you.



# **Member Summaries:**

✓ ☐ Member Summaries
 ∑! aggregate
 ∑! average
 ∑! count
 ∑! maximum
 ∑! median
 ∑! minimum
 ∑! percentage
 ∑! percentile
 ∑! quantile
 ∑! quartile
 ∑! rank
 ∑! standard-deviation

Σ! total

Σ! variance

Figure 495 - Insert a Query Calculation - Member Summaries

The member Summaries only work with dimensional data. Ask your Administrator if you do not know about the data item you like to select. If it work you can categories and summarize the whole or a part of the hierarchy of the dimensional selected item.



### **Constants:**



Figure 496 - Insert a Query Calculation - Constants

The Constant functions help you to add, as the name says, a Constant. This can be a date, time or a special Number you select if you make a double click on the function you want.



# **Constructs:**




Figure 497 - Insert a Query Calculation - Constructs

The Constructs functions are useful if you want to mark a scenario. You can select here a condition to the data item. For example you can select if then else and combine it with a Constant you want to pop up in the report. It could look like that:

If 'Number of Transactions' is > 1000 then Timestamp with timezone.



### **Business Date/Time functions:**

```
→ Business Date/Time Functions

    *xx _add_days
    ** _add_hours
    #w _add_minutes
    #w _add_months
    * _add_seconds
    ** _add_years
    *(x) _age
    #xx _date_to_int
    #xx) day
    #x> _day_of_week
    * day_of_year
    Kx) _days_between
    #x _days_to_end_of_month
    #(x) _end_of_day
    #xx _first_of_month
    ## _from_unixtime
    * hour
    #xx _last_of_month
    #w _make_timestamp
    #w minute
    ## month
    ** _months_between
    *(x) _second
    *(x) _shift_timezone
    (x) _start_of_day
```

Figure 498 - Insert a Query Calculation - Business Date/Time Functions

These functions help you to calculate time-data. Just double-click the function you need and add the data item to it.



### **Period Predicates:**

```
Period Predicates

*= contains

*= equals

*= immediately precedes

*= immediately succeeds

*= overlaps

*= precedes

*= succeeds
```

# Figure 499 - Insert a Query Calculation - Period Predicates

This functions help you to search in the data to the data item you want to highlight. You can set the function for example equal to a constant.

### **Block functions:**

```
✓ Block Functions
f∞! _firstFromSet
f∞! _remainderSet
```

# Figure 500 - Insert a Query Calculation - Block Functions

The Block function are use full when you want to select a block of multiple data in the report. You just have to specify which data items should be marked.

### **Vendor Specific functions:**

This function is not recommended for beginners. You can change the datatype into another. First of all it is necessary to know which data type the selected data item has. Do this only if really necessary. It could be that the data is not readable after adding the function to the data item.



# **Common functions:**

```
∨ Common Functions
  VBA-C
       Ke abs
       KW cast
       Kw ceil
       #w ceiling
       100 char_length
       * character_length
       no coalesce
       am current_date
       an current_time
       an current_timestamp
  ∨ D-G
       ин ехр
       no extract
       no floor
  V D H-L
       600 lm
       an localtime
       @ localtimestamp
       no lower
```



```
V ₱ M-0
     see mod
     100 nullif
     *w occurrences_regex
     *w! octet_length
     my! period
     rea position
     no position_regex
     re power
VBR-Z
     * round
     100 random
     600 row
     no sgrt
     100 substring
     # substring_regex
     rea! trim
     (w) upper
     no width-bucket

→ Trigonometric functions

     for arccos
     # arcsin
     no arctan
     HO COS
     no coshyp
     no sin
```

Figure 501 - Insert a Query Calculation - Common Functions

These function are used to return a different value from the selected data item. You can return the position, the sinus, or if it is null able from the data item.



# **Dimensional functions:**

```
→ Dimensional Functions

  VB A-C
      rol ancestor
      we! ancestors
      ***! bottomCount
      #w! bottomPercent
      ## bottomSum
      no caption
      100 children
      m! closingPeriod
      KW! cousin
     > [ Advanced
  V D D-G
      100! defaultMember
      we! descendants
      ros! except
      Fw filter
      roo! firstChild
      ma! firstSibling
     > Advanced
  V → H-L
      Fw! head
      w! hierarchize
       ro! hierarchy
      ** intersect
      roo! item
```





Figure 502 - Insert a Query Calculation - Dimensional Functions

These functions are used if you want to select a "partner" of the dimensional data item. You can choose the parent the Child or the previous member next to the data item you selected. For Example the selected data item is Month and you choose in the Source of the Data item the April 2019. Then will the function return the value the parent the second quarter, the Child all Days of April and the previous member the Month March 2019.

# 8.3.5 Guidelines for each reporting style

This user guide is divided into relational and dimensional reporting sections so that you can follow the best practices for using this product with the reporting style that you have chosen. The following table outlines the best practices for both reporting styles.



Item	Relational reporting		Dimensional reporting
Report type	Lists		Crosstabs
	Crosstabs pivoted from lists	Charts created from scratch or from	
	Charts created from lists	crosstabs	
Maps created from scratch or from lists			Maps created from scratch or from
			crosstabs
Package tree	In the "Source" tab ( ) click the "One	tions" icon (	In the "Source" teh ( ) eliek the
	In the "Source" tab (———), click the "Opt	tions icon (	In the "Source" tab (———), click the
	), and then click "Show members only	for	"Options" icon ( ), and then click
	dimensional package".	101	"Show members only for
	If you are using dimensional data, hide mem	hers in the	dimensional package".
	source tree by right-clicking the tree, clicking		Ensure that the option "Create sets" is
	Package tree settings	_	selected.
	Tree Settings" (	), and	View
	clearing the check boxes for "Members"		Show members only for dimensional packages
	Settings		Insert
	✓ Members		Individual members
	Members		Create sets  Member insert options
	✓ Levels		Insert single member
			Insert children
	✓ Members for each level		Insert member with children
	<ul> <li>Member properties</li> </ul>		
	6	and	The view will include the following:
	"Members for each level".		I package
	Settings		I folder
	✓ Members		I measure
			I member
	✓ Levels		I named set
	✓ Members for each level		
	✓ Member properties		
	The view will include the following:		
	I package		
	I folder		
	I namespace		
	I query subject		
	query subject		




Inserting data	I query item I measure I level From the package tree, add oreport. Avoid using hierarchies direct		From the package tree, add sets of members to the report.  You can also choose to insert just the member, just the children of the member, or the member and its children.
Calculating data	Add query calculations using common constructs.  Choose only "Other express  Create calculation  Calculated member Automation  Set expression  Other expression  Cancel	sion".	Add query calculations using only dimensional and common constructs.  Use "Other expression" only for value calculations.  Avoid "Common functions"  Create calculation  © Calculated member Hierarchy: Calculated measure Other expression  Other expression  OK  that are marked with an exclamation mark (!) because they have limited support.
Summarizing data	Headers and footers in lists  Crosstab member summaries within detail	s; for example, aggregate	Member set summaries; for example, aggregate within set



Focusing data	Add detail or summary filters to view only the data you want to see. For example, add the "Quarter" query item to a list and filter by Q3.	Add only the relevant members to an edge of the crosstab or to the context filter. For example, only add the Q3 member to your report.  Use a set expression such as "Topcount" or "Filter".
Drilling	Drilling through by value	Drilling through by member  Drilling up and down
Page and section breaks	Simple page breaks Page sets Sections Master detail relationships using parameterized filters	Simple page breaks  Page sets  Page layers  Master detail relationships using parameterized edge or slicer expressions

Table 138 - Guidelines for each reporting style

# 8.4 Create a report



# 8.4.1 Templates and themes

The DWH includes several basic report templates and colour themes that you can choose from when you create a new report.

The templates and themes are stored in the Templates.zip deployment file. If you do not see the list of templates and themes when you create a new report, ask your administrator to import the deployment file into the DWH Administration. After the deployment file is imported, the templates appear in the Templates folder in Team content.








Figure 503 - Templates and themes - Templates



Figure 504 - Templates and themes - Themes

# 8.4.2 Adding data

You can add data from multiple packages that use the dynamic query mode, from a single package that uses the compatible query mode, or from a single data module.

The following list provides information about authoring reports that reference multiple packages.

You must set one of the packages as the default package.

When a report is run, the DWH checks the package capabilities of the package that is used by the report. In a report that references multiple packages, package capabilities are checked only for the default package.

A query can reference only one package.



- I Query set operations (join, union, intercept, except), master detail relationships, and the Build prompt page tool are not supported.
- I Drill through and external data are supported only for the default package.

Click the "Data items" icon (-----).

Click the "Add a source" icon ( \* ).

Open the packages that you want or open a single data module.

If you opened multiple packages, to specify a package as the default package, right-click an item in the package and select "**Set default package**".




Figure 505 - Adding data - Add a source - Right click item - Set default package

To delete a package, right-click an item in the package and select "Delete package".






Figure 506 - Adding data - Add a source - Right click item - Delete package

To replace a package by another package, right-click an item in the package and select "Replace package".






Figure 507 - Adding data - Add a source - Right click item - Replace package

If queries exist that use the package that you are replacing, model paths in the queries are updated to the new package.

# 8.4.3 Insert a single data item

You can insert a single data item anywhere in your report using the singleton object. The singleton object retrieves only the first row value for that query. Inserting a single data item is useful when you want to show a value that is independent from the rest of the values in the report or when you want to insert some boilerplate text, such as a company name and address. For example, you can add the total revenue value in the header of each page in a report.

You can associate multiple singleton objects with a single query in relational reporting and dimensional reporting to optimize performance, such as when all the data items in the singleton are from the same database table. In addition, two or more singletons can reference data items from the same query. This is useful when using a single query is more efficient to display a set of single values than using multiple queries.

You can also filter the data item in the singleton. For example, you can show the total revenue for only the year 2012.

Queries that are associated to a singleton object are not supported when producing report output in delim-ited text (CSV) format.








Figure 508 - Insert a single data item - Data container - Singleton

Click the "**Toolbox**" icon (\_\_\_\_\_\_) and drag Singleton to the report. An empty data container is created.

Click the "**Source**" tab (\_\_\_\_\_\_), and drag a data item into the Singleton container.

To change the query associated to the singleton object, select the singleton, click on the "Show properties" icon ( ) and in the Properties pane, click the down arrow at the right of the "Query" property VDATA

Ouery

Query1

Ouery1

Ouer

# 8.4.4 Validate a report

Validate your report to ensure that it contains no errors. When you open a report created in a previous version, it is automatically upgraded and validated.

- Click the "More" icon ( ), and click "Validate" Report ( ).
- A message box appears indicating whether any errors were found in the report.



Validation level	Description
Error	Retrieves all errors returned from the query
Warning	Retrieves all errors and warnings returned from the query. This is the default validation level.
Key transformation	In addition to errors and warnings, retrieves informational messages describing important transformation steps from the report specification to the native query sent to the data source.  These messages can show the cause of errors and warnings returned from the query.
Information	Retrieves errors, warnings, key transformations and other information related to query planning and execution.

#### Table 139 - Validate a report

- If you require more detail from the validation process, click the "More" icon ( ), click the "Validate options" property, and do the following:
  - Click one of the following validation levels.
  - Click the right side of the "Interactive data check" box (
     no query optimization is to be used.
  - The Interactive data check box controls how queries will be processed during validation.
  - Clear the Interactive data check box to set the query property Execution optimization property to All Rows.
  - A message box appears indicating whether any errors were found in the report.
  - To view messages that result from the conversion of your report to use the dynamic query mode instead of the compatible query mode, click the right side of the "Dynamic query migration" check

```
Dynamic query migration box ( ).
```

Revalidate your report.






Figure 509 - Validate a report - Validate options



# 8.5 Options in Reporting

8.5.1 View Options




View Edit Report Advanced

Table 1. Descriptions of the options on the "View" tab ( ) of the "Options" window



Click the "More" icon ( ), and click "Options".








Option	Description
Show new data container dialog	Shows the new data container dialog boxes when the Show this dialog in the future check box was previously cleared.
Reuse IBM Cognos Viewer window	Reuses the same DWH Viewer window when you rerun a report without first closing the window.
Show on demand toolbar on right-click	Show the report object toolbar only when you right-click the object. The default setting is to show report object toolbars when you highlight an object. You can control when you want to see these toolbars by enabling this feature, which is also used for accessibility. When you author reports with accessibility features enabled, the Show on-demand UI on right click option is automatically selected. As a result, report object toolbars do not appear. To show an object's toolbar, navigate to the object and press the Enter key.
Start page view	Enables you to start Reporting in Design, Structure, or Preview view. For the change to take effect, you must close and then restart Reporting.

Table 140 - View Options



# 8.5.2 Edit Options






Automatically validate expressions	Automatically validates calculations, such as filters, created in the expression editor.
In-place edit	Enables the editing of text in place when double-clicking.
Allow crosstab nesting beside individual items	Specifies to create a crosstab node when a data item is inserted in a crosstab.  This option allows nesting under individual items instead of only on the entire crosstab edge.
Enable drill-up or drill-down links	For data items where drill-up or drill-down is possible, enables drill-up or drill-down links. When you select a data item, it becomes a link that you can click to drill up or down. Also, you can still double-click data items to drill up and down. By default, this option is enabled. You can also control drill options in the Properties pane. At the report level, in the Data section.
Drop replace on crosstab and chart nodes	When you use drag-and-drop techniques, this setting determines the behaviour for replacing an item.
Double-click on member action	When working with dimensional data, specifies what happens when you double-click a member data item.  By default, you drill down or up on the item that you double-click.
Layout dimensions	Specifies the width and height of the area where you will create reports.

Table 141 - Edit Options



# 8.5.3 Report Options



Option	Description
Alias member unique names	When working with a dimensional data source, creates an alias when you add a member to the report or to an expression.
Delete unreferenced query objects	Automatically deletes query objects linked to another object. For example, if you delete a list, the query linked to the list is deleted as well.
Delete unreferenced conditional styles and palettes	Automatically deletes conditional styles or palettes when the last data item that refers to the conditional style or palette is also deleted.
Table Style inheritance	When a table style is applied to a list or crosstab, specifies whether new objects inserted in the list or crosstab should inherit the style.




Automatic group and summary behaviour for lists	When working with lists, automatically adds an overall aggregate summary in the list footer and a summary for any groups in the list. When grouping a column, automatically makes it the first column in the list.
Automatically create crosstab headers for sets	When adding sets in a crosstab that uses a dimensional data source, automatically adds header labels on new columns and rows. The headers help consumers of the report to understand where the data is in the hierarchy.
Enable recommended visualizations	Enable or disable the visualization recommender.
Enable guided report layout	Enable or disable guided report layout.
Limit on inserted individual members	This is an option used in dimensional data sources that is a different form than the one used in the DWH.

**Table 142 - Report Options** 



# 8.5.4 Advanced Options



Option	Description
Use operating system clipboard	Uses the Microsoft Windows (or other operating system) clipboard instead of the internal Reporting clipboard.
Use legacy chart authoring	Enables you to create new reports using the legacy charts instead of the default charts and disables the automatic upgrade of charts in existing reports to the current default charts. Select this check box if you do not want to upgrade the charts in your existing reports.
Disable previews	When editing properties such as date and number formatting, does not display a sample of the formatting that is applied to data. When this option is not



	enabled, either sample data or data from your data source is displayed with formatting options applied.  Additionally, when in Page Design view, displays a static image for a chart instead of updating the chart with a preview of your chart, using simulated data.
Active Report validation of visualization	Specifies whether to validate visualizations in an active report when the report
	is run from Reporting.
Report styles used for new reports	Specifies which report styles to use by default when creating new reports.
Map feature display limit	When working with maps, specifies the maximum number of features that can
	appear in a map.
Member display count limit (in source	When working with dimensional data, specifies the maximum number of
tree)	members that can appear in the Source tab before you must perform a search.

**Table 143 - Advanced Options** 

# 8.6 Working with lists

Lists are used to show detailed information from your database, such as product lists and customer lists.

A list shows data in rows and columns. Each column shows all the values for a data item in the database or a calculation based on data items in the database.

User ID	User Name	User BIC	Environment Name	Environment ID	
<user id=""></user>	<user name=""></user>	<user bic=""></user>	<environment name=""></environment>	<environment id=""></environment>	
<user id=""></user>	<user name=""></user>	<user bic=""></user>	<environment name=""></environment>	<environment id=""></environment>	
<user id=""></user>	<user name=""></user>	<user bic=""></user>	<environment name=""></environment>	<environment id=""></environment>	

A list showing User ID, User Name, User BIC, Environment Name and Environment ID.

You can specify whether to automatically add an overall aggregate summary in the list footer and a summary for any groups in the list by selecting Automatic group and summary behaviour for lists in the DWH - Reporting options. The default aggregation as specified in your enterprise data source is used.

## 8.6.1 Set list properties

Format lists to give them the appearance you want. You can specify formatting for individual column titles or bodies or for all columns in a list. When you specify formatting for all columns in a list, the formatting is automatically applied to new columns you subsequently add.






Figure 510 - Set list properties

You can also quickly format lists by applying table styles.

Formatting for specific columns overrides formatting for entire columns. For example, you specify red as the background colour for a specific column body and green as the background colour for all columns. When you run the report, the specific column body is red and the remaining columns in the list are green. New columns added to the list will be green.

#### **Procedure**

- 1. To format an individual column, do the following:
  - Click the column title or column body.
  - To format the text in the column title or the data in the column body, click the "More" icon (\*), then click on "Columns title style" ( Columns title style ) or "Column body style" ( Columns body style ), and then select the formatting style in the properties pane.



	†*·1
	- To format the whole column, click the "Select ancestor" icon ( ) in the title bar of the Properties
	pane and click "List column" ( ).
	<ul> <li>In the Properties pane, set the property value.</li> </ul>
	For example, to specify a background colour, click "Background colour" and choose the colour.
2.	To format all columns, do the following:
	Click a column in the list.
	<ul> <li>To format list column bodies, click the "Select ancestor" ( ) icon in the title bar of the Properties pane and click "List columns body style" ( ).</li> </ul>
	- To format list column titles, click the "Select ancestor icon" ( ) In the title bar of the Proper-ties
	pane and click "List columns title style" ( Tr List columns title style ).
	- To format entire columns, click the "Select ancestor" icon ( ) in the title bar of the Properties pane and click "List columns" ( ).
	pane and click "List columns" (
	- To format the entire list, click the " <b>Select ancestor</b> " button ( ) in the title bar of the Properties
	pane and click " <b>List</b> " ( ).
	You can also click the container selector (three orange dots) of the list to select it.
	<ul> <li>In the Properties pane, set the property value.</li> </ul>
	For example, to specify a background colour, click "Background colour" and choose the colour.
8.	6.2 Hide column in reports
	ou can hide columns from the output of list reports. If you select to hide a column, the query for that column still executed.
Ĺ	Select the column that you want to hide.
ı	Click the "Select ancestor" icon ( ) in the title bar of the Properties pane and click "List column"  List column ).
i	Set the "Render" property to "No".





Figure 511 - Hide column in reports -List column properties - Conditional - Set Render to No

So the result is: When you run your report, the column is hidden in the report output.

#### 8.6.3 Create a scrollable list

When the list contains many rows of data, it is clever to use a list you can scroll:

Select the entire list by clicking the container selector (three orange dots) of the list.




Figure 512 - Create a scrollable list

- In the DWH toolbar, click the "Show properties" icon (
- In the properties sheet of the list, specify the height of the scrollable area, in pixels, that you want by typing a value in the Scrollable area height property.





Figure 513 - Create a scrollable list - Properties - General - Scrollable area height

#### 8.6.4 Using Repeaters

Use repeaters to repeat items when you run the report. For example, you can use repeaters to create mailing labels, including customer names and addresses.

To build a repeater, drag the "Repeater" or "Repeater table" object from the "Toolbox" tab to the work area




Figure 514 - Using Repeaters - Data container - Repeater/Repeater table

Use repeaters to repeat items across a single row without a particular structure. For example, you want to create a list that contains Year, and Number of Transactions. For each year, you want all "**Number of Transactions**" to appear in a single row. To do this, create a list with Year as a column and a repeater as a second column.






Figure 515 - Using Repeaters - List with all Number of Transactions in a single row

Then insert "Number of Transactions" into the repeater.

Use "Repeater table" to repeat items in a table structure. Drop the items in the repeater, and modify the properties of the repeater to obtain the results you want.

For example, you can specify how many frames appear per page in a repeater table by typing values in the "Across" and "Down" properties.



Figure 516 - Using Repeaters - Properties - General - Across and Down

Horizontal pagination is not supported for data containers, such as lists or crosstabs, which are nested in repeater tables.

## 8.6.5 Change a list into a crosstab

Change a list into a crosstab to view your data from a different perspective.

Click the columns to appear as columns or nested columns in the crosstab.

From the report object toolbar, click the "More" icon ( ) and choose "Pivot List to Crosstab".






Figure 517 - Change a list into a crosstab - More icon - Pivot List to Crosstab

The list becomes a crosstab with the columns you selected in step 2 appearing as columns and nested columns. The unselected columns, except for measures, appear as rows and nested rows. If you have one measure, it becomes the cells of the crosstab. If you have more than one measure, they appear as columns.

To make all measures appear as rows, swap columns and rows ( ).

# 8.7 Working with crosstabs




Figure 518 - Working with crosstabs - Data container - Crosstab

Use crosstab reports, also known as matrix reports, to show the relationships between three or more query items. Crosstab reports show data in rows and columns with information summarized at the intersection points.

Swap columns and rows to look at information from a different perspective. This may help you discover high and low points in the data that you had not previously noted.



You can only swap columns and rows in a crosstab or chart. In a chart, you swap the x- and y-axes.

From the toolbar, click the "**Swap rows and columns**" button (

In the report, the rows become the columns and the columns become the rows.

#### 8.7.1 Crosstab nodes and Crosstab nodes members

When you add data items to crosstabs rows and columns, you create crosstab nodes and crosstab node members. These objects allow you to easily create crosstabs, by dragging data items to crosstabs. Cross-tabs are dimensional objects that have row edges and column edges. Each edge is composed of a set of crosstab nodes. Each crosstab node contains the following:

- One or more crosstab node members.
- I Zero or one nested crosstab node, which contains one or more crosstab node members or nested crosstab nodes.

Each crosstab node member refers to a data item that contains an expression to define the members in the crosstab. The following crosstab contains four crosstab nodes.




Figure 519 - Crosstab nodes and Crosstab nodes members

- 1. Crosstab node 1 contains a single node member for the total. This node refers to the data item Total (Party Country).
- 2. Crosstab node 2 contains a crosstab node member that refers to the data item Party Country. This member has a nested crosstab node containing a crosstab node member that refers to the data item Party.
- 3. Crosstab node 3 contains a single node member for the average. This node refers to the data item Average (Party Country).
- 4. Crosstab node 4 contains a crosstab node member that refers to the data item "Year". This member has two nested crosstab nodes. The first node contains a crosstab node member that refers to the data item "Month". The second node contains a crosstab node member for the total. This node refers to the data item "Total" (Month).



			<#Year#>		<#Year#>	
	1		<#Month (Short)#>	Total	<#Month (Short)#>	Total
	Total		<#1234#>	<#1234#>	<#1234#>	<#1234#
2 <#Party Country#>	<#ranty#>	<#1234#>	<#1234#>	<#1234#>	<#1234#	
	<#Party#>	<#1234#>	<#1234#>	<#1234#>	<#1234#	
	Summary		<#1234#>	<#1234#>	<#1234#>	<#1234#2
3	Average		<#1234#>	<#1234#>	<#1234#>	<#1234#

Figure 520 - Crosstab nodes and Crosstab nodes members (2)

Nodes are also created when you add data items to charts.

Crosstab nodes can be placed anywhere in the crosstab. For example, in the previous diagram, you can drag "Month" under "Average" to create a row edge.

To move nested items from one edge to another, ensure that you select the crosstab node and not the crosstab node member. For example, in the previous diagram, you want to move "Party Country" and "Party" to the column edge. To do this, click "Party Country" and, in the Properties pane, click the "Select ancestor" (

Node. Both "Party Country" and "Party" are selected.

The DWH - Reporting option Allow crosstab nesting beside individual items ("**More**" icon in the application bar ( ), Options, Edit tab) affects the drag-and-drop behaviour in crosstabs. When the option is turned on and you add a data item to a crosstab, the item is created as a crosstab node. In addition, you can nest items under individual items instead of only on the entire crosstab edge. If the option is turned off, the item is created as a crosstab node member to an existing crosstab node.

For example, in the previous diagram, if the option is turned on and you drag "Week" or "Day" from the "Source" tab to beneath Year, Day or Week becomes a new peer node to "Year". If the option is turned off, "Day" or "Week" becomes a new peer node to "Year" and has "Month" as a nested crosstab node. This happens because instead of adding a new node, you are adding a new member to the existing node that already contains "Year".

To create discontinuous crosstabs, turn the option on. If you want the items on the edges of crosstabs to be related (contain the same nested items), turn the option off.

#### 8.7.2 Set Crosstabs properties

Format crosstabs to give them the appearance you want. You can specify formatting for rows, columns, and fact cells in a crosstab or for the entire crosstab. When you specify formatting for all rows, columns, fact cells,



or the crosstab, the formatting is automatically applied to any new items you add. If you apply the same styles, such as font colour, to crosstab rows, columns, and crosstab intersections, the styles are applied in the following order:

- Crosstab fact cells
- I fact cells in the outermost rows
- I fact cells in the innermost rows
- I fact cells in the outermost columns
- I fact cells in the innermost columns
- I crosstab intersections

The style applied to the last object in the list overrides styles applied to previous objects. In addition, class styles are applied before styles that you apply manually.

You can also quickly format crosstabs by applying table styles and add white space to a crosstab by inserting crosstab space objects.

In cases where fact cell formatting applied to rows conflicts with fact cell formatting applied to columns, you can set the "Fact cells precedence" property in the Properties pane to determine whether the row formatting or the column formatting precedence has. To set this property, click anywhere in the crosstab, click the "Select

ancestor" icon ( ) in the title bar of the Properties pane, and click "Crosstab".





Figure 521 - Set Crosstabs properties

Or you can click the container selector (three orange dots) of the crosstab to select it.

- 1. To format the entire crosstab, do the following:
  - Click anywhere in the crosstab.
  - Click the "**Select ancestor**" icon ( ) in the title bar of the Properties pane and click "**Crosstab**".
  - In the Properties pane, set the property value.
     For example, to specify a background colour, click "Background colour" and choose a colour.
- 2. To format all rows, columns, or fact cells, click a row, column, or fact cell in the crosstab and then do the following:



	<ul> <li>If you clicked a row, click the "Select ancestor" icon (         and click "Crosstab rows".</li> </ul>
	<ul> <li>If you clicked a column, click the "Select ancestor" icon (         and click Crosstab Columns.</li> </ul>
	<ul> <li>If you clicked a fact cell, click the "Select ancestor" button ( pane and click "Crosstab fact cells".</li> </ul>
	<ul> <li>In the Properties pane, set the property value.</li> </ul>
	For example, to specify a background colour, click "Background colour" and choose the colour.
	You can also right-click the row or column and click "Select fact cells".
3.	To format all crosstab cells for a specific row or column, do the following:
	- Click the row or column.
	<ul> <li>Click the "Select ancestor" icon ( member fact cells".</li> <li>in the title bar of the Properties pane and click "Crosstab</li> </ul>
	You can also right-click the row or column and click "Select member fact cells".
	<ul> <li>In the Properties pane, set the property value.</li> </ul>
	For example, to specify a background colour, click "Background colour" and choose the colour.
4.	To format all row or column titles, do the following:
	Click a row or column title.
	- Click the "Select ancestor" icon ( rows" or "Crosstab columns".
	<ul> <li>In the Properties pane, set the property value.</li> </ul>
	For example, to specify a background colour, click "Background colour" and choose the colour.
5.	To format an individual row, column, or intersection, do the following:
	- Click the row, column, or intersection.
	To format the data in a row, column, or intersection, click the "Lock page objects" ( ) icon to unlock then click the text item to format.
	<ul> <li>In the Properties pane, set the property value.</li> </ul>
	For example, to specify a background colour, click "Background colour" and choose the colour.



# 8.7.3 Create a Single-Edge crosstab

Create a single-edge crosstab report to show data in a list-like form. For example, to show the quantity of products sold for each year and for each order method, you could create a crosstab with Year and Month as rows and Number of Transactions per Day as the measure.

Click the "**Toolbox**" icon (\_\_\_\_\_\_), and drag a crosstab object to the work area.

From the "Sources" tab (———), drag data items to the "Rows" or "Columns" drop zone.

A black bar indicates where you can drop the data item.

Repeat step 2 to insert additional data items:

If you dragged the data item in step 2 to the "**Rows**" drop zone, drag the additional items above or below the first item.

If you dragged the data item in step 2 to the "**Columns**" drop zone, drag the additional items to the left or right of the first item.

To add measures to the crosstab, drag the measures to the "Measures" drop zone.




Figure 522 - Create a Single-Edge crosstab

When you run the report, a crosstab is produced that has only one edge.

#### 8.7.4 Create a nested Crosstab

Nest data in a crosstab report to compare information by using more than one data item in a column or row. For example, a report shows the number of transactions by country party per year. You decide to add a data



item to further break down the number of transactions by "**Month**". When nesting columns in a crosstab report, there are four distinct drop zones where you can insert a new data item. The drop zone you choose will define the relationship between the data item and the column.

The following relationships are created when you insert a data item as a row:

Inserting a data item to the left or right of a column creates a parent-child relationship between them. When you insert a data item to the left of a column, the data item becomes a parent to the column. When you insert a data item to the right of a column, the data item becomes a child of the column.

Inserting a data item above or below a column creates a union relationship between them.

The following relationships are created when you insert a data item as a column:

Inserting a data item to the left or right of a column creates a union relationship between them.

Inserting a data item above or below a column creates a parent-child relationship between them. When you insert a data item above a column, the data item becomes a parent to the column. When you insert a data item below a column, the data item becomes a child of the column.

For example, you have a crosstab with "Country Party" as rows and "Party" as nested row. For columns, you have "Year" with "Month short" or "Month" as a nested column.

In this crosstab, "Party Country" is a parent to "Party".

"Month" and "Month short" are peers.

"Year" is a parent to "Month" or "Month short".

- From the "Sources" tab (———), click the data item to add.
- I Drag the data item to the report as a nested column or nested row.

A black bar indicates where you can drop the data item.

I Repeat steps 1 to 2 to add other nested columns or rows.




Figure 523 - Create a nested Crosstab



#### 8.7.5 Creating headers automatically for sets in crosstabs

You can automatically add header labels on columns and rows when working with sets in a crosstab that uses a dimensional data source. The headers help consumers of the report to understand where the data is in the hierarchy.

Header labels are added only when you add new sets to your crosstab. The labels are not added to existing sets. After you enable this option, it remains on until you disable it, and applies to any new crosstabs that you create.

Click the "More" icon ( ), click "Options", then click the "Report" tab.




Figure 524 - Creating headers automatically for sets in crosstabs

Select "Automatically create crosstab headers for sets".

Click OK.

Header labels are now created in the rows and columns in a crosstab.

# 8.7.6 Showing Crosstab values as percentages

When you work with dimensional data sources, you can show crosstab values as a percentage of a sum-mary instead of the actual values. When you show values as a percentage, you can compare the contribution of an item to the whole.



You can show crosstab values as a percentage of a summary on the rows, the columns, or the rows and columns.

By default, the summary type that is used to calculate the percentages is Automatic summary. When you show values as a percentage, a percentage measure data item is created.

You can also create a custom percentage calculation. For example, you can show values as a percentage of an intersection (tuple). Or you can show values as a percentage of a different summary type, such as "Maximum".

When you show values as a percentage, the fact cells are formatted with the percent data format. When you show the actual values, the fact cells are formatted with the number format. If you modify the data for-mat of the actual values, the change is lost when you switch between showing the actual values and percentage values.

You can show values as a percentage only in crosstabs. If you insert a chart, you cannot fill the chart with data from a crosstab that shows values as a percentage. If you create a chart from a crosstab that shows values as percentages, an empty chart is created in the report.

- I Select the measure for which you want to show values as a percentage.

  If there is only one measure in the crosstab, click the crosstab corner.
- From the report object toolbar, click the "More" icon ( ), click "Show value as", and click the percentage values that you want to show.
- If you click Custom, provide the information that is required to calculate the percentage values.
  - To change the default name of the percentage data item that you are creating, type the new name in the Name field.
  - In the Percentage based on box, choose to build the percentage data item based on a summary of sets in the crosstab or based on an intersection (tuple).
  - If you choose to build the percentage data item based on a summary of sets, in the Choose sets box, click the sets that you want to use. Then, click "Summary type" and select the summary that you want to use to calculate the percentage values.
    - If there is more than one data item on the crosstab edge that you chose for the sets, select which data item that you want to use.
  - If you choose to build the percentage data item based on an intersection (tuple), click the ellipsis and select the items that you want to use to create the intersection.
  - Click "OK".
- To edit a measure percentage data item, follow these steps.
  - Select the measure.
  - From the report object toolbar, click the "**More**" icon ( ), click "**Show value as**" > Edit.



- Modify the information for the data item as described in step 3.
- If you replaced a set in the crosstab with a different set, in the Choose sets box, click "Existing sets"
   when you want to base the percentage values on the set that you replaced.

#### 8.7.7 Specify the Default Measure

You can specify the default measure for crosstabs and certain chart types. Specify the default measure to be used when the measures cannot be determined by what is on the edges. For example, you create a crosstab with "Order method" as rows and "Product line" as columns. You add "Quantity" and "Revenue" as nested rows, making "Order method" their parent. You then add "Country" or "Region" under "Order method". Since there is no measure specified for "Country" or "Region", you specify the default measure so that data is returned for each country or region.

In crosstabs, DWH - Reporting automatically sets the default measure when you insert a measure into the crosstab cells.

- To specify the default measure for a crosstab, do the following:
  - Click any part of the crosstab, and then click the "Select ancestor" icon (
     Properties pane.
  - Click Crosstab.

You can also click the container selector (three orange dots) of the crosstab to select it.

Set the "Default measure" property to the default measure.



Figure 525 - Specify the Default measure

To specify the default measure for a chart, drag the measure to the Default measure box in the chart.

#### 8.7.8 Indent data

You can indent crosstab node members to set them apart from surrounding data.

When you insert a hierarchy in rows, all members are automatically indented according to their level. By default, the first member in a set is not indented. If you insert a hierarchy in columns, the members are not automatically indented. You can change the indentation properties of members in the report.



Relative indentation means that the member will shift by one tab when the member's level increases relative to the previous member in the hierarchy.

Indenting based on the level in the hierarchy means that the member will shift the number of tabs equivalent to the level in the hierarchy.

You can also indent objects by applying padding.

- I Click the crosstab node member to indent.
- In the Properties pane, set the "Level indentation" property to your indentation type, length, and direction.




Figure 526 - Indent data - Properties pane - General - Level indentation

# 8.8 Working with Visualisations

Before creating visualizations, review the available visualisations to select the best type for your needs.

To view the available visualization types, add a Visualization object from the "**Toolbox**" pane (———) to an existing report.






Figure 527 - Working with Visualisations - Data container - Visualization

In the Visualization gallery window, select "11.1 Visualizations" from the menu.




Figure 528 - Working with Visualisations - Visualization gallery




To create charts, drag data items from the "**Source**" tab (———) to the measures, data series and categories drop zones.

When you are working with dimensional data sources, do not insert member properties in the series or categories of a chart. By default, DWH - Reporting groups items that are inserted in these areas. Grouping member properties produces a warning when you validate the report.

To help you when creating visualizations, you can do the following:

Preview your visualization style changes:



As you author your visualization and edit the visualization properties, DWH - Reporting provides you with a preview of your visualization, using simulated data. This allows you to view your style changes without running your report. You need to run your report to see the visualization with your actual data. You can disable the visualization preview in the options.

- Resize your visualization:
- Move the visualization drop zones into flyouts so that they appear only when you pause your pointer over the visualization.

After you create a basic visualization, modify the various chart objects to customize your visualization.

The DWH provides a number of recommended visualisations based on the data that you are working with.

Using a machine learning pipeline that is derived from training data and the input from visualization specialists, the DWH matches your data with the visualizations that illustrates your data.

When you drag a measure or column on to the canvas, the DWH chooses a recommended visualization for you. You can change it by selecting another visualization from either recommended visualizations or from all visualizations.

#### 8.8.1 Comparing measures in a visualization

You can compare measures from the same category in a visualization by adding multiple measures to the measure fields

For example, you can compare the unit price with the unit sale price.

I Create a bar or column visualization.



I Drag a member to the Bars field.


The visualization display different bars for the measures. The colouring is determined by the measures from the Length field.

Comparing measures is only available for the following visualization:

Area, Bar, Column, Hierarchical packed bubble, Packed bubble, Point, Clustered combination, Stacked combination, Line, Tiled map, Pie, Radar, Treemap, Waterfall and Wordcloud.

#### 8.8.2 Adding a baseline to a visualization

Baselines are horizontal or vertical lines that cut through the "chart" to indicate major divisions in the data. Baselines can be used only in the "Charts"



For example, you can add a baseline to show a sales quota or break-even point.

In visualizations, you can define baselines by values on the numeric axis or the category axis.

Each baseline represents a value on an axis.

Depending on the type of visualization, you can use the following options to position the baseline.

Option	Description
Numeric Value	Uses a static numeric value.
Category Index	Uses the index value of the data item in the categories axis.
	For example, a Category index value of 1 indicates that the
	baseline is at the first data item. This is the default.
Percent on Axis (%)	Uses a percentage of the full range of the axis.

Table 144 - Adding a baseline to a visualization

For example, if the axis range is "-500 to 1100", a Percent on Axis value of 25% puts the baseline at "-100" (25% of the range, 1600).

Click the visualization in a report.



Depending on your chart and the type of baseline you want to add, in the Properties pane, under "Visualizations" > "Annotations", select the "Baselines"




Figure 529 - Adding a baseline to a visualization






Figure 530 - Adding a baseline to a visualization - Baselines




Figure 531 - Adding a baseline to a visualization - Baseline at 1.300.000

- I Specify the necessary criteria for the baseline position.
- I Under "Baseline Properties", type a label for the baseline and specify the line style and colour and the position of the label from the Baseline menu.






Figure 532 - Adding a baseline to a visualization - Baseline properties

The new baselines appear in the Baselines box.




Figure 533 - Adding a baseline to a visualization - Baselines box

To delete a baseline, select the baseline in the Baselines box and click the "**Delete**" icon (

## 8.8.3 Change visualization from one type to another

You can change a visualization from one type (for example, a bar chart) to another type (for example, a line chart).

When you change an existing visualization to a new visualization type, DWH - Reporting keeps the proper-ties from the existing visualization if those properties exist in the new chart type. For example, if you change a pie



visualization to a bar visualization, Reporting maps your visualization palette to the new visualization, but does not map the exploding slices, because the exploding slices property does not exist in a bar visualization.

- Click a visualization and, from the report object toolbar, click the "Change chart type" icon (
- I From the list, select a new chart type.
- If some chart properties cannot be converted, the "Chart property changes dialog box" appears notifying you of the properties that cannot be converted.

# 8.9 Charts

You can use reporting to create many chart types, such as column, bar, area, and line charts. To add a "Chart"

to your report, you have to click on the "Toolbox" (———) and select "Visualization". In the "Visualization gallery" window select "Charts" instead of "11.1 visualization".




Figure 534 - Charts - Visualization gallery

## 8.9.1 Change Chart from one type to another

You can convert a chart from one type (for example, a bar chart) to another type (for example, a line chart).



When you convert an existing chart to a new chart type, DWH - Reporting keeps the properties from the existing chart if those properties exist in the new chart type. For example, if you convert a pie chart to a bar chart, Reporting maps your chart palette to the new chart, but does not map the exploding slices, be-cause the exploding slices property does not exist in a bar chart.

Click a chart and, from the report object toolbar, click the "Change chart type" icon (



From the list, select a new chart type.

If some chart properties cannot be converted, the "Chart property changes dialog box" appears notifying you of the properties that cannot be converted.

## 8.9.2 Customizing chart properties

After you create a chart, you can customize it by changing its properties.

You select the chart object in DWH - Reporting to view its properties. Some properties are dependent on the existence of other properties.


If you are familiar with using conditional variables, you can customize the chart to change its appearance or provide information in response to expressions or conditions.

As you edit the chart properties, Reporting provides you with a preview of your chart, using simulated data. This allows you to view your style changes without running the report. You can disable the chart preview in the options.


The following table shows some of the properties you can change in charts. These properties are available when you select the chart object unless specified otherwise in the Action to perform in the Properties pane column.

Select the chart. Under "Cha	4 <b>7</b> 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Select the chart. Under "Chart Titles", set the "Title", "Subtitle", or "Footer" property.	
→ CHART TITLES	
Title	Show
Subtitle	Hide
Footer	Hide
Select the chart. Under "Cha	rt Annotations", set the
S F	CHART TITLES Title Subtitle Tooter



















































#### Table 145 - Customizing chart properties

#### 8.9.3 Adding a note to a chart

You can add and position multiple notes on your chart.

- Select the chart object.
- In the Properties pane ( Properties ), under "Chart Annotations", double-click the "Notes" property.
- Click the "New" icon ( + ).
- Type the note text in the "Text box" and click "OK".
- To delete a note, click the note and click the "**Delete**" button ( in the list, click the up or down arrows.




Figure 535 - Adding a note to a chart

In the "Notes dialog box", click "OK".



- I Only for Current Default Chart:
- I To position the note, do the following:
  - Click the note icon ( ) in the chart.
  - In the Properties pane, under "Positioning", double-click the "Position" property.
  - To align the note horizontally, click the left, middle, or right alignment button.
  - To align the note vertically, click the top, middle, or bottom alignment button.
  - To set the margins around the chart body, type margin values and choose margin units.
  - To display the note at a set distance from the sides of the chart area, from the "Anchor" list, click
     "Relative to chart".
  - To display the note at a set distance from the sides of the chart body, from the "Anchor" list, click
     "Relative to chart body".
  - To display the note at a set distance from a data item, from the "Anchor" list, click "Report expression", click the three dots button beside "Expression", and enter an expression in the "Report expression dialog box".
  - To edit the text, double-click the text next to the note object ( <sup>□</sup>) in the chart.



Figure 536 - Adding a note to a chart - Position the node / Expression






Figure 537 - Adding a note to a chart - Report expression

## 8.9.4 Adding a baseline to a chart

In charts, you can define baselines by values on the numeric axis or the category axis.

- Click the chart object.
- Depending on your chart and the type of baseline you want to add, in the Properties pane, under "Chart Annotations", double-click the "Numeric baselines" or "Category baselines" property.



Click the "New" icon ( ) and choose the type of baseline from the list.






Figure 538 - Adding a baseline to a chart

- I Specify the necessary criteria for the baseline position
- Under "Baseline Properties", type a label for the baseline and specify the line style.
- I To remove the baseline from the legend, delete the label.
- If you add more than one baseline, specify their order using the up and down arrows.
- The new baselines appear in the markers, notes, baselines, and trendlines box.
- To change the label that appears next to the baseline, under the markers, notes, baselines, and trendlines box, double-click the placeholder text next to the "Baseline" icon ( ) numeric and type your text.
- I To change the line style, select the chart and in the Properties pane, under "Chart Annotations", double-click the "Baselines", "Numeric baselines", or "Category baselines" property.
- I To delete a baseline, select the "Baseline" icon ( ) and click the "Delete" button ( ).



## 8.9.5 Adding a marker to a chart

Markers are symbols that you add to a chart to designate points of significance that can help you analyse or understand the data.

For example, you might want to add a marker to designate the time when a significant event happened, such as the date when a new product was launched.

You can add a marker to combination, progressive column, pareto, scatter, and bubble charts.

When you define the position of the marker, you define the X- and Y-axes coordinates for the placement of the symbol. You can position the marker in the chart using the following options.

Option	Position	
Numeric Value	Uses a static numeric value.	
Query Calculation	Uses a query calculation from the same query or from a different query.	
Layout Calculation	Uses a layout calculation.	
Statistical Minimum	Uses the following expression:	
	25th percentile value - 1.5 * (75th percentile value - 25th percentile value)	
	For example, if 2.5 is the 25th percentile and 7.5 is the 75th percentile, the statistical	
	minimum is -5 [2.5 -1.5(5) = -5].	
	Statistical minimum uses percentiles to determine values, and might not always	
appear in the chart if the values are off the axis.		
Statistical Maximum	Uses the following expression:	
	75th percentile value + 1.5 * (75th percentile value - 25th percentile value)	
	For example, if 2.5 is the 25th percentile and 7.5 is the 75th percentile, the statistical	
	maximum is 15 [7.5 +1.5(5) = 15]. Statistical maximum uses percentiles to determine	
	values, so the marker might not always appear on the chart if its value is off the axis.	
Mean	Uses the statistical mean plus or minus a number of standard deviations based on all	
	charted data values on the specified axis.	
Percentile	Uses a specified percentile.	
Percent on Axis	Uses a percentage of the maximum axis value.	

#### Table 146 - Adding a marker to a chart

If you apply more than one marker, you can specify the order in which they should be drawn when the re-port runs. If you have two markers with the same coordinates, the first one in the list is drawn first and the next one is drawn after the first.

To add a marker in a current default chart do the following:



- 1. Select the chart object.
- 2. In the Properties pane, under "Chart Annotations", double-click the "Markers" property.
- 3. Click the "**New**" icon ( † ), and then set the marker properties
- 4. In the Based on box, select the chart object that will determine the marker position.
- 5. In the "Numeric position" box, specify how you want to define the position on the numeric (Y) ax-is.
- 6. In the "Category position" box, specify how you want to define the position on the category (X) axis.
- 7. In the marker "Label" box, type the label that you want to give to the marker.
- 8. In the marker "Size" box, specify the size of the marker symbol.
- 9. To specify the colour, fill, and shape of the marker symbol, click the "Colour and style" box.
- 10. If you add more than one marker, specify their order by using the up and down arrows.
- 11. The new markers appear in the "markers, notes, and baselines box".




Figure 539 - Adding a marker to a chart



## 8.9.6 Creating a drill-down Chart

If you use a dimensionally-modelled data source, you can create a chart that allows you to drill down to low-er-level data or drill up to higher-level data.

Drilling up and down allows you to view more general or more detailed information on your data within a predefined dimensional hierarchy.

This is an example of a dimensional hierarchy:

All Years - Year - Quarter - Month

Before you begin, ensure that you are using a dimensionally-modelled data source.

I Open a chart that uses a dimensionally-modelled data source.

```
Click the "Show properties" icon ( ), click the "More" icon ( ), click "Options" ( Options... ), and then, in the "Edit" section, click on "Enable drill-up or drill-down links".
```

By default, the system determines which items can be drilled on based on the dimensional structure.

The chart generates links for any item that can be drilled down on.

You can drill down or drill up by right-clicking and choosing the action from the context menu. The menu items are unavailable if an item cannot be drilled up or down on.

# 8.10 Adding prompts to filter data

You can add prompts to a report to add interactivity for users. Prompts act as questions that help users to customize the information in a report to suit their own needs. For example, you create a prompt so that users can select a product type. Only products belonging to the selected product type are retrieved and shown in the report.

Prompts are composed of three interrelated components: parameters, prompt controls, and parameter values. Parameters are based on parameterized filters and form the questions to ask users. Prompt controls provide the user interface in which the questions are asked. Parameter values provide the answers to the questions.

The Reportstudio provides several ways to create prompts.

- I build your own prompt and prompt page
- I create a parameter to produce a prompt
- I insert prompts directly into the report page

In dimensional reporting, you can also define prompts using context filters.



If you include reports from different packages in an interactive dashboard that uses global filters, ensure that you use the same parameter name for the prompt in all the reports. You can also use context filters, also known as slicer filters, to focus the data in your report.

Syntax of Prompt Expressions

Prompt expressions use the following syntax, where p represents the parameter name.

You can also use these expressions to create parameterized data items that you can then use in master detail relationships.

The type of expression you use depends on whether you have chosen relational or dimensional reporting style. For more information about reporting styles, see Relational and dimensional reporting styles.

Relational: Detail Filter Expressions	Dimensional: Context (Slicer) or Edge Expressions
[data item] = ?p?	[level or hierarchy]->?p?
for single-select prompts and master detail relationships	For single-select member prompts and master detail relationships
[data item] in ?p?	set([level or hierarchy]->?p?)
for multi-select prompts	For multi-select member prompts
	filter ([set], [property expression] = ?p?)
	For single-select value prompts and master detail relationships
	A property expression is an expression that is assigned to a property to enable dynamic update of the property when the report runs.
	filter ([set], [property expression] IN ?p?)
	For multi-select value prompts
	A property expression is an expression that is assigned to a
	property to enable dynamic update of the property when
	the report runs.

Table 147 - Adding prompts to filter data

# 8.10.1 Build your own Prompt and Prompt page

Create your own prompt and prompt page to control how they appear in a report.

#### **Procedure**

In the navigation menu, click "Report" and then click "Prompt pages".






Figure 540 - Build your own Prompt and Prompt page

- Click the "Toolbox" icon (\_\_\_\_\_), and drag "Page" to the "Prompt pages box".
- I Double-click the page you just created.
- Click the "**Toolbox**" icon (\_\_\_\_\_\_), expand "**Prompting**", and then drag one of the following prompt controls to the prompt page.



PROM	PTING
Ł	Text box prompt
	Value prompt
व्य	Select & search prompt
ि	Date & time prompt
	Date prompt
0	Time prompt
40	Interval prompt
Bla	Tree prompt
0-	Generated prompt
ab	Prompt button

Figure 541 - Build your own Prompt and Prompt page - Prompting

Prompt control	Description
Text box prompt	Retrieves data based on a value that user's type. Use this control when users know exactly what value they want to enter, such as a name or account number.
Value prompt	Retrieves data based on values that users select from a list. Use this control to show a list of possible values from which users can choose. The maximum number of items that can appear in a list is 5000.
Select & search prompt	Retrieves values based on search criteria that users specify. Data is then retrieved based on values users select from the search results. Use this control instead of a value prompt if the list of values is very long, which can slow down performance. Users have the option of performing a case sensitive or case insensitive search. A case sensitive search is faster, while a case insensitive search usually returns more values. You cannot use this control if you are working with SAP BW data sources.
Date prompt	Retrieves data based on a date that users select. Use this control to filter a date column. Users can retrieve data for a specific day, a set of days, or a range of days.
Time prompt	Retrieves data based on a time that users select. Use this control to restrict a report to a particular time or time range. For example, users can see how many orders are received after business hours. Users can then use this information to determine the number of staff needed to work after hours.



Date & time prompt	Retrieves data based on a date and time that users select.  Use this control to filter a datetime or timestamp column.  This control is useful for specifying ranges. For example, users can retrieve all orders received from Monday at 12:00 a.m. to Friday at 5:00 p.m.
Interval prompt	Retrieves data based on a time interval that users specify.  Use this control to retrieve data that is related to the passage of time. For example, users can retrieve a list of products that were returned 30 or more days after they were purchased.
Tree prompt	Retrieves data based on values that users select from a list. Values are organized hierarchically. This control is useful when you are working with dimensional data sources. Data is shown from the top of a dimension hierarchy to the most detailed member, and users can choose the level of detail they want to view in the report. For more information about tree prompts, see Control the Data That Appears in a Tree Prompt. Tree prompts let you page through large numbers of prompt values with a More link at the bottom of the tree.
Generated prompt	Selects a prompt control based on the data type of the data item. This control acts like a placeholder. When users run the report, the control is replaced by the appropriate prompt control. For example, if users are prompted for date values, the control is replaced by a date & time prompt.

## Table 148 - Build your own Prompt and Prompt page

The Prompt Wizard dialog box appears.

- If you are creating a text box, date, time, date and time, interval, or generated prompt, do the following:
  - Create a new parameter for the prompt or use an existing or global parameter.
  - Click "Next".






Figure 542 - Build your own Prompt and Prompt page - Prompt Wizard dialog box

- If you created a new parameter, define the expression by selecting a data item from the package and the operator to use.
- Make the prompt optional clicking the left side of the "Make the filter optional" check box.








Figure 543 - Build your own Prompt and Prompt page - Prompt Wizard dialog box - Make the filter optional

- If you are creating a "Value", "Select & search", or "Tree" prompt, do the following:
  - Create a new parameter for the prompt or use an existing or global parameter.
  - Click "Next".
  - If you created a new parameter and you want to use the parameter to filter data, select the "Create a parameterized filter" check box and define the expression by selecting a data item from the package and the operator to use.
    - If you are creating a tree prompt, you must choose "in" in the "Operator" box.






Figure 544 - Build your own Prompt and Prompt page - Prompt Wizard - Tree prompt

- You can also use a parameter to provide a value for a layout calculation, such as showing a user's name in the report. When the report is run, you can use a parameter to prompt the user to type his name and have it appear in the report.
- Make the prompt optional by clicking the left side of the "Make the filter optional" check box.
- Click "Next".
- If you created a parameterized filter and you have more than one query defined in the report, select the check box for the query on which to filter and click "Next".






Figure 545 - Build your own Prompt and Prompt page - Prompt Wizard - Tree prompt - Apply filter

Select the "Create new query" check box to create the query that will be used to build the list of da-ta values shown when the report is run.




Figure 546 - Build your own Prompt and Prompt page - Prompt Wizard - Tree prompt - Create new query



- Do not create a new query if you want to link the prompt to an existing query or if you intend to create the query at a later time.
- Click the tree dots button beside Values to use and click the data item on which to prompt.
- To choose a data item that is different than what users will see when they are prompted, click the tree dots button beside "Values to display" and click the data item.
  - To create a cascading prompt, in the "Cascading source" box, click the parameter that represents the cascade source.
- Click "Finish".

The prompt control is added to the prompt page. A prompt page is like a report page. You can insert graphics and text and apply formatting.

You can also modify the properties of the prompt control by clicking it and making changes in the Properties pane.

#### 8.10.2 Create a Prompt Directly in a Report Page

You can add prompt controls directly in a report page instead of creating a prompt page.

Prompt controls that are added to report pages will not appear in the following:

- I saved reports
- I PDF reports
- I scheduled reports

Prompt controls are interactive. They are used to satisfy parameter values before running a report. As a result, prompt controls added to a report page only appear when you run the report in HTML format. When you run a report in HTML format, users select which values they want to see, and the report is refreshed, producing a new report.

For the previously listed non-interactive reports, prompt parameter values must be collected and satisfied before the report is run. If you wish to create a prompt directly to the prompt page, make sure to set the "Required" under the "General" properties to "No", the "Auto-submit" to "Yes" and the "Usage" of the "Detail Filters" to "Optional".



To set the "**Detail Filters**" to "**Optional**" select the query that renders the results, click on the filter and set it up in the properties.






Figure 547 - Create a Prompt Directly in a Report Page

For inserting a prompt in your report page do the following:

Click the "Toolbox" icon (\_\_\_\_\_\_), drag a prompt control to the report.

The Prompt Wizard dialog box appears.




Figure 548 - Create a Prompt Directly in a Report Page - Prompt Wizard - Date prompt

Provide the information necessary to create the prompt.



Make the prompt optional by clicking the left side of the "**Make the filter optional**" check box. Otherwise, when you run the report for the first time, the prompt appears in a generated prompt page rather than in the report page. Alternatively, you can specify a default selection for the prompt.







Figure 549 - Create a Prompt Directly in a Report Page - Prompt Wizard - Date prompt - Make the filter optional

- In the work area, click the prompt.
- In the Properties pane, set the "Auto-submit" property to "Yes".
  - If you do not set the "**Auto-submit**" property to "**Yes**", the report will not refresh when users select a different prompt value.

An alternative to setting the prompt to auto-submit is to add a prompt button from the "Toolbox" icon (

\_\_\_\_\_) and set its "**Type**" property to "**Finish**".





The prompt control is added to the report page. You can modify its properties by clicking it and making changes in the Properties pane.

## 8.10.3 Control the data that appears in a tree prompt

You can control what data appears in a tree prompt and how the data is structured to get the results that you want. To do this, you add various functions to the filter expression.

In addition, the operator that you chose in the "**Prompt Wizard**" dialog box controls what appears next to each prompt value. If the "**Operator**" is "**in**" or "**not in**", check boxes appear next to each prompt value. If the "**Operator**" is equals "(=)", no check boxes appear.

Please be advised that the tree prompt could only be used with multidimensional data.






Figure 550 - Control the data that appears in a tree prompt - Prompt Wizard - Operator

- Click the "Data items" icon ( ), and click the query that is associated with the prompt.
- In the Data Items pane, double-click the data item on which you are prompting.
- In the "Expression Definition" box, type one of the following functions.



Goal	Function
Show the hierarchical structure of all members in the hierarchy. If this function is not used, all members are shown in a flat list.	rootmembers (data_item)
Show the descendants of the data item in a hierarchical structure where x represents the level. For example, if you are prompting on the Year hierarchy and x=1, you will see 2020, 2021, and 2022 in the tree. If x=2, you will see 2020 Q1, 2020 Q2 etc.	descendants (rootmembers (data_item), x)
Show the children of a member. For example, 2018 Q1, 2018 Q2, 2018 Q3, and 2018 Q4 appear for the member 2018.	children (member)

Table 149 - Control the data that appears in a tree prompt

# 8.10.4 Modifying prompts

For each prompt you create, you can modify its properties by specifying values in the Properties pane. Some properties you set for a prompt may be overridden under some conditions. For example, some properties set for the filter associated with a prompt may override the corresponding prompt property. By default, when you create a prompt, the Reportstudio selects the prompt control interface. You can change the prompt control interface depending on the type of prompt you created.

#### 8.10.4.1 Choose a drop-down list, a list box, or a radio button group:

The following example is made for a value prompt:

- Click the prompt control.
- In the Properties pane, set the "Select UI" property to the interface






Figure 551 - Modifying prompts - Properties - General - Select UI - List box




Figure 552 - Modifying prompts - Properties - General - Select UI - List box




# 8.10.4.2 Prompt requires user input

You can specify that a prompt requires user input before the report can run.

- Click the prompt control.
- In the Properties pane, click the left side of the "**Required**" property checkbox.



- I Click the "Pages" icon ( ), and click a report page.
- Click the report object associated with the prompt, from the report object toolbar, click "Filters" and then click "Edit filters".



- Click the filter associated with the prompt.
- In the "Usage" box, click "Required".






Figure 553 - Modifying prompts - Filters - Usage box

When you run the report, a star appears next to the prompt indicating that the user must select or type a value.

If you have a cascading prompt and the parent prompt control is required, the child prompt control is disabled. This ensures that users choose at least one value in the parent prompt before they can choose a value in the child prompt. Conversely, if the parent control is optional, then the child control is populated. This gives users the ability to choose values in the child prompt without having to choose a value in the parent prompt.

### 8.10.4.3 Selecting multiple values in a prompt

You can create a prompt in which a user can select more than one value. For example, you have a prompt to select a product line. You can set the prompt so that users can select more than one product line. If you enable multiple selections, the "Autosubmit" property is always set to "No".

If you have a prompt that is used in both a single value context and a multivalue context, the most restrictive context (usually the single value context) takes precedence. If you run into a problem where you have a multivalue prompt but can only select one value, then check to see if the prompt is used in more than one context.

- I Click the prompt control.
- In the Properties pane, choose whether to allow users to specify more than one value or a range of values:
  - To allow users to specify more than one value, set the "Multiselect" property to "Yes".



# tij v Value prompt ∨ CONDITIONAL Style variable Render variable V DATA Data format Query Use value Display value Static choices 5000 Rows per page **Properties** ∨ GENERAL Required Multi-select Select UI List box Auto-submit Cascade source Pre-populate Hide adornments Range Parameter Parameter2 Default selections

Figure 554 - Modifying prompts - Properties - General - Multi-select

Click the "Pages" icon ( Pages ), and click a report page.

Click the report object associated with the prompt, from the report object toolbar, click "Filters" ( ) and then click "Edit filters".

Double-click the filter associated with the prompt.






Figure 555 - Modifying prompts - Filters - Edit filters

Click the "Edit" icon ( 2 ) and type an operator like the following example:




Figure 556 - Modifying prompts - Operator





Figure 557 - Modifying prompts - Detail filter expression

- If you are creating a multi-select prompt, change the "**Operator**" to "**in**". For example, [Product\_line] in ?Product line? where [Product\_Line] is the name of the data item allows users to select multiple product lines.
- If you are creating a range prompt, change the "**Operator**" to "**in\_range**". For example, [Margin] in\_range ?Margin? where [Margin] is the name of the data item allows users to specify a margin range.

After creating the prompt you can hold "Strg" to select more than one value.




Figure 558 - Modifying prompts - Select more than one value

Another possibility is to click the prompt control and set the "Select UI" in the properties to "Check box group".








Figure 559 - Modifying prompts - Check box group - Select more than one value

#### 8.10.4.4 Show or Hide Prompt Status

Each prompt you create in a report provides dynamic validation when the report is run. Validity checks are performed to ensure that the data is correct and that required values are supplied. For example, a star appears next to each required prompt. Click the prompt control.

In the Properties pane, under "General" click the right side of the "Hide adornments" property to hide the prompt characters or click the left side to show them.




Figure 560 - Modifying prompts - Properties - General - Hide adornments

#### 8.10.4.5 Specify a Default Selection for a Prompt

You can specify a default selection for a prompt so that users do not have to select or type a value when they run the report.

- 1. Click the prompt control.
- 2. To define a range of values, in the Properties pane, click the right side of the "Range" property.



- To specify more than one default selection, in the Properties pane, click the right side of the "Multi-select" property to "Yes".
- 4. In the Properties pane, double-click the "Default selections" property.
- 5. Click the "Add" button ( ) and do one of the following:
  - If you chose to define a single value, type the value as the default selection.
  - If you chose to define a range of values, type the minimum and maximum values of the range in the "Minimum value" and "Maximum value" boxes, respectively.




Figure 561 - Modifying prompts - Properties - Default selections - Minimum value/ Maximum value

6. Repeat step 4 to specify other default selections.

#### 8.10.4.6 Customize Prompt Text

You can customize the instructional text that appears around prompts. For example, a value prompt with multiple selections includes a "Select all" link below the choices that you can customize to text other than "Select all".

- I Click the prompt control.
- To change the default prompt text, in the Properties pane, double-click any of the properties under "**Prompt Text**" which you want to change.

When you select a property in the Properties pane, its description appears in the information pane below the Properties pane.






Figure 562 - Modifying prompts - Properties - Prompt Text

Click "Specified text", and then click the three dots button.




Figure 563 - Modifying prompts - Properties - Prompt Text - Header Text

In the "Localized text" dialog box, type the text that you want to appear.






Figure 564 - Modifying prompts - Properties - Prompt Text - Header Text - Localized Text

# 8.10.4.7 Add prompt buttons

Add prompt buttons so that users can submit selected items, cancel reports, or navigate between pages. When you are building prompts and prompt pages, you may have to add "**Prompt buttons**" to submit selections. Some prompt controls, such as the "**Value prompt**", can be set to submit selections automatically. Other prompt controls, such as the "**Date prompt**", require a "**Prompt button**".

Click the "Toolbox" icon (\_\_\_\_\_\_), drag "Prompt button" to the work area.






Figure 565 - Modifying prompts - Add prompt buttons - Toolbox - Prompt button

I Click the prompt button and, in the Properties pane under "**General**", set the "**Type**" property to one of the following actions.

Goal	Action
Cancel the report	Cancel
Go to the previous prompt page	Back



Go to the next prompt page	Next
Run the report	Finish
Reprompt the user	Reprompt
Reprompting users is useful when you have cascading	
prompts.	




Figure 566 - Modifying prompts - Add prompt buttons - Prompt button properties - General - Type

# 8.10.4.8 Create a Cascading Prompt

Create a cascading prompt to use values from one prompt to filter values in another prompt. For example, a report contains the columns "Product line" and "Product type". You create prompts for these columns, and you specify that the "Product type" prompt is a cascading prompt that uses "Product line" as the source. When users select a product line, they see only the product types related to the selected product line.

- I To make the cascading source a required prompt, select it and, in the Properties pane, set the "**Required**" property under "**General**" to "**Yes**".
- Click the prompt control to use as a cascading prompt.
- In the Properties pane, double-click the "Cascade source" property.






Figure 567 - Modifying prompts - Value prompt - Properties - General - Cascade source





Figure 568 - Modifying prompts - Value prompt - Properties - General - Cascade source - Select Parameter

- I Click the parameter that represents the cascade source.
- If the prompt allows users to select multiple values, add a "**Prompt button**" to the cascade source to provide the cascading prompt with the appropriate values:
  - Click the "Toolbox" icon (\_\_\_\_\_\_), drag "Prompt button" to the report.



Click the prompt button and in the Properties nane, set the "Type" property to "Reprompt"
 Prompt button



To change the text in the prompt button, click the "Toolbox" icon (\_\_\_\_\_\_), drag the "Text item" from the toolbox to the prompt button and type the text.



# 9 Additional information

# 9.1 DWH data objects

The following table contains all data objects used in predefined reports as prompt or output data. The user can also choose these objects for user defined reports. DWH data objects are attributes, which contain business information.

DWH objects	Description	Measure/Object
Account Balance at EoD	Account balance of a cash account per day at close of business	Measure
Account Balance at SoD	Account balance of a cash account per day at start of business	Measure
Account BIC	BIC11 of the account	Object
Account Monitoring Group name	Name of the Account Monitoring Group	Object
Account number	The account number is an alphanumerical string which uniquely identifies an account	Object
Account owner BIC	BIC11 of an account owning party	Object
Account owner name	Name of an account owning party	Object
Account type	Types of cash accounts which can be debited and credited, e.g. MCA	Object
Accrued excess reserve interest amount (non-exemption tier)	Accrued interest amount for Effective MR requirement reached, calculated Actual/360 using the "Excess reserve interest rate (non-exempt tier)" of the current maintenance period, and the average of MR amount totals during the current minimum reserve maintenance period, which exceeds the sum of MR obligation and exempt excess reserve.	Measure
Accrued excess reserve interest amount (exemption tier)	Accrued interest amount for Effective MR requirement reached, calculated Actual/360 using the "Excess reserve interest rate (exempt tier)" of the	Measure



DWH objects	Description	Measure/Object
	current maintenance period, and the average of MR amount totals during the current minimum reserve maintenance period, which exceeds the MR obligation up to the maximum amount of the exempt excess reserve.	
(Accrued) MR interest amount	Amount of MR interest for the displayed maintenance period	Measure
Accumulated balance	Accumulated EoD balance per Leading CLM account holder	Measure
Addressable BIC	BICs that are reachable as correspondent in the role of a correspondent or a branch (Participation types 05 – 08 according to the RTGS Directory).	Object
Adjustment balance	It is the balance, that is needed at the end of each future business day in order to exactly fulfil the minimum reserve requirement in the remainder of the current minimum reserve maintenance period.	Measure
Amount From/To	Identifies the settlement amount of a cash transfer order	Measure
Amount of payment	Settlement amount of a cash transfer order; for unsettled cash transfer orders the intended settlement amount	Measure
Ancillary system	A system in which payments or securities are exchanged and/or cleared, while the ensuing monetary obligations are settled in another system, typically an RTGS system.	Object
Ancillary system type	Type of an AS, identifying it as e.g. a clearing house, a security settlement system or a retail payment system	Object
AS BIC and short name	BIC11 and name of an ancillary system	Object



DWH objects	Description	Measure/Object
AS settlement procedure	A specific set of processes and functions in the T2 Service that an ancillary system can use for the settlement of AS transfer orders.	Object
Attribute name	Name of the attribute	Object
Average value	Daily amount totals of settled cash transfer orders per day in a given time period	Measure
Average volume	Daily average number of settled cash transfer orders per day in a given time period	Measure
Balance of account (SoD)	Identifies a starting balance of a cash account.	Measure
Balance	Identifies a starting, running or closing balance of a cash account.	Measure
Banking Group name	Name of the Banking Group the party belongs to	Object
Beneficiary BIC	BIC of the beneficiary	Object
BIC	An eleven-digit code consisting of the BIC8 followed by a branch code of three characters which is used to identify any branch or reference of an institution.	Object
Bilateral limit	The maximum daily outflow of liquidity for payments with normal priority defined by an RTGS Account Holder for one of its RTGS DCAs towards another RTGS DCA.	Measure
Billing period end	End of the billing period	Object
Billing period start	Start of the billing period	Object
Business case code	A four-letter code indicating the business context of a business case to a cash transfer or a credit line modification	Object



DWH objects	Description	Measure/Object
Business date	Indicates the business date	Object
Calculation includes data until	Date of the last business day, which was imported into DWH as the base for minimum reserve interest calculations.	Object
Capital refund	Total value of cash transfer orders, which reduce the balance of an overnight deposit or a marginal lending account at a given date (off-leg).	Measure
Capital set-up	Total value of cash transfer orders, which build up the final balance of an overnight deposit or a marginal lending account until close of business of a given date (on-leg).	Measure
Cash Transfer Category	Category which is technically using the contents of field "Business case code" in CLM and RTGS cash transfer tables.	Object
Cash transfer type	Type of the cash transfer	Object
Charged party BIC	BIC of the charged party	Object
Charged party name	Name of the charged party	Object
Classification	Classification of transaction according to statistical classification	Object
Clearing System Reference	Clearing system reference, which an acting monetary financial institution can provide as an identifier of a cash transfer order	Object
Contingency account number	The account number of a contingency account	Object
Contingency session	Contingency sessions from opening to closing time of ECONSII	Object
Counterparty account BIC	Service name of the cash account, which is the opposite (debited or credited) cash account in a cash transfer order	Object



DWH objects	Description	Measure/Object
Counterparty country code	Country code (ISO 3166-1) of the monetary financial institution which is the opposite (debited or credited) party in a cash transfer order	Object
Counterparty party BIC	BIC of the monetary financial institution which is the opposite (debited or credited) party in a cash transfer order	Object
Counterparty service	Service of the counterparty	Object
Country code	Two-digit alphabetic code identifying a country ISO 3166-1	Object
Credit	Settlement amount of a single cash transfer order or the total of settlement amounts of cash transfer orders, credited to a given cash account	Measure
Credit line amount	Commitment to grant intraday credit on demand based on collateral provided to a CB	
Credit line amount at EoD	Credit line amount per party and day at close of business	Measure
Credit line amount at SoD	Credit line amount per party and day at start of business	Measure
Credited Account	Identifies the credited account	Object
Credited Account Number	Number of a cash account, credited by a cash transfer order	Object
Credited Account BIC	BIC of a cash account, credited by a cash account order	Object
Credit based only flag	Flag indicating if the account is credit based only	Object
Credit line amount: Maxima	Maximum of the credit line amount at that day	Measure
Cross border	Identifies a cash transfer order where the debited and credited parties are subject to different CBs.	Object



DWH objects	Description	Measure/Object
Currency (code)	Three digit alphabetic code identifying a currency (ISO 4217) of a cash account, a party or a cash transfer order	Object
Daily average value	Identifies the average of settlement amounts of cash transfer orders of a certain state and priority in a given time period. When the order state indicates not-settled cash transfer orders, then the average is calculated on the base of intended settlement amounts.	Measure
Daily average volume	Identifies the average number of cash transfer orders of a certain state and priority in a given time period.	Measure
Date (from)	Business date (from)	Object
Date (to)	Business date (to)	Object
Debit	Settlement amount of a single cash transfer order or the total of settlement amounts of cash transfer orders, debited to a given cash account	Measure
Debited Account	Identifies the debited account	Object
Debited Account Number	Number of a cash account, debited by a cash transfer order	Object
Debited Account BIC	BIC of a cash account, debited by a cash account order	Object
Default MCA	A party must mark one of its MCAs as "Default" for its usage in automatic processes of Standing Facility Services, Minimum Reserve Management, BILL and Central Bank operations(CBO).	Object
Default MCA number	Account number of the default MCA of the party	Object
Deletion status	Indicates if a party is active or deleted	Object
Direct Participant	RTGS Account Holder	Object



DWH objects	Description	Measure/Object
Direct Participant name	Name of the RTGS Account Holder	Object
Direct Participants Overall	Number of Direct Participants in a system entity at a given date	Object
Domestic	Identifies a cash transfer order where the debited and credited parties are subject to the same CB.	Object
Effective MR requirement	Accumulated amount of minimum reserves within the maintenance period, which are held either under direct and indirect MR, obligation or within a MR pool of parties each day of the maintenance period.	Measure
Effective time	Time when the event actually occurs	Object
End time	Time when the event ended.	Object
End to End Reference	End-to-End reference which an acting monetary financial institution can provide as an identifier of a cash transfer order.	Object
Entity name	Name of the data entity in BILL (used for critical data)	Object
Entry Timestamp	Timestamp at which a cash transfer order entered CLM or RTGS (A2A or U2A).	Object
Error Code	Error code which CLM or RTGS assigned to a cash transfer order; is empty for correctly processed cash transfer orders.	Object
Error Description	Error description which CLM or RTGS assigned to a cash transfer order; may be empty for correctly processed cash transfer orders.	Object
Event	Business day event	Object
Event code	Code of the business day event	Object



DWH objects	Description	Measure/Object
Excess/deficiency of reserves	Difference between the average of MR amount totals during the current minimum reserve maintenance period and the minimum reserve requirement	Measure
Excess reserve exemption factor	Factor for the calculation of the excess reserve exemption tier on the base of the minimum reserve amount	Object
Excess reserve interest amount (exemption tier)	Amount of interest, paid for holdings exceeded the required minimum reserves within the exemption tier	Measure
Excess reserve interest amount (non-exemption tier)	Amount of interest, paid for holdings, which exceeded the required minimum reserves exemption tier.	Measure
Global Filters	Global Filters used in the Statistical Classification of Transaction for CLM and RTGS	Object
Highest community level	Highest community value (of the credit line amount)	Object
Highest community value	Highest community value of queued cash transfer orders for the default MCAs in CLM	Measure
Highest community volume/	Highest community volume of queued cash transfer orders for the default MCAs in CLM	Measure
Hour	Date and hour	Object
Injection or drain of liquidity	Sum of credited (injected) - Sum of debited (drained) amount of liquidity transfers on an account	Measure
Instruction Identification	Instruction identification which an acting monetary financial institution can provide as an identifier of a cash transfer order	Object
Interest	Interest amount paid or received for balances kept in an overnight deposit or marginal lending account.	Measure



DWH objects	Description	Measure/Object
Intraday credit use: Weighted average	Weighted average of the intraday credit line use of that day	Measure
Last update timestamp	Timestamp of the last update of an attribute	Object
Leading CLM Account Holder BIC	BIC11 of a Leading CLM Account Holder	Object
Leading CLM Account Holder name	Name of a Leading CLM Account Holder	Object
LEI	Legal entity identifier	Object
Liquidity Transfer Group name	Name of the Liquidity Transfer Group	Object
Local Filters	Local Filters used in the Statistical Classification of Transaction for CLM and RTGS	Object
Lowest community value	Lowest community value of queued cash transfer orders for the default MCAs in CLM	Measure
Lowest community value (credit line)	Lowest community value of the credit line amount in the chosen period	Measure
Lowest community volume	Lowest community volume of queued cash transfer orders for the default MCAs in CLM	Measure
Maintenance period	The period over which compliance with minimum reserve requirements is calculated and for which such minimum reserves must be held on reserve accounts.	
Maxima	Maximum of the credit line amount at that day and/or Maximum of the intraday credit line use at that day.	Measure
Message ID	Message Identifier provided in a cash transfer order message	Object
Message in XML-Format	Inbound message in XML format	Object



DWH objects	Description	Measure/Object
Message type	ISO 20022 conform identifier for the type of a message exchanged with T2	Object
MFI code	Monetary financial institution code	Object
Minima	Minimum of the credit line amount, the amount of IDC used and the sum of values of queued cash transfer orders for the time band	Measure
Minimum reserve interest rate	Rate (in %) to calculate the interest amount on minimum reserve.	Object
Minimum reserve obligation	Minimum reserve obligation	Object
Minimum reserve requirement	Amount of minimum reserve to be held at the end of each day of the maintenance period.	Object
Month (from)	Month (from)	Object
Month (to)	Month (to)	Object
MR calculated penalty amount 1	Penalty calculated for a party, which missed the minimum reserve requirement in a maintenance period for the first time.	Measure
MR calculated penalty amount 2	Penalty calculated for a party, which already missed the minimum reserve requirement in the previous maintenance period.	Measure
Multi-addressee	An RTGS Actor which can submit/receive cash transfers directly to/from the system.	Object
Multilateral limit	The maximum daily outflow of liquidity for payments with normal priority defined by an RTGS Account Holder for one of its RTGS DCAs towards all RTGS DCAs for which no bilateral limit has been defined.	Measure
National Sorting Code	National Sorting Code of the party	Object
New field value	Value of the attribute after the change	Measure



DWH objects	Description	Measure/Object
Number of calendar days in the MP	Number of all calendar days within a maintenance period	Object
Number of events (amount of credit line)	Number of events within a system entity and a given time period, in which the total amount of credit lines changed	Measure
Number of events (cash transfer order)	Number of events in a timeline, in which a credit line, intraday credit usage or a cash transfer order changed.	Measure
Number of MCAs with a credit line > 0	Number of all MCAs, which had a credit line > 0 at least once during a certain time.	Measure
Number of MCAs with a negative intraday balance	Number of those MCAs that had a negative account balance at least once during a certain time	Measure
Number of indirect participants	Number of indirect participants in a system entity at a given time	Measure
Number of rejected transactions	Cash transfer orders which were not settled due to technical and/or business reasons.	Measure
Old field value	Value of the attribute before the change	Measure
On behalf	Indicates if cash transfer was inserted on behalf	Object
Originator party BIC	BIC of the party originating the charge	Object
Originator party name	Name of the party originating the charge	Object
Parent party BIC	Party BIC of the responsible CB in case the Party is a PB or AS	Object
Participation Type	Identifies the participation type	Object
Party	Any legal entity or organisation interacting with one or more TARGET Service(s) that CRDM maintains in party reference data.	Object



DWH objects	  Description	Measure/Object
Party address	Street, house number, postal code and city of a monetary financial institution	
Party BIC	BIC11 of a Party	Object
Party BIC and Name	BIC11 and short name of a Party, delimited by a hyphen	Object
Party closing date	Closing date of the party	Object
Party long name	Long name of a monetary financial institution	Object
Party opening date	Opening date of the party	Object
Party short name	Short name of a monetary financial institution	Object
Payment banks with a least one RTGS DCA	Number of payment banks with a least one RTGS DCA at a given date	Measure
Payment type	The payment type divides cash payment orders into liquidity transfers, credit transfers and direct debits	Object
Peak Day	Identifies the business day at which the maximum value respective volume total of cash transfer orders was reported.	
Peak Day value	In DWH the business day at which the maximum value total of cash transfer orders of a given status was reported	Measure
Peak Day volume	In DWH the business day at which the maximum volume total of cash transfer orders of a given status was reported.	Measure
Peak Hour	Identifies the hour at which the maximum value resp volume total of cash transfer orders was reported.	Object
Peak Hour value	In DWH the hour at which the maximum value total of cash transfer orders of a given status was reported.	Measure
Peak Hour volume	In DWH the hour at which the maximum volume total of cash transfer orders of a given status was reported.	Measure



DWH objects	Description	Measure/Object
Peak IDC use	Maximum of the used intraday credit in a given time interval.	Measure
Penalty rate 1 (single infringement)	Rate (in %) to calculate the penalty as an interest amount on minimum reserve balances which did not meet the minimum reserve requirement in a maintenance period	Measure
Penalty rate 2 (repeated infringement)	Rate (in %) to calculate the penalty as an interest amount on minimum reserve balances which did not meet the minimum reserve requirement in one or more consecutive maintenance periods	Measure
Planned time	Time for which an event was originally planned	Object
Priority	Identifies the priority of a cash transfer order	Object
Published BIC	Account BIC that is published in the RTGS Directory	Object
Quantity	Number of service items	Measure
Quarter	Identifies the quarter of a year.	Object
Queued cash transfer order s for MCAs or RTGS DCAs	Value and volume of queued cash transfer orders	Measure
Queued cash transfer order value	DWH displays values of cash transfer order which in the course of a business day were released for settlement but could not be executed for an certain time interval due to the lack of liquidity.	Measure
Queued cash transfer order volume	DWH displays volumes of cash transfer order which in the course of a business day were released for settlement but could not be executed for an certain time interval due to the lack of liquidity.	Measure



DWH objects	Description	Measure/Object
Receiver BIC	BIC of the actor who is authorised to receive messages and/or files from CLM and/or RTGS.	Object
Receiver Name	Short name of the actor who is authorised to receive messages and/or files from CLM and/or RTGS.	Object
Reference	Unique identifier assign to any transaction	Object
Reference 1	Identifies a transaction identifier provided by an originating party. The used reference type depends on the message type and the cash transfer type of a cash transfer order.	Object
Reference 2	Identifies a transaction identifier provided by an originating party. The used reference type depends on the message type and the cash transfer type of a cash transfer order.	Object
Reservation amount	Amount of the reservation	Measure
Responsible party BIC	Party BIC of CB responsible for the charged party.	Object
Responsible party name	Name of the CB responsible for the charged party.	Object
Reversed Payment Indicator	Indicator to identify a payment order as the reversal of a previously settled payment order (occurs in AS settlement of type A and B)	Object
Revised time	The foreseen time for an event.	Object
Running average	The sum of daily balances from beginning of the maintenance period till the end of the maintenance period / total number of days in the maintenance period (for ongoing maintenance periods: sum of daily balances from beginning of the	Measure



DWH objects	Description	Measure/Object
	maintenance period till the day for which MR data is available in the DWH / total number of days in the maintenance period that have already been passed ).	
Semester	Identifies the two halves of a year	Object
Sender BIC	BIC of the actor who is authorised to send messages and/or files to CLM and/or RTGS.	Object
Sender DN	Actor who is authorised to send messages and/or files to CLM and/or RTGS. The sender is identified by a distinguished name which is not part of the BAH or the Business File Header.	Object
Sender Message Reference	Message reference which is provided by the sender as an identifier of the message	Object
Sender Name	Short name of the actor who is authorised to send messages and/or files to CLM and/or RTGS.	Object
Service	Identifies the settlement service	Object
Service item category	Category of the service item	Object
Service item code	Code of the service item	Object
Service item description	Description of the service item	Object
Service Type	Identifies the settlement service	Object
Service party type	Identifies the settlement service a party belongs to	Object
Settlement Bank Account Group name	Name of the Settlement Bank Account Group	Object
Settlement Reference	Settlement reference which an acting monetary financial institution can provide as an identifier of a cash transfer order	Object



DWH objects	Description	Measure/Object
Settlement Status Description	User comprehensible description of the status of a cash transfer order	Object
Settlement timestamp	Timestamp of the settlement, cancellation or revocation of a cash transfer order, representing date, time at least milliseconds	Object
Share (%)	Share of the usage of a service item within the month compared to the total of service items charged (in %)	Measure
Standard deviation	Average of the absolute deviations from an arithmetic average of amount totals of queued cash transfer orders.	Measure
Status	Identifies status of a cash transfer order	Object
Sum of consumptions	Number or consumptions of a given service item category	Measure
Time band	A given time period within a business day	Object
Timestamp of Effective Settlement	Timestamp at which a cash transfer order was effectively settled; empty for unsettled cash transfer orders	Object
Total daily average volume	The total daily average for a month as sum of daily averages	Measure
Total daily average value	The total daily average for a month as sum of daily averages	Measure
Total(s)	Sum of values or volumes listed in a report	Measure
Transaction Category	Transaction category distinguishes Interbank payments from "Customer payments".	Object
Transaction Classifier	Classifier of the Statistical Classification of Transaction	Object
Transaction Identification	Transaction identifier which an acting monetary financial institution can	Object



DWH objects	Description	Measure/Object
	provide as an identifier of a cash transfer order	
Transaction Reference Number	Unique identifier which CLM and RTGS assign to any transaction.	Object
Type of Credited Account	Cash account type of the account, which is credited by a cash transfer order.	Object
Type of Debited Account	Cash account type of the account, which is debited by a cash transfer order.	Object
UETR	Universal-End-to-End-Transaction Reference which can be provided as an identifier of a cash transfer order	Object
Unpublished BIC	In DWH a cash account BIC is marked as "unpublished" that is not published in the RTGS Directory.	Object
User name	Name of the user	Object
Value (in million)	Sum of settlement amounts of cash transfer orders, displayed as the number in millions	Measure
Value of AS transfer orders – Settled	Sum of amounts of all AS transfer orders which were settled or partially settled for the respective AS.	Measure
Value of AS transfer orders – Not settled	Sum of amounts of all AS transfer orders which were not settled (i.e. cancelled (revoked) or rejected) for the respective AS.	Measure
Value of cash transfer orders debited/credited/sent/received	Settlement amount total of cash transfer orders debited/credited/sent/received to a cash account of a party in a given time interval.	Measure
Value of payments received	Settlement amount total of settled cash transfer orders, a party received in a particular RTGS cash account in a	Measure



DWH objects	Description	Measure/Object
	given time period, grouped by payment type or message type	
Value of payments sent	Settlement amount total of sent payments	Measure
Value of Settlement	Settlement amount	Measure
Volume	The number of cash transfer orders in a given time period.	Measure
Volume of AS transfer orders – Settled	Number of AS transfer orders which were settled or partially settled for the respective AS	Measure
Volume of AS transfer orders – Not settled	Number of AS transfer orders which were not settled (i.e. cancelled (revoked) or rejected) for the respective AS	Measure
Volume of cash transfer orders debited/credited/sent/received	Number of cash transfer orders debited/credited/sent/received to a cash account of a party in a given time interval.	Measure
Volume of payments received	Number of received payments	Measure
Volume of payments sent	Number of sent payments	Measure
Weighted average	Weighted average value within a system entity or per party in a given time period.	Measure
Weighted average value	Weighted average value of payment amount totals of queued cash transfer orders within a system entity or per party.	Measure
Weighted average volume/value	Weighted average volume/value of queued cash transfer orders for the RTGS DCAs that are linked to a default MCA which had a credit line > 0 at least once a day.	Measure
Year (from)	Year (from)	Object
Year (to)	Year (to)	Object

Table 150 - DWH objects



# 9.2 CLM/RTGS inbound XML messages available in the DWH

The following list contains all xml message types available in the DWH which were processed in CLM or RTGS as inbound messages. Query messages as well as all outbound messages are not transferred to the DWH.

Source	Message type	Description
CLM	camt.048	Modify reservation
CLM	camt.049	Delete reservation
CLM	camt.050	Liquidity credit transfer
CLM (CB specific)	camt.056	FItoFI Cancellation request
CLM (CB specific)	camt.998	Modify credit line, Authorize penalty MR, Insert value of MR, Insert balance MR
CLM (CB specific)	pacs.009	FI Credit transfer
CLM (CB specific)	pacs.010	FI Direct debit
RTGS	camt.007	Modify transaction
RTGS	camt.011	Modify limit
RTGS	camt.012	Delete limit
RTGS	camt.048	Modify reservation
RTGS	camt.049	Delete reservation
RTGS	camt.050	Liquidity credit transfer
RTGS	camt.056	FItoFI Payment cancellation request
RTGS	pacs.004	Payment return
RTGS	pacs.008	Customer credit transfer
RTGS	pacs.009	FI Credit transfer
RTGS	pacs.010	FI Direct debit
RTGS	pain.998	AS transfer initiation (ASTI)

Table 151 - List of CLM/RTGS inbound messages



# 9.3 DXE file documentation

#### 9.3.1 Introduction

NCBs need an adequate technical solution to extract granular data from the DWH for T2 Services. NCBs require the national extractions of data from the data warehouse (DWH). The purpose of these extractions are to provide the local applications with granular data from the T2 Service so that they can be combined with national payment system data and collateral data, and to share the data with respect to TARGET Services Guidelines with other Directorate Generals for analytical and research purposes (e.g. via a common data lake).

This specification replaces the current section of the DWH User Handbook that describes the DEX02 report, as the feedback on the current report emphasised that the documented solution is not fit-for-purpose for the following reasons:

- In order not to exceed the ESMIG file limitation of 99MB, the requirement in the UHB is that users to schedule the DEX02 report per Party BIC and for a single business day.
- I Central banks with a significant number of payments banks and ancillary systems would require significant effort to configure and schedule the reports.
- I Multiple record types in a single file is very complex to process by the receiving application
- I Combining different functional data objects (e.g. transaction, account, participant and event data) in one record in an output file would
- increase the file size due to repetitive information;
- I repeat general information, for instance about business day events, multiple times when data extractions are split;
- increase the complexity of the technical processing in local central bank environments.

In order to address the shortcomings that the central banks raised, the new reporting solution for the DEX02 reporting foresees:

- The separation of the DEX02 report into six distinct reports (now named DXE01 DXE06 to avoid confusion) that extracts a set of specific business data per report so that the report complexity is minimised;
- I The elimination of the scheduling of the report by Party BIC, i.e. the provision of the data in each report by central bank;
- I Removes repetitive information that results from the reporting by Party BIC.
- In order to simplify the joining of data, the reports will provide both the internal reference data technical identifiers as well as the externally visible business identifiers.



#### 9.3.2 General information

### 9.3.2.1 Scheduling

The scheduling of the DXE reports can take place for the current month, the current week or the current business day. Central banks with large transactional volumes should schedule their report on a daily basis for more manageable file sizes. Central banks with lower transactional volumes can schedule their reports on a weekly or monthly basis.

### 9.3.2.2 File splitting

File splitting will be implemented for files that exceed the maximum file size of 99MB.

#### 9.3.2.3 File and field conventions

The interface will provide the extracted data in comma-separated files (csv). The files are encoded in UTF-16 Little Endian. The respective UDFS or UHB (CLM, RTGS or CRDM) document the full character set.

Fields will be provided without any start or ending delimiter (e.g. ""). As this is a valid character in few cases and can lead to misinterpretation or an abnormal termination.

### Character type set:

Format Type	Definition
CHAR (n)	String with exactly n UTF-8 characters, is padded with blanks on right side
VARCHAR (n)	String with n UTF-8 characters maximum
DEC (p, s)	The precision (p) is the total number of binary or decimal digits excluding the sign. The scale (s) is the total number of binary or decimal digits to the right of the decimal point A dot '.' is used as decimal point.  Decimals without decimal places will end with "."  Field is padded with "0" on left side  First digit is a blank or minus
SMALLINT	Number, up to 5 digits
INTEGER	Number, up to 10 digits



Format Type	Definition
DATE	Date in format "yyyy-mm-dd" with no time zone indication
TIME	Time in format "hh:mm:ss" with no time zone indication in CET/CEST
TIMESTAMP	Date in format "yyyy-mm-dd hh:mm:ss.mmmmmm" with no time zone indication in CET/CEST

- In case of NULL in csv, two separators will be provided after each other with no content in between. Date 9999-01-01 and Timestamp with 9999-01-01-00.00.00.000000 are NULL.
- Each line ends with line feed (LF, hexadecimal "0x0A").
- The general separator for attributes is a TAB (hexadecimal "09"). A TAB is not used at the end of a line.

### 9.3.3 Relationship between files

#### 9.3.3.1 Use of technical identifiers

The interface files provide for reference data both a unique technical identifier and a business identifier. The technical identifier is always unique and should be used to link reference data to transactional data even though the transactional data contains the business identifiers of reference data redundantly.

### 9.3.3.2 Party to cash account reference data file relationship


Each cash account has a mandatory relationship to a party. The cash account reference data contains the party identifier as the attribute to link a party to a cash account.



### 9.3.3.3 Cash account balance and liquidity to reference data file relationships


Each cash account balance and liquidity is uniquely identified through a combination of a business day and a cash account identifier. The cash account balance also has a relationship to party reference data.





### 9.3.3.4 Cash transfers to reference data file relationships

Each cash transfer has a relationship to cash account reference data as well as to the party of the cash account. Each cash transfer specifies the cash account identifier and the party identifier.



### 9.3.3.5 Aggregation Group to Reference Data File Relationships

Each aggregation group has a relationship to cash account reference data as well as to the party of the cash account. An attribute in the aggregation group determine whether the relationship pertains to the cash account or the party.

### 9.3.4 DXE01 – party reference data file specification

A party in CRDM denotes any legal or organisational entity required in a Eurosystem market Infrastructure for processing. In this context, the party reference data file contains the attributes of party in their state as of the business day that the user selected.

No.	Logical Name	Data Type	Mandatory/ Optional	Definition
1	Party Identifier	INTEGER	Mandatory	This attribute contains the unique technical identifier of the Party in Common Reference Data Management (CRDM) or in CRSS for historic data.
2	Business Day	DATE	Mandatory	This field specifies the business day of the Eurosystem market infrastructure for which the extraction took place.



3	System entity	VARCHAR(4)	Mandatory	This field contains the unique system entity mnemonic of a system entity in Common Reference Data Management (CRDM).
4	LEI	VARCHAR(20)	Optional	This field contains the Legal Entity Identifier that identifies a party according to ISO 17442.
5	BIC	VARCHAR(13)	Mandatory	This field contains the Business Identifier Code of a party according to ISO 9362.
6	Country Code	VARCHAR(2)	Mandatory	This field contains the ISO country code of the jurisdiction in which the party is legally registered.
7	Party Long Name	VARCHAR(350	Mandatory	This field contains the full legal name of a party.
8	Party Short Name	VARCHAR(35)	Mandatory	This field contains the user-define mnemonic to identify a party.
9	Party Type	VARCHAR(4)	Mandatory	This field provides the classification of the party in CRDM to identify its role in the respective Eurosystem market infrastructure.  Code and Description:  1 T2SO: Operator  1 NCBK: Central Bank  1 PMBK: Payment Bank  1 ANSY: Ancillary System



10	Party Opening Date	DATE	Mandatory	This fields defines the actual date that the CSD or NCB established the contractual relationship with the party, i.e. the date from which the party is eligible to process its business transactions on the Eurosystem market infrastructure.
11	Party Close Date	DATE	Mandatory	This field defines the actual date that the contractual relationship of the party with CSD or NCB ended, i.e. the date as of which the party no longer is eligible to process its business transactions on the Eurosystem market infrastructure.
12	Deletion Status	VARCHAR(4)	Mandatory	This field specifies whether the record is active or is logically deleted.  Code and Description:  DELE: Deleted  ACTV: Active

# 9.3.5 DXE02 - Cash account reference data file specification

The cash account reference data file contains the attributes of a cash account in their state as of the business day that the user selected.

No.	Logical Name	Data Type	Mandatory/ Optional	Definition
1	Cash Account Identifier	INTEGER	Mandatory	This attribute contains the unique technical identifier of the cash account in Common Reference Data Management (CRDM)
2	Cash Account Number	VARCHAR(34)	Mandatory	This field documents the externally visible cash account number that uniquely identifies a cash account across all Eurosystem market infrastructure services.
3	Cash Account BIC	VARCHAR(11)	Optional	This field specifies the BIC of the cash account according to ISO 9362.
4	Business Day	DATE	Mandatory	This field specifies the business day of a Eurosystem market infrastructure.



5	Currency Code	CHAR(3)	Mandatory	This field specifies the ISO currency code for the cash account.
6	Linked Cash Account Identifier	INTEGER	Optional	This field specifies the cash account identifier of the linked cash account. The determination of whether a link from one cash account to another cash account exists takes place using this attribute. When this field specifies a value, then this field contains a valid cash account to which the cash account, as identified by the cash account identifier, is linked.
7	Linked Cash Account Number	VARCHAR(34)	Optional	This field specifies the cash account number of the linked cash account. The determination of whether a link from one cash account to another cash account exists takes place using this attribute. When this field specifies a value, then this field contains a valid cash account to which the cash account, as identified by the cash account number, is linked.
8	Linked Cash Account Type	VARCHAR(4)	Optional	This field determines whether the cash account has a linked cash account associated to it in the CRDM data. CLM-RTGS does not use this field for its processing. This field also specifies the type of cash account to which the cash account is linked.  Code and Description  RDCA: RTGS DCA  CMCA: CLM Main cash account  CCAC: CLM CB account  ATEC: AS technical account for procedures
9	Party Identifier	INTEGER	Mandatory	This field specifies the unique party identifier of the party in Common Reference Data (CRDM) that holds the cash account.
10	Account Type	VARCHAR(4)	Mandatory	This field provides the role of the cash account in a Eurosystem market infrastructure  Code and Description  RTGS:  I RDCA: RTGS DCA



I RCBA: RTGS CB account ATEC: AS technical account for procedures A and B (ATEC) ATEC: AS technical account for procedures C and E (ATEC) ATEC: AS technical account for procedure D (ATEC) I AGAC: AS guarantee funds account I RSAA: RTGS sub-account RTAC: RTGS dedicated transit account CLM: I CMCA: CLM Main cash account I CCAC: CLM CB account I ONDP: Overnight deposit account) I MGLD: Marginal lending account I CEMA: ECB mirror account I CECB: CB ECB account I CTEC: CLM technical account for ECONS II I CTTS: CLM dedicated transit account for T2S I CTTI: CLM dedicated transit account for TIPS CTRT: CLM dedicated transit account for RTGS ECONS2: I ECCA: Contingency Cash Account I ECCB: CB Contingency Account I ECTA: Contingency Technical Account I ECTR: Contingency Transit Account T2S: RTGS: RTGS Dedicated Transit Account NCBA: T2S Central Bank Account I CSHA: T2S Dedicated Cash Account



				TIPS  I TACC: TIPS Accounts  I TTAC: Transit Accounts  I TAST: TIPS Ancillary System Transaction Account
11	Ceiling Amount	DECIMAL(31,2)	Optional	This field specifies the ceiling (highest amount) for the balance on a on a cash account, the breach of which result in a notification to the cash manager.
12	Closing Date	DATE	Mandatory	This field defines the actual date that cash account is no longer eligible for settlement on the Eurosystem market infrastructure.
13	Floor Amount	DECIMAL(31,2)	Optional	This field specifies the floor lowest amount) for the balance on a on a cash account, the breach of which result in a notification to the cash manager.
14	Opening Date	DATE	Mandatory	This field defines the actual date that cash account is eligible for settlement on the Eurosystem market infrastructure.
15	Credit Based Only Flag	SMALLINT	Optional	This field specifies whether the cash account is a credit-based only account, i.e. whether the cash account owner must maintain a positive balance on the cash account to settle pending cash transfer orders.
				Code and Description  T: Account is credit based only  F: Account is not credit based only

# 9.3.6 DXE03 - Cash account aggregation group file specification

This report extracts for all parties and cash accounts of a central bank, the aggregation groups of which a party or cash account is a member (depending on the type of aggregation). A party/cash account may be assigned to multiple groups of the same type depending on the aggregation group type.



No.	Logical Name	Data Type	Mandatory/ Optional	Definition
1	Party or Cash Account Identifier	INTEGER	Mandatory	This attribute contains the unique technical identifier of the cash account or the party in Common Reference Data Management (CRDM) depending on the value in the field Party or Account.
2	Party or Account	CHAR(1)	Mandatory	This field specifies the type of identifier that the grouping contains.  Code and Description  P: Party C: Cash Account
3	Business Day	DATE	Mandatory	This field specifies the business day of a Eurosystem market infrastructure.
4	Aggregation Leader Party BIC	CHAR(13)	Optional	This field contains the Business Identifier Code of the aggregation party leader according to ISO 9362.
5	Cash Account Number or Party BIC	VARCHAR(34)	Mandatory	This field documents the externally visible cash account number that uniquely identifies a cash account across all Eurosystem market infrastructure services or the Party BIC, depending on the value in the field Party or Account.
6	Aggregation Group Type	VARCHAR(4)	Mandatory	This field specifies the type of grouping for parties or cash accounts.  Code and Description  BANK: Banking Group  ACCM: Account Monitoring Group  LQTR: Liquidity Transfer Group  SETL: Settlement Bank Account Group
7	Aggregation Group Name	VARCHAR(35)	Mandatory	This field specifies the data aggregation name. This column is restricted to the SWIFT X Character Set via BRs at U2A and A2A level.



# 9.3.7 DXE04 - Cash account balance and liquidity file specification

The Cash Account Liquidity file provides the end-of-day states of various balances in CLM-RTGS for a cash account. The DWH does not receive an intraday history. CLM-RTGS always overwrites the record when an amount changes.

No.	Logical Name	Data Type	Mandatory/	Definition
1	Cash Account Identifier	INTEGER	<b>Optional</b> Mandatory	This attribute contains the unique technical identifier of the cash account in Common Reference Data Management (CRDM)
2	Cash Account Number	VARCHAR(34)	Mandatory	This field documents the externally visible ISO 20022 cash account number that uniquely identifies a cash account across all services.
3	Cash Account Holder Party BIC	VARCHAR(13)	Mandatory	This field specifies the party BIC of the cash account holder as a party in in Common Reference Data Management (CRDM).
4	Business Day	DATE	Mandatory	This field specifies the business day of the Eurosystem market infrastructure for which the extraction took place.
5	Liquidity	DECIMAL(31,2)	Optional	This field specifies the available liquidity for the cash account.
6	Liquidity Position	DECIMAL(31,2)	Mandatory	This field specifies the position of the liquidity.
7	Liquidity at Start of Day	DECIMAL(31,2)	Mandatory	This field specifies the liquidity at the start of the day
8	Account Type	SMALLINT	Mandatory	This field specifies the type of account.
				Code and Description  O: RTGS DCA  1: RTGS CB account  3: AS technical account for procedures A and B  4: AS technical account for procedures C and E  5: AS technical account for procedure D  7: AS guarantee funds account  9: RTGS sub-account  40: RTGS dedicated transit account



				<ul> <li>100: MCA</li> <li>101: CLM CB account</li> <li>105: Overnight deposit account</li> <li>106: Marginal lending account</li> <li>111: ECB mirror account</li> <li>112: CB ECB account</li> <li>113: CLM technical account for ECONS II</li> <li>130: CLM dedicated transit account for T2S</li> <li>135: CLM dedicated transit account for TIPS</li> <li>140: CLM dedicated transit account for RTGS</li> </ul>
9	Country Code CB	CHAR(2)	Mandatory	This field specifies the country code of the central bank.
10	Pending Urgent Reservation	DECIMAL(31,2)	Optional	This field specifies the pending urgent priority reservation.
11	Position of the Urgent Reservation	DECIMAL(31,2)	Optional	This field specifies the position of the urgent priority reservation.
12	Urgent Reservation at Start of Day	DECIMAL(31,2)	Optional	This field specifies the amount of the urgent priority reservation at the start of the day.
13	Pending High Reservation	DECIMAL(31,2)	Optional	This field specifies the pending high priority reservation.
14	Position of the High Reservation	DECIMAL(31,2)	Optional	This field specifies the position of the high priority reservation.
15	High Reservation at Start of Day	DECIMAL(31,2)	Optional	This field specifies the amount of the high priority reservation at the start of the day.
16	Limit Disabled Flag	SMALLINT	Optional	This field specifies the whether all bilateral limits for the current day are zero or set to zero so that for this participant no bilateral or multilateral limits should be applied.  Code and Description  O: No - there are bilateral limits
				1: Yes - neither multilateral limit nor bilateral limits will be applied



17	Defined Multilateral Limit	DECIMAL(31,2)	Optional	This field specifies the extended relationship limit ('collecting' limit).
18	Defined Multilateral Limit Timestamp	TIMESTAMP	Optional	This field specifies the date and time of the last update of the multilateral limit.
19	Pending Multilateral Limit	DECIMAL(31,2)	Optional	This field specifies the multilateral limit amount to be activated.  It is an intra-day change (reduction) of the multilateral limit, which cannot be activated at present because of a higher claim of the limit.  Nevertheless, it is taken into account by the entry disposition process in order to reduce the claim to
				the desired limit amount.
20	Pending Multilateral Limit Timestamp	TIMESTAMP	Optional	This field specifies the timestamp of the last activation of the multilateral limit.
21	Claimed Multilateral Limit of an Algo	DECIMAL(31,2)	Optional	This field specifies the current amount of a multilateral limit that the settlement algorithm reserved at the start of day.
22	Position of the Multilateral Limit	DECIMAL(31,2)	Optional	This field specifies the current (permanently updated) position of the multilateral limit.
23	Multilateral Limit at Start of Day	DECIMAL(31,2)	Optional	This field specifies the multilateral limit at the beginning of the day.
24	Bilateral Limits Sum	DECIMAL(31,2)	Optional	This field specifies the total of all bilateral limits.
25	Bilateral Limits Sum Timestamp	TIMESTAMP	Optional	This field specifies the date and time of the last update of the sum of the bilateral limits.
26	Bilateral Limit Positions Sum	DECIMAL(31,2)	Optional	This field specifies the sum of all current positions of the bilateral limit.
27	Amount of Automatic Marginal Lending used	DECIMAL(31,2)	Optional	This field specifies the amount of automatic marginal lending used.
28	Amount of Marginal Lending on Request used	DECIMAL(31,2)	Optional	This field specifies the amount of marginal lending on request used.
29	Pending CBO Reservation	DECIMAL(31,2)	Optional	This field specifies the pending amount of the CBO reservation, i.e. it is the amount change to the CBO reservation that CLM could not yet apply. If a



				reservation order can only be partly changed, it is set with the remainder.
30	Position of the CBO Reservation	DECIMAL(31,2)	Optional	This field specifies the current (permanently updated) position of the CBO reservation.
31	CBO Reservation at Start of Day	DECIMAL(31,2)	Optional	This field specifies the amount of the CBO reservation at the beginning of the day. It is taken over from the standing order amount for a CBO reservation and may be less than that amount if it can only be partly executed. The amount can also be 0 if no standing order exists.
32	Pending Seizure of Funds Reservation	DECIMAL(31,2)	Optional	This field specifies the pending amount of the seizure of funds reservation. If a reservation order can only be partly set, it is set with the remainder.
33	Liquidity Position of the Seizure of Funds Reservation	DECIMAL(31,2)	Optional	This field specifies the current (permanently updated) position of the seizure of funds reservation. The funds are not part of the current liquidity position. The seizure of funds reservation is always taken away from the current liquidity position. It is different from the CBO reservation, which is always part of the liquidity position.
34	Seizure of Funds Reservation at Start of Day	DECIMAL(31,2)	Optional	This field specifies the amount of the seizure of funds reservation at the beginning of the day. It is taken over from the seizure of funds reservation position amount at the end of the previous business day.
35	Credit Line	DECIMAL(31,2)	Optional	This field specifies the granted disposition fund (credit line). Entries exist for Default MCAs. They can be adjusted by GUI orders, 'modify credit line' requests or 'connected payments'.



36	Credit Line at Start of day	DECIMAL(31,2)	Optional	This field specifies the granted disposition fund (credit line) at the beginning of the day (carried-over from the previous business day) for those cash accounts that have a credit line. The field is zero for all other types of cash accounts.
37	Pending Credit Line	DECIMAL(31,2)	Optional	This field specifies the pending credit line amount, i.e. the amount change to the credit line that CLM could not yet apply. If a credit line change order per U2A or connected payment cannot not settled the pending amount is stored here.
38	Pending Credit Line Mark	SMALLINT	Optional	This field specifies the pending credit line mark.  Code and Description  O: None  1: Fixed  2: Delta

# 9.3.8 DXE05 - Cash transfers orders/cash transfer file specification

This file provides all cash transfers of a central bank for a given T2 business day.

No.	Logical Name	Data Type	Mandatory/ Optional	Definition
1	Cash Transfer	DECIMAL(16,0)	Mandatory	This attribute contains the technical identifier of the cash transfer order in CLM or RTGS.
2	Credit Cash Account Identifier	INTEGER	Mandatory	This attribute contains the unique technical identifier of the credit cash account in Common Reference Data Management (CRDM).
3	Credit Cash Account Number	VARCHAR(34)	Mandatory	This field documents the externally visible ISO 20022 credit cash account number that uniquely identifies a cash account across all services.
4	Credit Cash Account Holder Party BIC	VARCHAR(13)	Mandatory	This field specifies the party BIC of the credit cash account holder as a party in in Common Reference Data Management (CRDM).



5	Business Day	DATE	Mandatory	This field specifies the business day of a Eurosystem market infrastructure.
6	Debit Cash Account Identifier	INTEGER	Mandatory	This attribute contains the unique technical identifier of the debit cash account in Common Reference Data Management (CRDM).
7	Debit Cash Account Number	VARCHAR(34)	Mandatory	This field documents the externally visible ISO 20022 debit cash account number that uniquely identifies a cash account across all services.
8	Debit Cash Account Holder Party BIC	VARCHAR(13)	Mandatory	This field specifies the party BIC of the debit cash account holder as a party in in Common Reference Data Management (CRDM).
9	Related AS Party Identifier	INTEGER	Optional	This field specifies the unique technical identifier of the ancillary system as a party in in Common Reference Data Management (CRDM).
10	Related AS Party BIC	VARCHAR(13)	Optional	This field specifies the party BIC of the ancillary system as a party in in Common Reference Data Management (CRDM).
11	Related AS Counterpart Identifier	INTEGER	Optional	This field specifies the unique technical identifier of the counterpart ancillary system as a party in in Common Reference Data Management (CRDM).
12	Related AS Counterpart BIC	VARCHAR(13)	Optional	This field specifies the Party BIC of the counterpart ancillary system as a party in in Common Reference Data Management (CRDM).
13	From Service	VARCHAR(4)	Mandatory	This field documents the service or service component that debited the cash transfer.
				Code and Description  CLM: T2 Service Central Liquidity Management RTGS: T2 Real-time Gross Settlement T2S: TARGET2-Securities TIPS: TARGET Instant Payments
14	To Service	VARCHAR(4)	Mandatory	This field documents the service or service component that credited the cash transfer.  Code and Description



				<ul> <li>CLM: T2 Service Central Liquidity Management</li> <li>RTGS: T2 Real-time Gross Settlement</li> <li>T2S: TARGET2-Securities</li> <li>TIPS: TARGET Instant Payments</li> </ul>
15	Currency Code	CHAR(3)	Mandatory	This field specifies the three-character ISO 4217 currency code.
16	Unique End-to-End Transaction Reference (UETR)	VARCHAR(40)	Optional	This field contains a universal unique identifier to provide an end-to-end reference for a payment transaction (payment order).  Usage: pacs.008, pacs.009, pacs.010 and camt.050.
17	Instruction Identifier	VARCHAR(35)	Optional	This field shows the unique identification, set by the message sender, to identify the instruction (payment order).  Usage: pacs.008, pacs.009, pacs.010 and camt.050 (although optional for camt,050).
18	End-to-End Identification	VARCHAR(35)	Optional	This field shows the unique identification, set by the instruction initiator, to identify the instruction (payment order) and be passed on, unchanged, throughout the entire end-to-end-chain.  Usage: pacs.008, pacs.009, pacs.010 and camt.050
19	Cash Transfer Property	SMALLINT	Mandatory	This field documents the high-level category into which the cash transfer order falls for processing in CLM-RTGS.  Code and Description  O: Original payment  Return payment  2: Original cancelled  3: Not bookable
20	Message Type	VARCHAR(15)	Mandatory	The field specifies the ISO 20022 message type from which the cash transfer order was generated.  I pain.998 I camt.050



21	Settlement Type	SMALLINT	Mandatory	camt.056{CR-154} pacs.004 pacs.009 pacs.008 pacs.010 UNKNOWN This field specifies the process that settled the cash transfer order.
				Code and Description  1 0: Pending (not yet booked)  1 1: Entry disposition  1 2: Express algorithm  1 3: Settlement of a connected payment  1 4: AS settlements not booked by Entry disposition or algorithm  1 11: Algorithm 1  1 12: Algorithm 2  1 13: Algorithm 3  1 14: Algorithm 4  1 15: Algorithm 5  1 20: Liquidity transfer and other immediately booked ICM orders  1 80: End-of-day booking
22	Settlement Timestamp	TIMESTAMP	Mandatory	This field specifies the actual date and time that the cash transfer order settled.
23	First Processing Timestamp	TIMESTAMP	Optional	This field specifies the actual date and time of the first processing of an MGPY2000 cash transfer order. It is used to monitor the performance of processing in RTGS.
24	First Queuing Timestamp	TIMESTAMP	Mandatory	In the case that the processing queues a cash transfer order for settlement, this field specifies the actual date and time that initial queuing of the cash transfer order took place. The contents of this field does not change if a subsequent queueing of the



				cash transfer order take place. This field does not specify a value if a cash transfer order settles without queueing.
25	Original Amount	DECIMAL(31,2)	Optional	This field specifies the instructed amount of the cash transfer order.
26	Cash Transfer Status Before Currency Specific Closing	SMALLINT	Optional	This field specifies the final state of a cash transfer order at the end-of-day closing for a settlement currency.  Code and Description  Output  Outp
27	Cash Transfer Status	SMALLINT	Mandatory	This field specifies the current processing status of a cash transfer order. However, at end of the business day, the status specifies the final state of the cash transfer order.  Code and Description  62: warehoused  561: settled  562: not settled due to removal EOD or during the day  563: reversed  565: payment revoked including disagreement after blocking
28	Error Code	VARCHAR(4)	Mandatory	This field specifies an error code in the case an error occurs in the processing of the cash transfer order.
29	AS Balance After Booking Debit	DECIMAL(31,2)	Optional	This field documents the balance of the debited cash account after the settlement of an AS transfer



				order. For example, in the case of AS return account.
30	AS Balance After Booking Credit	DECIMAL(31,2)	Optional	This field documents the resulting balance an AS subaccount or AS mirror account balance of the credited cash account after the settlement of an AS transfer order. RTGS report this balance in an AS Transfer Notice of a cross-AS cash transfer (CR493).
31	Entry Timestamp	TIMESTAMP	Mandatory	Timestamp of the first entry of the data. Part of the update control block.
32	Settled Amount	DECIMAL(31,2)	Mandatory	This field specifies the amount that T2 settled for the cash transfer.
33	Debit Party Identifier	INTEGER	Mandatory	This attribute contains the unique technical identifier of the Party in Common Reference Data Management (CRDM) or in CRSS for historic data.
34	Credit Party Identifier	INTEGER	Mandatory	This attribute contains the unique technical identifier of the Party in Common Reference Data Management (CRDM) or in CRSS for historic data.
35	Classification	VARCHAR(10)	Mandatory	This field provide the category and classification of the transfer order according to the Eurosystem statistical classification framework.  Code and Description
				For CLM:
				C.10.00: CLM Intra
				C.10.20: CLM LT RTGS
				C.10.30: CLM LT T2S
				I C.10.40: CLM LT TIPS
				C.11.01: Open Market Operations
				C.11.02: Standing Facilities
				C.11.03: Reserve and Account Management
				C.11.04: Inter Central Bank transactions
				C.11.05: Connected payments for credit line changes



				C.11.06: Non-euro area Central Bank operations
				C.11.09: Other (including cash transactions)
				C.12: Billing
				C.13: TARGET Balances
				C.14.01: Levelling out of closed accounts
				C.14.02: ECONS2 back transfers
				C.14.03: Seizure of funds
				C.19: Other
				For RTGS:
				R.20.00: RTGS Intra
				R.20.10: RTGS LT CLM
				R.20.30vRTGS LT T2S
				R.20.40: RTGS LT TIPS
				R.21.01: Payments Interbank
				R.21.02vPayments Customer
				I R.21.09vOther
				I R.22.01: AS Transactions HVPS
				R.22.02: AS Transactions RPS
				I R.22.03: AS Transactions IPS
				I R.22.04vAS Transactions SSS
				I R.22.05vAS Transactions FXS
				R.22.06: AS Transactions MMS
				R.22.07: AS Transactions CCP
				R.22.09: AS Transactions Other
				R.23.01: Levelling out of closed accounts
				I R.29: Other
36	Liquidity Transfer Type	VARCHAR(10)	Mandatory	This field specifies categorises liquidity transfer orders according to their processing characteristics in T2.
				Code and Description



				<ul> <li>A: Automated</li> <li>I: Immediate</li> <li>Q: Rule-based Queued</li> <li>R: Rule-Based Floor/Ceiling</li> <li>S: Standing order</li> <li>N/A: Not applicable</li> </ul>
37	Liquidity Transfer  Direction	VARCHAR(10)	Mandatory	This field provides for a liquidity transfer order the category for the exchange of funds.  Code and Description  S: Intra-service liquidity  O: Outgoing liquidity  I: Incoming liquidity  T: Technical liquidity transfer (only for CLM)  N/A: Not applicable
38	Settlement Window	VARCHAR(10)	Mandatory	This field specifies the period during the T2 business day in which the cash transfer order settled.  Code and Description  1 1: CLM real-time settlement – Transactions settled during the CLM Real Time Settlement phase  1 2: RTGS real-time settlement I – Transactions settled during the RTGS Settlement Window 1  1 3: RTGS real-time settlement II – Transactions settled during the RTGS Settlement Window 2  I N/A: Not applicable
39	Initiator Type	VARCHAR(10)	Mandatory	This field documents the type of party that instructed the cash transfer order.  Code and Description  A: Orders instructed by a third party which is an AS



				<ul> <li>B: Orders instructed by a third party which is a central bank</li> <li>C: Orders instructed directly by the credit participant</li> <li>D: Orders instructed directly by the debited participant</li> <li>P: Orders instructed by a third party which is neither an AS nor a central bank</li> <li>S: System generated transactions</li> </ul>
40	Return Transaction	VARCHAR(10)	Mandatory	This field documents whether the cash transfer order is a return payment.  Code and Description  N: Not return payment  Y: Return payment
41	Contingency Payments	VARCHAR(10)	Mandatory	This field documents whether the cash transfer order is a contingency payment.  Code and Description  M: Mandated payments – payments that a central bank instructs on behalf of its RTGS Account Holder in contingency situations  B: Back-up payments – payments inputted via an RTGS function on exceptional basis when an RTGS Account Holder through an incident on its side loses its ability to send payment orders to RTGS  N: Regular intra-bank payment orders  N/A: Not applicable
42	Component System Payments	VARCHAR(10)	Mandatory	This field documents whether the cash account involved in the cash transfer order belong to the same central banks or different central banks.  Code and Description



				<ul> <li>E: Extra-Component system payments, for which the debited and the credited accounts belong to different central banks</li> <li>I: Intra-Component system payments, for which the debited and the credited accounts belong to the same central bank</li> </ul>
43	Intragroup Transactions	VARCHAR(10)	Mandatory	This field specifies whether the cash transfer order is intra-group.  Code and Description  N/A: Not applicable  Y: intra-group cash transfer  N: Not an intra-group cash transfer
44	Correspondent Banking	VARCHAR(10)	Mandatory	This field provides the corresponding banking classification of the cash transfer order.  Code and Description  N/A: Not applicable  B: the transaction is correspondent banking on both sending and receiving sides  N: the transaction is not correspondent banking on either side  R: the transaction is correspondent banking on the receiving side and not on the sending side  S: the transaction is correspondent banking on the sending side and not on the receiving side
45	CLM Central Bank Operation Subtype	VARCHAR(10)	Optional	This field provides the classification for the central bank operation underlying the cash transfer order.  Code and Description  N/A: Not applicable  MLA: Automated Marginal Lending  MLO: Marginal Lending on request (setting-up order)  MLR: Marginal Lending reimbursement



				<ul> <li>MLI: Interest payment for Marginal Lending</li> <li>ODO: Overnight Deposits (setting-up-order)</li> <li>ODV: Overnight Deposits reverse order</li> <li>ODR: Overnight Deposits refund</li> <li>ODI: Interest payment for Overnight Deposits</li> <li>OMR: Repayment of principal or interest</li> <li>OMS: Set-up of operation</li> <li>RMI: Interest payment for minimum reserves</li> <li>REI: Interest payment for excess of reserves</li> <li>RMP: Penalties for minimum reserves</li> <li>RAI: Interest payment on accounts</li> <li>RMO: Other reserve management transactions</li> </ul>
				SFO: Other standing facilities transactions
46	RTGS Intra Settlement Service Liquidity Transfers	VARCHAR(10)	Optional	This field provides the classification for RTGS intra- service liquidity transfers
				Code and Description
				1: RTGS DCA to RTGS DCA – Intra-service liquidity transfers between two RTGS DCAs
				2: RTGS DCA to RTGS sub-account (AS settlement procedure C) – Liquidity transfers from an RTGS DCA to a linked sub-account dedicated to an an-cillary system using the AS settlement procedure C.
				3: RTGS DCA to Ancillary System Technical Account (AS settlement procedure D) – Liquidity transfers from an RTGS DCA to the technical account related to an ancillary system using AS settlement procedure D
				4: RTGS technical/sub-account to RTGS DCA     (AS settlement procedure C ) – Liquidity     transfers from a technical or linked sub-account     dedi-cated to an ancillary system using the AS     settle-ment procedure C to an RTGS DCA
				5: Ancillary System Technical Account to RTGS     DCA (AS settlement procedure D) – Liquidity



				transfers from a technical account related to an ancillary system using AS settlement procedure D to an RTGS DCA  1 6: RTGS DCA to Ancillary System guarantee accounts – Liquidity transfers from an RTGS DCA to the guarantee account of an ancillary system  1 7: Ancillary System guarantee accounts to RTGS DCA – Liquidity transfers from the guarantee ac-count of an ancillary system to an RTGS DCA  1 N/A: Filter not applicable
47	RTGS Ancillary System Settlement Procedure	VARCHAR(10)	Optional	The filter provides the classification for the AS settlement procedure.  Code and Description  A: AS settlement procedure A  B: AS settlement procedure B  C: AS settlement procedure C  D: AS settlement procedure D  E: AS settlement procedure E  N/A: Filter not applicable
48	Originator BIC	CHAR(11)	Optional	This field specifies the BIC of the originator of the cash transfer when the ISO message underlying the cash transfer specifies it in line with the definition in the Statistical Classification Framework Mapping.
49	Beneficiary BIC	CHAR(11)	Optional	This field specifies the BIC of the beneficiary of the cash transfer when the ISO message underlying the cash transfer specifies it in line with the definition in the Statistical Classification Framework Mapping.

# 9.3.9 DXE06 – Business day file specification

This file provides the execution times of business events on a specific user-selected business day.



No.	Logical Name	Data Type	Mandatory/	Definition
			Optional	
1	Business Day	DATE	Mandatory	This field specifies the business day of a Eurosystem market infrastructure.
2	Event Code	VARCHAR(4)	Mandatory	This field documents an event the T2 schedules and executes during the business day.
				Code and Description for CLM Events
				CSOD: Change of business day
				I CRTI: Start of CLM RTS
				CESO: Execution of standing orders in CLM
				CSCC: Start of currency specific closing
				I CSMW: Start of non-optional maintenance window
				I CEMW: End of non-optional maintenance window
				I CECC: End of currency specific closing
				I CSOM: Start of optional maintenance window
				I CEOM: End of optional maintenance window
				CCII: Cut-off for CLM RTS
				I CEOD: Start of EoD processing
				CCSF: General cut-off for standing facilities
				I CCML: CB cut-off for marginal lending on request
				I CCOS: EoD - close of service
				Code and Description for RTGS Events
				I RSOD: Change of business day
				RRTI: Start of RTGS RTS
				I RESO: Execution of standing orders in RTGS
				I RSCC: Start of currency specific closing
				I RSMW: Start of non-optional maintenance window



				<ul> <li>REMW: End of non-optional maintenance window</li> <li>RECC: End of currency specific closing</li> <li>RRII: Start of RTGS RTS II</li> <li>RSIC: Start of settlement window for interbank and customer payments</li> <li>RSOM: Start of optional maintenance window</li> <li>REOM: End of optional maintenance window</li> <li>RCOC: Cut-off for customer payments</li> <li>RCII: Cut-off for RTGS RTS II</li> <li>RLSO: Execution of standing orders after last settlement attempt in RTGS</li> <li>REOD: Start of EoD processing</li> <li>RCOS: EoD - close of service</li> </ul>
3	Currency Code	VARCHAR(3)	Mandatory	The field provides the ISO currency code for the event
4	Scheduled Timestamp	TIMESTAMP	Mandatory	This field specifies the date and time at which the execution of the event is to take place during the business day.
5	Actual Timestamp	TIMESTAMP	Mandatory	This field specifies the date and time at which the execution of the event has been rescheduled to during the business day. This timestamp contains the value of the scheduled timestamp (TS_SCHED) when there was no rescheduling.



# 10 Data Warehouse Historical data

### 10.1 Introduction

This document provides a specification for the implementation of DWH reports for cash transfers and intraday credit metrics data migrated from the CRSS DWH. It also includes a list of data object that will be accessible to the user to create user-defined reports.

# 10.2 Historic intraday credit reports (IDH)

10.2.1 IDH02 - Intraday Credit Line Daily Reporting

#### **Context of usage**

The report IDH02 provides <u>business users of</u> a central bank for its parties for a given business day and the time band of the business day the following historic information from CRSS: <u>with access to standardised reports to query historic intraday credit lines of its parties.</u> The report displays historic information for a given <u>business day and the time band of the business day</u>: {CR-154}

- Maximum intraday credit amount;
- I Minimum intraday credit amount;
- Intraday credit standard deviation amount;
- Intraday credit weighted average amount;
- Number of transactional events.

The report is only available to users of a central bank. A central bank user can only query parties under their central bank's remit.

#### Report access

This report is accessible through following navigation path:

[Team Content] >> [Predefined Reports] >> [IDH – Historic Intraday Credit Reports] >> [IDH02]



### Screen Description Screenshot (CR-154)




Figure 569 - IDH02 prompt screen(CR-154)

IDH02 – Prompt screen fields			
Field label	<u>Description</u>		
Date	The user can select the date by clicking on the calendar and selecting a business day before the go-live of T2 on 20 March 2023.  This field is mandatory.		
Party BIC	The drop-down field allows the user to select the Party BIC. This field will show all BICs that are under the remit of the central bank.  This field is mandatory.		
Cash account number	This field displays the cash account number.  This field is mandatory.		

Table 152 - IDH02 - Prompt screen description

{CR-154}



### Screen DescriptionScreenshot




Figure 570 - IDH02 Results screen (1) for credit line amounts (CR-154)






Figure 571 - IDH02 Results screen (2) for intraday credit amount used (CR-154)




Figure 572 - IDH02 Results screen (3) for queued cash transfer orders (CR-154)



IDH02 - Result screen description		
Field label	Field label Description	
The results are available in separate tables for Amount of Credit Line, Amount of IDC Used/ and Queued Cash Trans Orders		
Time band range	Time band range in one-hour intervals. (CR-154)	
Average volume	The average volume only appears in the result for "Queued cash transfer orders" table and the column displays the average number of queued cash transfer orders in the timeframe 19:00:00 – 18:00:00	
Weighted average	The column displays for a time band the weighted average of  I the credit line amount I the amount of IDC used I the sum of values of queued cash transfer orders	
Minima	The column displays for a time band the minimum of  I the credit line amount  I the amount of IDC used  I the sum of values of queued cash transfer orders	
Maxima	The column displays for a time band the maximum of  the credit line amount  the amount of IDC used  the sum of values of queued cash transfer orders	
Standard deviation	The column displays for a time band the standard deviation of  I the credit line amount values  I the amounts of IDC used  I the sum of values of queued cash transfer orders	
Number of events	This column displays for a time band a sum of the  I changes to the credit line I changes to the account balance influencing the IDC use I Queued cash transfers	

Table 153 - IDH02 - Result screens for historic credit line and IDC reporting



### 10.2.2 IDH03 - Credit line and intraday credit averages and maxima by cash account

### **Context of usage**

This report provides the central bank user with information on the development of the credit line and intraday credit for a specified business day period and cash account owner. The report also provides for each business day in the selected period the weighted average and maximum amount credit line amount and intraday credit use.

This report is accessible only by central bank users.

#### Report access

This report is accessible through following navigation path:

[Team Content] >> [Predefined Reports] >> [IDH – Historic Intraday Credit Reports] >> [IDH03]

#### Screen Description Screenshot




Figure 573 - IDH03 prompt screen(CR-154)



IDH03 – Prompt screen fields			
Field label	Description		
Date From	The field allows the user to enter the business day from which the report is to provide intraday credit information. The user may select a date by clicking on the calendar or entering the date directly.  This field is mandatory.		
Date To	The field allows the user to enter the business day to which the report is to provide intraday credit information. The user may select a date by clicking on the calendar or entering the date directly. This date must be prior to the go-live of the T2 Service (18 March 2023).  This field is mandatory.		
Party BIC	This drop-down field allows the user to select one or more party BICs. (CR-154)  This field will show all BICs that belong to the respective party of the user.  This field is mandatory.		

Table 154 - IDH03 - Prompt screen description

### Results screen




Figure 574 - <u>IDH03 credit line amount and IDC use</u>{CR-154}

IDH03 – Result screen description		
Field label	Description	
Date	Lists the business day within the selected period.	
Credit line amount:	Weighted average of the credit line amount of that day.	
Weighted average		



Credit line amount:  Maxima	Maximum of the credit line amount at that day.
Intraday credit use: Weighted average	Weighted average of the intraday credit line use of that day.
Intraday credit use: Maxima	Maximum of the intraday credit line use at that day.
Maximum over period	Highest amount of the respective column. {CR-154}

Table 155 - IDH03 - Result screen for credit line and intraday credit averages and maxima

#### 10.2.3 IDH05 - Maximum credit line used

#### **Context of usage**

This report provides central bank users with <u>historic</u> credit line and balance information for the SoD and EoD of one or more selected cash accounts for a specified business day.{CR-154} Moreover, the report documents the peak IDC use for the selected cash account(s) on the specified business day.

This report is accessible only by central bank users.

#### Report access

This report is accessible through following navigation path:

[Team Content] >> [Predefined Reports] >> [IDH – Historic Intraday Credit Reports] >> [IDH05]

Reprompt

Select all Deselect all

Cancel

If none of the cash accounts is selected, all of them are going to be used.



Screen Description Screenshot

# 

Figure 575 - IDH05 prompt screen with specific party BIC selection (CR-154)

Starts with any of these keywords

✓ Case Insensitive

Cash Account Number




Figure 576 - IDH05 prompt screen with multiple party selection (CR-154)



IDH05—Prompt screen description	
Field label	<del>Description</del>
Run report for a specific party BIC or for all parties	This drop-down list allows the user to select whether the
	report is for all parties or a single party.

IDH05- Prompt screen description		
<u>Field label</u>	<u>Description</u>	
Run report for a specific party BIC or for all parties	This drop-down list allows the user to select whether the report is for all parties or a single party.{CR-154}	
Date From	The field allows the user to enter the business day from which the report is to provide intraday credit information.  The user may select a date by clicking on the calendar or entering the date directly.  This field is mandatory.	
Date To	The field allows the user to enter the business day to which the report is to provide intraday credit information. The user may select a date by clicking on the calendar or entering the date directly. This date must be prior to the go-live of the T2 Service (18 March 2023).  This field is mandatory.	
Party BIC	This drop-down field allows the user to select the party BIC. This field will show all related BICs that belong to the respective party of the user. When the user does not select a party BIC, the report only shows results for all parties of the respective user based on the date in the field "Valid From".  This field is optional mandatory.	
Cash Account Number	This field documents the externally visible cash account number that uniquely identifies a cash account across all Eurosystem market. {CR-154}	

Table 156 - IDH05 - Prompt screen



#### Results screen




Figure 577 - IDH05 results screen when selecting specific party

# IDH05 – Results screen when selecting specific party

The report provides the intraday credit metric for a party for each business day in the period that the user entered. The report provides the listed fields for the credit line amount

Date	Business day of the reported amounts and balances
At SoD	Credit line amount at SoD
	and
	Cash Account Balance at SoD
At EoD	Credit line amount at EoD
	and
	Cash account balance at EoD

#### Following details are available for peak IDC use

Date	One line per business date within the chosen date range
Amount	Peak intraday credit amount on the business day.  Marked with "—" in case the account balance remained positive throughout the day
Credit line amount	Credit line amount at that time;  Marked with "—" in case the account balance remained positive throughout the day

Table 157 - IDH05 - Output description






Figure 578 - IDH05 results screen when selecting multiple parties

IDH05 – Results screen when selecting multiple party		
Field label	Description	
Party BIC	Party BIC of the cash account owner	
Party name	Party short name of the cash account owner	
Cash account	Cash account number	
Following details are available for:		
Credit line amount /Account balance		
At SoD	Credit line amount at SoD	
	and	
	Account balance of the MCA at SoD	
At EoD	Credit line amount at EoD	
	and	
	Account balance of the MCA at EoD	



IDH05 – Results screen when selecting multiple party		
Following details are available for:		
Peak IDC use		
Amount	Peak intraday credit amount on the business day.  Marked with "—" in case the cash account balance remained positive throughout the day	
Credit line amount	Credit line amount on the business day  Marked with "—" in case the cash account balance remained positive throughout the day	

# Table 158 - IDH05 - Output description

IDH05 – Prompt screen description		
Field label	Description	
Search by transaction reference	This drop-down list allows the user to select historic cash transfers by a business transaction reference.	
Reference	The user can enter any business reference that a cash transfer may have. This field is mandatory.	

# Table 159 - IDH05 - Output description

IDH05 – Prompt screen description		
Field label	Description	
Search by business characteristic	This drop-down list option allows the user to select historic cash transfers by a	
	business transaction reference.	



IDH05 – Prompt screen description		
Date From	The user must enter a business day from which the selection of cash transfer are to be selected. A date selection by clicking on the calendar is possible.  This field is mandatory.	
Date To	The user must enter a business day to which the selection of cash transfer are to be selected. A date selection by clicking on the calendar is possible.  This field is mandatory.	
Sender/receiver BIC	This field allows the user to select the BIC of the sender or receiver. The data scope of the user determines list of BICs.  This field is mandatory.	

IDH05 – Prompt screen description	
Field label	Description
Service Type	This drop-down list provides the possibility to select a TARGET2 module.  Code - Description  HAM - Home accounting  PM - Payments module  SF - Standing facilities module
	This field is optional.
Status	This drop-down list allows the user to search by the processing status of the cash transfer.  Code - Description  AL - All status  CA - Revoked  FI - Final  IN - Warehoused  NS - Rejected  XX - NA  This field is optional.
Amount from/to	This field allows the user to search by a specific settlement amount or settlement amount range. This field is optional.

Table 160 - IDH05 - Cash transfer reference prompt screen fields



# 10.2.4 TRH01 - Historic cash transfers

#### **Context of usage**

The report TRH01 provides a central bank with the possibility to search for historic cash transfer (orders) from CRSS using a set of defined filter criteria. The results list displays the details of a cash transfer (order). The central bank user can access the cash transfers (order) where one of its parties is involved on the credit and/or the debit side.

The user opt for the selection by reference or selection by business related criteria.

#### Report access

This report is accessible through the following navigation path:

[Team Content] >> [Predefined Reports] >> [TRH - Transaction Historic Reports] >> [TRH01]

#### Screen Description Screenshot




Figure 579 - TRH01 Cash transfer reference prompt prompt (1) - by Transaction Reference (CR-154)

TRH01 - Prompt screen description	
Field label	Description
Search by transaction reference	
Search by transaction reference	This drop-down list allows the user to select historic cash transfers by a business transaction reference.
Reference	The user can enter any business reference that a cash transfer may have. This field is mandatory.
Search by Business Characteristics	
Field label	Description



Search by business characteristic	This drop-down list option allows the user to select historic cash transfers by a business transaction reference.
Date From	The user must enter a business day from which the selection of cash transfer are to be selected. A date selection by clicking on the calendar is possible.
	This field is mandatory.
Date To	The user must enter a business day to which the selection of cash transfer are to be selected. A date selection by clicking on the calendar is possible.  This field is mandatory.
Sender/receiver BIC-Debited/ Credited party BIC	This field allows the user to select the BIC of the sender or receiver. debited resp. credited party. The data scope of the user determines list of BICs. The possible values are built from parties within the user's data scope  This field is mandatory.
Message Type	This field enables the user to select one or more message types.  Offered message types are:  Answer between HAM and PM HAM Interest Information ACKNACK Input and output MT103 messages Input and output MT103+ messages Input and output MT202 messages Input and output MT204 messages Input from SFM Input requests AML Input requests initiated via ICM Interest from RMM Message sent to PM No message type Penalty from RMM



<u>Module</u>	This field is available for selecting one or more originator modules of transaction.
	Modules offered are:
	I payment module
	I standing facilities
	home accounting
	I reserve management
Cash Transfer Status	This field enables the user to select one or more cash
	transfer status.
	Status offered are:
	I <u>Final</u>
	I <u>Rejected</u>
	I <u>Revoked</u>
	I <u>Warehoused</u>
	I - Not applicable
Payment Type	This field allows the user to select one or more payment
	types.
	Payment types offered are:
	Ancillary system payment
	I Backup payment
	I <u>Billing</u>
	I Cash withdrawal
	I Connected payment
	I Credit line
	I <u>Interests</u>
	I <u>Liquidity transfers</u>
	I Mandated payments
	I Minimum reserves penalties PM
	I REPO
	Regular payment



	I No payment type
Service Type	This drop-down list provides the possibility to select a TARGET2 module.  Code - Description  HAM - Home accounting  PM - Payments module  SF - Standing facilities module  This field is optional.
Status	This drop-down list allows the user to search by the processing status of the cash transfer.  Code - Description  AL - All status  CA - Revoked  FI - Final  IN - Warehoused  NS - Rejected  XX - NA
Amount from/to	This field is optional.  This field allows the user to search by a specific settlement amount or settlement amount range. This field is optional.

Table 161 - TRH01 - Prompt description






Figure 580 - TRH01 Cash transfer multiple field prompt prompt (2) - by Business Characteristics (CR-154)

TRH01 Prompt screen description			
Field label	<del>Description</del>		
Search by business characteristic	This drop-down list option allows the user to select historic cash transfers by a business transaction reference.		
<del>Date From</del>	The user must enter a business day from which the selection of cash transfer are to be selected. A date selection by clicking on the calendar is possible.  This field is mandatory.		
<del>Date To</del>	The user must enter a business day to which the selection of cash transfer are to be selected. A date selection by clicking on the calendar is possible.  This field is mandatory.		
Sender/receiver BIC	This field allows the user to select the BIC of the sender or receiver. The data scope of the user determines list of BICs.		



TRH01 — Prompt screen	- description
	This field is mandatory.
Service Type	This drop-down list provides the possibility to select a TARGET2 module.  Code - Description  HAM - Home accounting  PM - Payments module  SF - Standing facilities module  This field is optional.
Status	This drop-down list allows the user to search by the processing status of the cash transfer.  Code - Description  AL - All status  CA - Revoked  FI - Final  IN - Warehoused  NS - Rejected  XX - NA  This field is optional.
Amount from/to	This field allows the user to search by a specific settlement amount or settlement amount range. This field is optional.{CR-154}

Table 162 - TRH01 - Cash transfer reference prompt screen fields (CR-154)

#### Results Screenshot - output screen




Figure 581 - TRH01 Results screen when selecting Cash transfer reference prompt output (1) - by transaction reference (CR-154)



IGTXE2SXXX - T2SO													
Group of Criteri Debited / Credit Date From Message Type Cash Transfer : Amount From					TRH	01 – His	toric cash	transfer o	detail	sea	rch and list		
Transaction	Cash	Credit Cash	Credit	Debit Cash	Debit	Settlement	Settlement	Payment	Payment		Message		Cash
Message Reference	Transfer ID	Account Number	Party BIC	Account Number	Party BIC	Amount	Timestamp	Type	Subtype	Priority	Type	Module	Transfer Status
													I
													I
													T
	F T												T
	T: T												T
													T
	t: t												T
	t: t												†
	t t												Ť
	t: t					†			1				+
	t t												+
	t: t					†			-			-	+
	t t								-			-	+
	+					+			-			†	+
	+					+			+ -			-	+
	F +					+			+ -			+	+
	+					+			-			+	+
	H +					+			+ -			+	+

Figure 582 - TRN01H Results screen when selecting Cash transfer multiple field prompt-TRH01 output (2) - by business characteristics (CR-154)

When the results list contain multiple cash transfers for a sender or receiver, then each cash transfer is listed by its transaction reference.

TRHUT - Cash transfer results -	screen for search by business reference
Field label	Description
Date	This date field is the business day on which the cash transfer was processed.
Currency	This field displays the ISO currency code
Transaction Message Reference	Transaction message reference as assigned by CRSS
Cash Transfer ID	Transaction reference; technical identifier of the transfer
Credit Cash Account Number	Number of the cash account credited by the cash transfer
Credit party BIC	BIC of the credited party / cash account owner
Debit Cash Account Number	Number of the cash account debited by the cash transfer
Debit party BIC	BIC of the debited party / cash account owner
Settlement amount	Settled amount of the cash transfer
Settlement time stamp	Time stamp of the cash transfer
Payment Type	Possible values (display code and description)
	Code Description
	ASP Ancillary system payment
	BKP Backup payment
	BIL Billing
	CWD Cash withdrawal



	COP Connected payment
	CLN Credit line
	INT Interests
	LQT Liquidity transfers
	MAP Mandated payments
	PEN Minimum reserves penalties PM
	REP REPO
	RGP Regular payment
	999 No payment type
Payment Subtype	<u>Display code</u>
<u>Priority</u>	Possible values (display code):
	Code Description
	H highly urgent
	<u>U urgent</u>
	N normal payments
Message Type	Possible values (display code and description):
	Code Description
	PM-ANSWER Answer between HAM and PM
	HAM-NTRST HAM Interest
	F21 Information ACKNACK
	MT103 Input and output MT103 messages
	MT103+ Input and output MT103+ messages
	MT202 Input and output MT202 messages
	MT204 Input and output MT204 messages
	SF Input from SFM
	PM-SPILL Input requests AML
	ICM Input requests initiated via ICM
	RM-NTRST Interest from RMM
	PM202 Message sent to PM
	MT0 No message type
	RM-PNLT Penalty from RMM



<u>Module</u>	Possible values (display code and description):
	Code Description
	PY payment module
	SF standing facilities
	CO contingency module
	HA home accounting
	RM reserve management
Cash transfer status	Possible values (display code and description):
	Code Description
	<u>FI Final</u>
	NS Rejected
	<u>CA Revoked</u>
	IN Warehoused
	XX Not applicable
Sender BIC / Receiver BIC	The field documents the BIC of the sender or receiver.
Transaction Reference Number	This field specifies the reference that the user used to retrieve the cash transfer.
Sender Message Reference	This field specifies the identification of the message, as provided by the sender.
Message Type	This field specifies the S.W.I.F.T ISO 15077 Message type.
Service	This field documents the module that processed the cash transfer.
	Code - Description
	HAM - Home accounting
	PM - Payments module
	SF - Standing facilities module

Table 163 - TRH01 - Cash transfer results - screen for search by business reference Output description (CR-154)

TRH01 – Cash transfer results – screen for search by business reference		
Field label	<del>Description</del>	
Status	This field documents the final status of the cash transfer	
	Code - Description	
	AL - All status	



TRH01 – Cash transfer results – screen for search by business reference				
	CA - Revoked			
	<del>FI - Final</del>			
	IN - Warehoused			
	NS - Rejected			
	XX-NA			
Debited Account Number	This field documents debited cash account number. When the cash account			
	number is not displayed, then it does not belong to data scope of the user.			
Debited Account BIC	This field documents debited cash account BIC.			
Credited Account Number	This field documents credited cash account number. When the cash account			
	number is not displayed, then it does not belong to data scope of the user.			
Credited Account BIC	This field documents credited cash account BIC.			
Amount	This field display the settled amount.			

Table 164 - TRH01 - Cash transfer results - screen for search by business reference (CR-154)

#### Cash transfer detail screen



Figure 583 - TRH01 Cash transfer (order) detail screen(CR-154)

The cash transfer detail screen will display the fields as specified in section 3. {CR-154}



# 10.3 DWH historic data objects

DWH historic data objects are views in Cognos that are available to users to retrieve historic data from TARGET2 Single Shared Platform. The user can use these objects to build user-defined reports.

# 10.3.1 Party Reference Data

The historic party object in Cognos provides the list of participants from the Target2 static data module with their update history.

Field	Description
Address City	This data item contains a text for the party address.
Country	This attribute provides the two-character country code of the party.
Exclusion Code	This field specifies whether a party was blocked or unblocked for processing.
Exclusion Timestamp	This field specifies the timestamp of the change in blocking status (Exclusion Code).
Institutional Sector Code	This field documents the institutional sector of a party for statistical purposes.
Internet-Based Party	This field documents whether the party is connected as a party through the internet.
Legal Entity ID	This field specifies the unique legal technical identifier of the legal entity that is linked to the party.
Main BIC	This field flags the main BIC of the party.
Monetary Financial Institution	This data item stores the Monetary Financial Institution code (MFI code).
Party BIC	This data item documents the BIC of the party.
Party ID	This field specifies the unique technical identifier of the party.
Party Name	This attribute specifies the name of the party.
Party Status	This field specifies the status of the party, e.g. whether it is active.
Party Type	This attribute provides a classification of the party.
Valid From	This field specifies the date from which the instance of the party is valid.
Valid To	This field specifies the date to which the instance of the party is valid.

Table 165 - Party data items



### 10.3.2 Cash Account Reference Data

The historic party object in Cognos provides the list of cash accounts that were defined in Target2 static data module.

Data Item	Description
Cash Account Currency	This data item is the name of the cash account
Cash Account Description	This data item is the name of the cash account
Cash Account ID	This field specifies the unique technical identifier of the cash account.
Cash Account Number	This attribute specifies the cash account number.
Cash Account Status	This field specifies the status of the party, e.g. whether it is active.
Cash Account Timestamp	This field specifies the timestamp of a change to the cash account for a specific cash account identifier. There may be multiple instances of a cash account identifier in combination with this timestamp.
Cash Account Type	This attribute provides a classification of the cash account.
First Active Date	This field defines the business day that the cash account was available for processing.
Party BIC	This data item specifies the party BIC of the cash account owner.
Party Identifier	This data item specifies the unique technical party identifer of the cash account owner.
Update Type	This field specifies the type of update to the cash account.
Valid From	This field specifies the date from which the instance of the cash account is valid.
Valid To	This field specifies the date to which the instance of the cash account is valid.

Table 166 - Cash account data items

## 10.3.3 Central Bank Reference Data

The historic central bank object in Cognos provides the list of central banks that Target 2 maintained in static data module.



Data Item	Description
Calculation Periodicity	This data item specifies the calculation periodicity.
CCBM2 BIC	This attribute specifies the CCBM2 BIC for the central bank.
Central Bank ID	This field specifies the unique technical identifier of the central bank.
Central Bank Status	This field specifies the status of the central bank, e.g. whether it is active.
Central Bank T2S BIC	This data specifies the BIC of the central bank in T2S.
Central Bank Timestamp	This field specifies the timestamp of a change to the central bank for a specific central bank identifier. There may be multiple instances of a central bank identifier identifier in combination with this timestamp.
Contingency BIC	This data item specifies the contingency BIC of the central bank.
Contingency BIC Valid From	This field specifies the date from which the instance of the central bank is valid.
Contingency BIC Valid To	This field specifies the date to which the instance of the central bank is valid.
Country	This attribute specifies the two-character country code of the central bank.
Credit Institution Liquidity Transfer	This field specifies a liquidity transfer flag for credit institution.
Deviating Central Bank BIC	This data item specifies a deviating BIC of the central bank.
Eurosystem Code	This data item document whether the central bank is a eurosystem central bank.
First Active Date	This field defines the business day that the central bank was available for processing.
Interlinking BIC	This data item specifies the linked BIC of the central bank.
Legal Entity ID	This field specifies the unique technical identifier of the legal entity linked to the central bank.
Standing Facilities Overnight Deposit  Maximum Amount	This field specifies the maximum for standing facilities and overnight deposits.



Data Item	Description
Update Type	This field specifies the type of update to the central bank.
Valid From	This field specifies the date from which the instance of the central bank is valid.
Valid To	This field specifies the date to which the instance of the central bank is valid.

Table 167 - Central bank data items

# 10.3.4 Cash account intraday credit day history

This Cognos object provides the intraday credit metrics per cash account per business day.

Data Item	Description
Business Day	This attribute provides the business day for which the intraday credit data have been calculated.
Cash Account ID	This field specifies the unique technical identifier of the cash account to provide the link to the cash account reference data.
Cash Account Intraday Credit ID	This data item stores the unique technical ID of the intraday credit data
Central Bank Country Code	This field documents the two-character ISO country code on the central bank.
Intraday Credit Code	This field specifies the type of amounts in the amount fields.  Code - Description  CL_BLOCKED - Amount of collateral used/blocked credit line for IDC purposes  CL_POSTED - Amount of collateral posted credit line for IDC purposes  CL_USED - Amount of collateral used credit line to make payments  OWN_BAL - Own funds balance on accounts
	PAY_CAPA - Payment capacity on accounts  POS_BAL - Positive balance on accounts  QUEUE_VAL - Queued payments in value  QUEUE_VOL - Queued payments in volume  REAL_BAL - Real balance on accounts



Data Item	Description
	REPO_BLOCKED - Amount of collateral used/blocked repo for IDC purposes
	REPO_POSTED - Amount of collateral posted repo for IDC purposes
	REPO_USED - Amount of collateral used repo to make payments
	TOT_BLOCKED - Amount of collateral used/blocked for IDC purposes
	TOT_POSTED - Amount of collateral posted for IDC purposes
	TOT_USED - Amount of collateral used to make payments
Intraday Credit Event Count	This attribute provides the number of business transactions pertaining to the calculated amounts.
Intraday Credit Standard Deviation Amount	This data item documents the standard deviation for the intraday credit amount, as defined by the intraday credit code and based on the combination of business day and cash account.
Intraday Credit Weighted Average Amount	This data item documents the weighted average for the intraday credit amount, as defined by the intraday credit code and based on the combination of business day and cash account.
Maximum Intraday Credit Amount	This field specifies the maximum intraday credit amount, as defined by the intraday credit code and for the combination of business day and cash account.
Minimum Intraday Credit Amount	This field specifies the minimum intraday credit amount, as defined by the intraday credit code and for the combination of business day and cash account.
System Entity	This data item provides the system entity of the central bank, as specifed in CRDM reference data.

Table 168 - Intraday credit per business day data items

# 10.3.5 Cash account intraday credit by time band

This Cognos object provides the intraday credit metrics per cash account and time band within the business day.



Field	Description
Business Day	This attribute provides the business day for which the intraday credit data have been calculated.
Cash Account ID	This field specifies the unique technical identifier of the cash account to provide the link to the cash account reference data.
Cash Account IDC Time Band ID	This data item stores the unique technical ID of the intraday credit data by time band
Central Bank Country Code	This field documents the two-character ISO country code on the central bank.
Intraday Credit Code	This field specifies the type of amounts in the amount fields.
	Code - Description
	CL_BLOCKED - Amount of collateral used/blocked credit line for IDC purposes
	CL_POSTED - Amount of collateral posted credit line for IDC purposes
	CL_USED - Amount of collateral used credit line to make payments
	OWN_BAL - Own funds balance on accounts
	PAY_CAPA - Payment capacity on accounts
	POS_BAL - Positive balance on accounts
	QUEUE_VAL - Queued payments in value
	QUEUE_VOL - Queued payments in volume
	REAL_BAL - Real balance on accounts
	REPO_BLOCKED - Amount of collateral used/blocked repo for IDC purposes
	REPO_POSTED - Amount of collateral posted repo for IDC purposes
	REPO_USED - Amount of collateral used repo to make payments
	TOT_BLOCKED - Amount of collateral used/blocked for IDC purposes
	TOT_POSTED - Amount of collateral posted for IDC purposes
	TOT_USED - Amount of collateral used to make payments
Intraday Credit Event Count	This attribute provides the number of business transactions pertaining to the calculated amounts.
Intraday Credit Standard Deviation Amount	This data item documents the standard deviation for the intraday credit amount, as defined by the intraday credit code and based on the combination of business day and cash account.



Field	Description
Intraday Credit Weighted Average Amount	This data item documents the weighted average for the intraday credit amount, as defined by the intraday credit code and based on the combination of business day and cash account.
Maximum Intraday Credit Amount	This field specifies the maximum intraday credit amount, as defined by the intraday credit code and for the combination of business day and cash account.
Minimum Intraday Credit Amount	This field specifies the minimum intraday credit amount, as defined by the intraday credit code and for the combination of business day and cash account.
System Entity	This data item provides the system entity of the central bank, as specifed in CRDM reference data.
Time Band Code	This field documents a code to define the time band.

Table 169 - Intraday credit by time band data items

### 10.3.6 Cash account balances and amounts

This Cognos object provides balances and amounts per cash account and business day.

Field	Description
Business Day	This attribute provides the business day for which the intraday credit data have been calculated.
Cash Account ID	This field specifies the unique technical identifier of the cash account to provide the link to the cash account reference data.
Cash Account IDC Daily Metric ID	This data item stores the unique technical ID of the amounts and balances.
Central Bank Country Code	This field documents the two-character ISO country code on the central bank.
Daily Total Credit Amount	This field documents the sum of the credit postings on the cash account at the end of the business day.
Daily Total Debit Amount	This field documents the sum of the debit postings on the cash account at the end of the business day.
End-of-Day Balance	This field documents the cash account balance at the end of the business day.



Field	Description
End-of-Day Bilateral Limit Amount	This field documents the bilateral limit for the cash account at the end of the business day.
End-of-day Cash Reservation Amount	This field documents the total amount of reservations at the end of the business day.
End-of-Day Credit Line Amount	This field documents the credit line amount for the cash account balance at the end of the business day.
End-of-Day Highly Urgent Reservation Amount	This field documents the total amount of highly urgent reservations at the end of the business day.
End-of-Day Multilateral Limit Amount	This field documents the multilateral limit for the cash account at the end of the business day.
End-of-Day Standing Order Reservation Amount	This field documents the total amount of standing order reservations at the end of the business day.
End-of-Day Threshold Reservation Amount	This field documents the threshold reservation amount at the end of the business day.
End-of-Day Urgent Reservation Amount	This field documents the total amount of urgent reservations at the end of the business day.
Group of Accounts Central Bank Country Code	This data item provides the two-character ISO country of the central bank for a group of accounts.
Group of Accounts ID	The attribute provides the unique technical identifier of a group of accounts.
Group of Accounts System Entity	This data item provides the system entity of the central bank for a group of accounts.
Highly Urgent Pending Reservation Amount	This field documents the total amount of pending highly urgent reservations at the end of the business day.
Start-of-Day Balance	This field documents the cash account balance at the start of the business day.
Start-of-Day Bilateral Limit Amount	This field documents the bilateral limit for the cash account at the start of the business day.
Start-of-Day Cash Reservation Amount	This field documents the total amount of reservations at the start of the business day.

Table 170 - Cash Account balances and amounts data items



# 10.3.7 Cash transfers

This Cognos object provides all cash transfers.

Field	Description
Cash Transfer ID	This field contains the unique technical identifier of the cash transfer (order).
Ancillary System Message ID	This field specifies the technical identifier of an ancillary system message.
Legal Entity Party ID	This field specifies the technical identifier of the legal entity that pertains to the cash transfer.
Cash Transfer Description	The attribute provides a long description of the type of liquidity transfer.
Settlement Identifier	This field contains the unique technical identifier of the cash transfer (order).
Settlement Amount	This field provides the funds that actually settled.
Settlement Link	This attribute documents the cash transfer business identifier with which the cash transfer is linked
Settlement Reference	The field documents the business reference with which the instruction of the cash transfer took place.
Payment Module Message ID	This field specifies the technical identifier that the TARGET2 payment module assigned to the cash transfer.
CCBM2 BIC	This field specifies the BIC when the cash transfer is related to collateral in CCBM2.
Intermediary Creditor BIC	The intermediary creditor BIC is shown in this field when the cash transfer involves an intermediary on the credit leg.
Intermediary Debitor BIC	The intermediary debit BIC is shown in this field when the cash transfer involves an intermediary on the debit leg.
Credit Dedicated Cash Account Party BIC	This field specifies the BIC of the credited dedicated cash account holder on the business day of the cash transfer.
Debit Dedicated Cash Account Party BIC	This field specifies the BIC of the debited dedicated cash account holder on the business day of the cash transfer.
Currency Code	The attribute documents the three-character ISO code of the settlement currency.



Field	Description
Credit Dedicated Cash Account	This field specifies the credited dedicated cash account number.
Debit Dedicated Cash Account	This field specifies the debited dedicated cash account number.
Entry Hour Code	This attribute provides a code the documents the hour of the business date that the cash transfer entered the service.
	Code - Description
	0 - 12.00 PM - 01.00 AM
	1 - 01.00 AM - 02.00 AM
	2 - 02.00 AM - 03.00 AM
	3 - 03.00 AM - 04.00 AM
	4 - 04.00 AM - 05.00 AM
	5 - 05.00 AM - 06.00 AM
	6 - 06.00 AM - 07.00 AM
	7 - 07.00 AM - 08.00 AM
	8 - 08.00 AM - 09.00 AM
	9 - 09.00 AM - 10.00 AM
	10 - 10.00 AM - 11.00 AM
	11 - 11.00 AM - 12.00 AM
	12 - 12.00 AM - 01.00 PM
	13 - 01.00 PM - 02.00 PM
	14 - 02.00 PM - 03.00 PM
	15 - 03.00 PM - 04.00 PM
	16 - 04.00 PM - 05.00 PM
	17 - 05.00 PM - 06.00 PM
	18 - 06.00 PM - 07.00 PM
	19 - 07.00 PM - 08.00 PM
	20 - 08.00 PM - 09.00 PM
	21 - 09.00 PM - 10.00 PM
	22 - 10.00 PM - 11.00 PM
	23 - 11.00 PM - 12.00 PM



Field	Description
	99 - No entry hour
Flow Type	This attribute documents whether cash transfer is cross- border or domestic.
	Code - Description
	CRB - Cross-border
	DOM - Domestic
Link Reference Code	When applicable, this field provides a code to document the type of link between two cash transfers.
Module	This field documents the TARGET2 module in which the processing of the cash transfer took place.
	Code - Description
	HAM - Home accounting module
	PM - Payment module
	SF - Standing facilities module
BIC 52 Ordering Institution Party ID	This field provides the technical identifier of the ordering institution party from the message underlying the cash transfer
BIC 53 Sender Correspondent Party	This field provides the technical identifier of the sender correspondent
ID	party from the message underlying the cash transfer
BIC 54 Beneficiary Party ID	This field provides the technical identifier of the beneficiary party from the message underlying the cash transfer
BIC 56 Intermediary Party ID	This field provides the technical identifier of the intermediary party from the message underlying the cash transfer
BIC 57 Cash Account Institution Party ID	This field provides the technical identifier of the cash account institution from the message underlying the cash transfer
BIC 58 Beneficiary Institution Party ID	This field provides the technical identifier of the beneficiary institution party from the message underlying the cash transfer
Receiving Central Bank Country	This field documents the two-character country code of the receiving central bank.



Field	Description
Receiver Party ID	This field documents the technical identifier of the receiving central bank.
Sending Central Bank Country	This field documents the two-character country code of the sending central bank.
Sending Party ID	This field documents the technical identifier of the sending central bank.
Debit Cash Account Party ID	The field documents the technical identifier of the party that holds the cash account that the cash transfer debits.
Credit Cash Account Party ID	The field documents the technical identifier of the party that holds the cash account that the cash transfer credits.
Direct Receiver Party ID	The field documents the technical party identifier of the direct recipient.
Value Band ID	This field contain the value band to which the cash transfer is allocated.
	Code - Description
	1 -= 0
	2 - > 0 and <= EUR 1250
	3 - > EUR 1250 and <= EUR 12500
	4 - > EUR 12500 and <= EUR 50000
	5 - > EUR 50000 and <= EUR 250000
	6 - > EUR 250000 and <= EUR 1M
	7 - > EUR 1M and <= EUR 10M
	8 - > EUR 10M and <= EUR 25M
	9 - > EUR 25M and <= EUR 50M
	10 - > EUR 50M and <= EUR 100M
	11 - > EUR 100M and <= EUR 500M
	12 - > EUR 500M and <= EUR 1B
	13 - > EUR 1B
Transaction Message Reference	This field specifies the business reference of the message underlying the cash transfer.
Message Type	This field specifies the S.W.I.F.T. 15022 message type of the message underlying the cash transfer.



Field	Description
Operation Category	This field documents the operation category to which the cash transfer is assigned based on the attributes of the cash transfer.
	Code - Description
	CAT0 - No category
	CAT1 - Payments between market participants
	CAT2 - Operations with the central bank
	CAT3 - Settlement operations
	CAT4 - Liquidity transfer
Sender Aggregation Counting	This field contains a Boolean value to determine whether the cash transfer is included in the sender count.
	Code - Description
	F - Not included
	T - Included
Receiver Aggregation Counting	This field contains a Boolean value to determine whether the cash transfer pertains to a contingency operation.
	Code - Description
	F - Not contingency transfer
	T - Contingency transfer
Operation Type	This field documents the operation type to which the cash transfer is assigned based on the attributes of the cash transfer.
	Code - Description
	0 - No operation type
	1.1 - Customer payments
	1.2 - Interbank payments
	2.1 - Cash operation
	2.2 - Intraday repo and similar transactions
	2.3 - Payments sent and/or received on behalf of customers
	2.4 - Inter NCB payments
	2.5 - Other transactions
	3.1 - Trade by trade settlements of SSS



Field The second	Description
	3.2 - Other settlement operations
	3.3 - EBA Euro1
	3.2 - CLS
	3.5 - EBA Step2
	4.1 - Intraday transfers with LVPS
	4.2 - Intraday transfers with retail systems
	4.3 - Intraday transfer with SSS
	4.4 - Internal transfers between different accounts of the same participant
	4.5 - Commercial transfers between different accounts of same participant
	4.6 - Transfers to T2S
	4.7 - Transfers back to TARGET2 from T2S
	4.8 - Liquidity transfers to TIPS
	4.9 - Liquidity transfers from TIPS
	9.9 - Temporary operation type
Payment Type	This field documents the payment type to which the cash transfer is assigned based on the attributes of the cash transfer.
	Code - Description
	999 - No payment type
	ASP - Ancillary System Payment
	BIL - Billing
	BKP - Backup Payment
	CLN - Credit Line
	COP - Connected Payment
	CSD - CROSS AS SETTLEMENT
	CWD - Cash Withdrawal
	INT - Interests
	LQT - Liquidity Transfer
	MAP - Mandated Payment
	PEN - Penalties



e:	
Field	Description
	REP - REPO
	RGP - Regular Payment
Payment Subtype	This field documents the payment sub-type to which the cash transfer is assigned based on the attributes of the cash transfer.
	Code - Description
	1BKMR - SM1 Liquidity Transfer CI to Technical account – procedure 6 real-time
	1MRBK - SM1 Liquidity Transfer Technical account – procedure 6 real-time to CI
	6COLA - Auto collateral sent by AS
	6COLC - Auto collateral sent by CB
	6COPA - Connected payments sent by AS
	6COPC - Connected payments sent by CB
	6FSBSU - SM6 interfaced model SB to SUB
	6FSOR - Standing order 6F
	6FSUPM - Back transfer of liquidity 6F
	6GSOR - SM6 real-time model standing order
	6MAPA - SM6 autocollateralisation mandated payment (pe Auto-collateral account to sub account, sent by AS)
	6MAPC - SM6 autocollateralisation mandated payment (per Auto-collateral account to sub account, sent by CB)
	6SET - Settlement 6
	6SIFFA - SM6 cross AS settlement (sent by AS)
	6SIFFC - SM6 cross AS settlement (sent by CB)
	6SIFGA - SM6 cross AS settlement (sent by AS)
	6SIFGC - SM6 cross AS settlement (sent by CB)
	6SIGFA - SM6 cross AS settlement (sent by AS)
	6SIGFC - SM6 cross AS settlement (sent by CB)
	6SIGGA - SM6 cross AS settlement (sent by AS)
	6SIGGC - SM6 cross AS settlement (sent by CB)
	6STRA - Special transaction sent by AS
	6STRC - Special transaction sent by CB



Field	Description
	999999 - No payment subtype
	BILH - Billing payment HAM
	BILP - Billing payment PM
	BKPM - Backup Payments PM
	CLNC - Credit line connected payment
	CLND - Settlement of an Order to change Credit Line (Delta Amount)
	CLNO - Credit line order (Fixed Amount)
	CUSHH - Customer payment
	CWD - Cash Withdrawal
	DACC - Liquidity transfer to CB for deleted account
	EPA - Liquidity Transfer EOD PM to PHA
	EPH - Liquidity Transfer EOD PM to HAM
	EPP - Liquidity Transfer EOD between PM
	EXP - GOA to excluded participant
	F6GCUO - Current order FIN 6G
	FCOP - Connected payments FIN
	FMAP - Mandated Payments FIN
	FPA - Liquidity Transfer FIN to PHA
	FPH - Liquidity Transfer FIN to HAM
	FPP - Liquidity Transfer FIN to PM
	HAMER - Transfer with SF without any corresponding payment in SF HAMMAP Mandated payment (FIN) to HAM system BIC
	HPSFOD - Overnight deposit transfers HAM to SF
	I6FCUO - Current order ICM 6F
	IBPPH - Payment IBP from PM to HAM
	IHPS - Liquidity Transfer ICM HAM to PM or HAM to SF
	INBHH - Interbank payment
	INBPH - Interbank Transfer RTGS to other HAM account
	INTHA - Interests from HAM
	INTMLP - Marginal lending interests PM



Field	Description
	INTOC - Interests for out countries
	INTODH - Overnight deposit interests HAM
	INTODP - Overnight deposit interests PM
	INTRH - Minimum reserves interests HAM
	INTRP - Minimum reserves interests PM
	IOF - Overnight deposit on interests for out countries
	IPH - Liquidity Transfer ICM PM to HAM
	IPP - Liquidity Transfer ICM within GOA to PM
	IRGHH - Payment ICM intra HAM
	IRGHP - Payment ICM HAM to PM
	IRGPH - Payment ICM to HAM
	KSF - Liquidity Transfer of capital
	LCTT2S - LiquidityCreditTransfer from T2S
	LCTTIP - LiquidityCreditTransfer from TIPS
	LDTT2S - LiquidityDebitTransfer from T2S (EoD only)
	LEV - Levelling out transaction
	LMAT2S - LiquidityCreditTransfer MX to
	T2S(mandated)sent by T2SActors
	LMFT2S - LiquidityCreditTransfer FIN to T2S (mandated)
	LMMT2S - LiquidityCreditTransfer MX to T2S (mandated) sent by CBs
	LMMTIP - LiquidityCreditTransfer MX to TIPS (mandated) sent by CBs
	LQT - insert CM payment
	LTFT2S - LiquidityCreditTransfer FIN (MT202 Y-Copy) to T2S (only VAS)
	LTHP - Liquidity transfer HAM to PM
	LTIT2S - LiquidityCreditTransfer ICM to T2S
	LTITIP - LiquidityCreditTransfer ICM to TIPS (push)
	LTMT2S - LiquidityCreditTransfer MX (A2A) to T2S
	LTMTIP - LiquidityCreditTransfer MX (A2A) to TIPS
	LTPH - Liquidity transfer PM to HAM



Field	Description
	ML - Marginal lending SF to PM
	MLC - Marginal lending as connected payment
	MLQ - Modify CM liquidity
	MLR - Marginal lending refund PM to SF
	MLRC - Marginal lending refund as connected payment
	OD - Overnight deposit PM to SF
	ODR - Overnight deposit refund SF to PM
	ONI - Overnight deposit Negative Interests
	PA - Liquidity Transfer PM to PHA
	PENH - Minimum reserves penalties HAM
	PENP - Minimum reserves penalties PM
	PH - Liquidity transfer PM to HAM
	PPSFOD - Overnight deposit transfers PM to SF
	REP - REPO
	RGBIP - Billing reverse payment PM
	RGCP - Contingency module payment
	RGHH - Payment MT202S intra HAM
	RGHP - Payment MT202 HAM to PM
	RGIBIB - Payment between two LVP participants
	RGIBPP - Payment from LVP participant to Y-Copy
	RGLB - Normal regular payment from or to liquidity bridge account
	RGP - Regular Payment
	RGPH - Payment MT202 PM to HAM
	RGPP - Regular payment PM
	RGPPIB - Y-Copy Payment to LVP participant
	SAC - Automatic Marginal Lending on Capital
	SAI - Automatic Marginal Lending on Interests
	SFONI - Overnight deposit Negative Interests
	SFSAC - SFM Automatic marginal lending Capital
	SFSAI - SFM Automatic marginal lending Interest
	SFSMC - SFM Margin lending on-request Capital



Field	Description
Field	Description
	SFSMI - SFM Margin lending on-request Interest
	SFSOC - SFM Overnight deposit Capital
	SFSOI - SFM Overnight deposit Interest
	SM2 - Real time settlement
	SM3 - Bilateral settlement
	SM3S - Bilateral settlement with singled ASIS
	SM4 - Standard multilateral settlement
	SM4C - Conversion settlement procedure 5 to 4
	SM4G - Guarantee payment
	SM4R - Reversal payment
	SM5 - Simultaneous multilateral settlement
	SMC - Marginal Lending on-request on Capital
	SMI - Marginal Lending on-request on Interests
	SOC - Overnight Deposit on Capital
	SOI - Overnight Deposit on Interests
	SOLT2S - Standing Order LT to T2S
	SOLTIP - Standing Order LiquidityTransfer to TIPS
	SORHPM - Standing order HAM to PM
	SSPMAP - Mandated Payments FIN to SSP
	TURN - Cross CB turnover transaction
	X6FCUO - Current order XML 6F
	X6GCUO - SM6 real-time model current order (per settle
	bank to Technical account – procedure 6 real-time or vice
	versa)
	ZER - zero balance
Priority	This attribute documents the settlement priority of the payment
	Code - Description
	H - Highly urgent
	N - Normal
	U - Urgent



Field	Description
Receiving Account Category	This attribute documents the classification of the receiving cash account on the business day that the processing of the cash transfer took place.
	Code - Description
	SU - Normal HAM account
	CB - CB HAM account
	CU - CB customer account
	LB - CB customer liquidity bridge
	SFI - SF Interests
	RIP - RM Interests and penalties
	HAI - HAM Interests
	T2F - TARGET 2 Fees
	CI - Normal
	CB - CB
	LB - CB Customer Liquidity Bridge
	EC - ECB Account
	ECM - ECB Mirror Account
	IL - SSP Interlinking Account
	SFI - SFI : SF Interests
	RIP - RM Interests and penalties
	T2F - TARGET 2 Fees
	ASM - AS Technical Account Proc 6 RT
	ASG - AS Guarantee Account
	ASC - AS Auto-collateral Account
	AST - AS Technical Account
	CM - CM Account
	SUB - AS subaccount
	CM - Contingency account
	ML - Marginal lending
	OD - Overnight deposit
	T2S - T2S DTA Transit account
	TIP - TIPS DTA Transit Account



Field	Description
Receiving Account Type	This attribute documents the classification of the receiving cash account that determines the assignment of the cash account to a module.
	Code - Description
	P - RTGS account
	H - HAM account
	S - SF account
	A - AS subaccount
	C - CM account
Receiving Central Bank	This field documents the technical identifier of the receiving central bank.
Billable Settlement Type	This attribute classifies the cash transfer for invoicing.
	Code - Description
	0 - The standard payment is not taken into account
	1 - The standard payment is taken into account on the credit side
	2 - The standard payment is taken into account on the debit side
	3 - The payment coming from the ASI is taken into account
	4 - The payment coming from the ASI is not taken into account
Cross-Border Settlement Type	This attribute documents classifies the cross-border settlement of a cash transfer.
	Code - Description
	CBN - Between non-migrated NCB
	CBM - Between both migrated NCB
Guarantee Type	This attribute documents the guarantee type associated to the cash transfer.
Intraday Credit Type	This attribute classifies the cash transfer for intraday credit.
	Code - Description
	C - Credit line
	R - Repo



Field	Description
Reversal	This field specifies that the cash transfer is a reversal.
TARGET Settlement Type	
Settlement Status	This attribute documents the settlement status of the cash transfer
	Code - Description
	AL - All status
	CA - Revoked
	FI - Final
	IN - Warehoused
	NS - Rejected
	XX - NA
Settlement Type	This attribute documents the classification of the settlement of the cash transfer
	Code - Description
	0 - Pending
	1 - Entry disposition
	2 - Express algorithm
	3 - Settle connected payment
	4 - AS settlements not booked
	11 - Algorithm 1
	12 - Algorithm 2
	13 - Algorithm 3
	14 - Algorithm 4
	15 - Algorithm 5
	18 - CM settlement
	20 - Liquidity transfer and other ICM orders
	80 - End-of-day booking
	81 - Levelling out booking
Sender Cash Account Category	This attribute documents the classification of the sender cash account on the business day that the processing of the cash transfer took place.
	Code - Description



	i
Field	Description
	SU - Normal HAM account
	CB - CB HAM account
	CU - CB customer account
	LB - CB customer liquidity bridge
	SFI - SF Interests
	RIP - RM Interests and penalties
	HAI - HAM Interests
	T2F - TARGET 2 Fees
	CI - Normal
	CB - CB
	LB - CB Customer Liquidity Bridge
	EC - ECB Account
	ECM - ECB Mirror Account
	IL - SSP Interlinking Account
	SFI - SFI : SF Interests
	RIP - RM Interests and penalties
	T2F - TARGET 2 Fees
	ASM - AS Technical Account Proc 6 RT
	ASG - AS Guarantee Account
	ASC - AS Auto-collateral Account
	AST - AS Technical Account
	CM - CM Account
	SUB - AS subaccount
	CM - Contingency account
	ML - Marginal lending
	OD - Overnight deposit
	T2S - T2S DTA Transit account
	TIP - TIPS DTA Transit Account
Sender Cash Account Type	This attribute documents the classification of the sender
	cash account that determines the assignment of the cash
	account to a module.
	Code - Description



Field	Description
	P - RTGS account
	H - HAM account
	S - SF account
	A - AS subaccount
	C - CM account
Time Band	This field provides the assignment of a cash transfer to a
	time range of a business day.
	Code - Description
	6 - Before 07:00 AM
	7 - 07.00 AM - 08.00 AM
	8 - 08.00 AM - 09.00 AM
	9 - 09.00 AM - 10.00 AM
	10 - 10.00 AM - 11.00 AM
	11 - 11.00 AM - 12.00 AM
	12 - 12.00 AM - 01.00 PM
	13 - 01.00 PM - 02.00 PM
	14 - 02.00 PM - 03.00 PM
	15 - 03.00 PM - 04.00 PM
	16 - 04.00 PM - 05.00 PM
	17 - 05.00 PM - 06.00 PM
	18 - After 06:00 PM
	99 - No time range
Time Range	This field provides the assignment of a cash transfer to a
	time band of a business day.
	Code - Description
	0 - 12.00 PM - 01.00 AM
	10 - 01.00 AM - 02.00 AM
	20 - 02.00 AM - 03.00 AM
	30 - 03.00 AM - 04.00 AM
	40 - 04.00 AM - 05.00 AM
	50 - 05.00 AM - 06.00 AM
	60 - 06.00 AM - 07.00 AM



Field	Description
	71 - 07.00 AM - 07.15 AM
	72 - 07.15 AM - 07.30 AM
	73 - 07.30 AM - 07.45 AM
	74 - 07.45 AM - 08.00 AM
	81 - 08.00 AM - 08.15 AM
	82 - 08.15 AM - 08.30 AM
	83 - 08.30 AM - 08.45 AM
	84 - 08.45 AM - 09.00 AM
	91 - 09.00 AM - 09.15 AM
	92 - 09.15 AM - 09.30 AM
	93 - 09.30 AM - 09.45 AM
	94 - 09.45 AM - 10.00 AM
	101 - 10.00 AM - 10.15 AM
	102 - 10.15 AM - 10.30 AM
	103 - 10.30 AM - 10.45 AM
	104 - 10.45 AM - 11.00 AM
	111 - 11.00 AM - 11.15 AM
	112 - 11.15 AM - 11.30 AM
	113 - 11.30 AM - 11.45 AM
	114 - 11.45 AM - 12.00 AM
	121 - 12.00 AM - 12.15 AM
	122 - 12.15 AM - 12.30 AM
	123 - 12.30 AM - 12.45 AM
	124 - 12.45 AM - 01.00 PM
	131 - 01.00 PM - 01.15 PM
	132 - 01.15 PM - 01.30 PM
	133 - 01.30 PM - 01.45 PM
	134 - 01.45 PM - 02.00 PM
	141 - 02.00 PM - 02.15 PM
	142 - 02.15 PM - 02.30 PM
	143 - 02.30 PM - 02.45 PM
	144 - 02.45 PM - 03.00 PM



Field	Description
	151 - 03.00 PM - 03.15 PM
	152 - 03.15 PM - 03.30 PM
	153 - 03.30 PM - 03.45 PM
	154 - 03.45 PM - 04.00 PM
	161 - 04.00 PM - 04.15 PM
	162 - 04.15 PM - 04.30 PM
	163 - 04.30 PM - 04.45 PM
	164 - 04.45 PM - 05.00 PM
	184 - 06.45 PM - 07.00 PM
	190 - 07.00 PM - 08.00 PM
	200 - 08.00 PM - 09.00 PM
	210 - 09.00 PM - 10.00 PM
	220 - 10.00 PM - 11.00 PM
	230 - 11.00 PM - 12.00 PM
	999 - No time band
Business Day	This field specifies the business day on which the processing of the cash transfer took place.
Ancillary System Settlement	This field contains a Boolean value to determine whether
	the cash transfer pertains to ancillary system processing.
	Code - Description
	F - Not Ancillary system settlement
	T - Ancillary system settlement
Contingency Transfer	This field contains a Boolean value to determine whether
	the cash transfer pertains to a contingency operation.
	Code - Description
	F - Not contingency transfer
	T - Contingency transfer
Queueing	This field contains a Boolean value to determine whether
	the cash transfer pertains to a contingency operation.
	Code - Description
	F - Not contingency transfer
	T - Contingency transfer



Field	Description
Settlement Counting	This field contains a Boolean value to determine whether the cash transfer pertains to a contingency operation.  Code - Description
	F - Not contingency transfer
	T - Contingency transfer
Central Bank Aggregation Credit Counting	This field contains a Boolean value to determine whether the cash transfer is aggregated to the debit for a central bank.
	Code - Description
	F - No credit count inclusion
	T - Credit count inclusion
Central Bank Aggregation Debit Counting	This field contains a Boolean value to determine whether the cash transfer is aggregated to the debit for a central bank.
	Code - Description
	F - No debit count inclusion
	T - Debit count inclusion
Credit Cash Account ID	This field documents the technical identifier of the credit cash account.
Debit Cash Account ID	This field documents the technical identifier of the debit cash account.
Direct Sender Party ID	This field documents the technical identifier of the direct sender.
Process Band ID	This attribute documents the settlement priority of the payment
	Code - Description
	H - Highly urgent
	N - Normal
	U - Urgent
Contingency Session ID	This attribute documents the technical identifier of a contingency session when the creation of the cash transfer to place during a contingency settlement operations.
Settlement Error ID	This field specifies an error code if the settlement fails.



Field	Description
Settlement Processing Duration Seconds	This field documents the processing duration of the cash transfer in settlement.
Closing Timestamp	This field documents the date and time of the system closing.
Sent to Settlement Timestamp	The field documents the date and time that submission of the cash transfer took place.
Received by Settlement Timestamp	This field document the date and time the settlement received the cash transfer for processing.
Message Entry Timestamp	This field specifies the date and time that the message instructing cash transfer was received.
Payment Module Settlement Timestamp	This attribute documents the date and time that the cash transfer settled in the payment module.
Linked Initial Payment Payment Module Settlement Timestamp	This field specifies the settlement date and time of that the payments module settled the first cash transfer of a set of linked cash transfers settled.
Settlement Timestamp	This attribute documents the date and time that the cash transfer settled.

Table 171 - Cash transfer data items